



# Delock USB Type-C<sup>™</sup> 3.1 Docking Station HDMI + DP + VGA 1080p, USB Hub and USB PD function

## Description

This docking station by Delock can be connected to a computer with a USB-CTM Alt-Mode or ThunderboltTM 3 port and provides a variety of interfaces. Three monitors can be operated simultaneously at the Displayport, HDMI and VGA outputs, the same image is displayed on all ports. Two built-in USB Type-A ports and one USB Type-CTM port allows the use of peripherals. With a USB-CTM power supply, laptops such as the Macbook or Chromebook can be charged during operation.



ltem no. 87722

EAN: 4043619877225

Country of origin: China

Package: Retail Box



## Specification

#### Connectors:

- 1 x HDMI-A 19 pin female
- 1 x Displayport 20 pin female
- 1 x VGA 15 pin female
- 1 x USB Type-C<sup>TM</sup> PD female (power supply)
- 1 x USB Type-C™ female (data transfer)
- 1 x USB Type-C™ female (connection to host)
- 2 x USB 3.0 Type-A female
- Chipset: VL101R, VL170, VL813, CH7039
- Resolution up to 1080p @ 60 Hz
- (depending on the system and the connected hardware)
- Transmission of audio and video signals
- Setting: extended, mirrored, primary display
- Output power: 4.5 W per port
- Input power: 1 x USB Type-C<sup>™</sup> female max. 60 W
- Colour: black
- Dimensions (LxWxH): ca. 127 x 63 x 14 mm

#### System requirements

- Windows 8.1/8.1-64/10/10-64, Windows 10 Mobile, Android ex 6.0, Mac OS ex 10.12
  Device with a free USB Type-C<sup>TM</sup> port and Displayport alternate mode
- or with a free Thunderbolt™ 3 port

### Package content

- USB-C<sup>™</sup> docking station
- Cable USB-C<sup>™</sup> male to USB-C<sup>™</sup> male, length ca. 10 cm
- User manual





# Images









General	
Specification:	DisplayPort 1.1
	High Speed HDMI
Supported operating system:	Windows 8.1 32-bit
	Windows 8.1 64-bit
	Windows 10 32-bit
	Windows 10 64-bit
	Windows 10 Mobile
	ex Mac OS 10.12
	Android ex 6.0
Interface	
Output:	1 x DisplayPort 20 pin female
	1 x HDMI-A 19 pin female
	1 x VGA 15 pin female
	2 x USB 3.0 Type-A female
	1 x USB Type-C™ female (data transfer)
Input:	1 x USB Type-C™ female (power supply)
	1 x USB Type-C™ male
Technical characteristics	
Maximum screen resolution:	1920 x 1080 @ 60 Hz
Signal transmission:	video
	audio
Voltage:	USB bus powered
	1 x USB Type-C <sup>™</sup> Power Delivery female (optional for power supply)
Physical characteristics	
Cable length incl. connector:	10 cm
Colour:	grey / black