# 2015 Catalogue rotring Germany 1928





digital



Germany 1928


Think On. Create.

www.rotring.com




paper

rOtring was born in 1928, in the era of the influential Bauhaus design school in Germany. Their modernist "Art into Industry" philosophy still inspires our unique approach to industrial design. We design tools to enable people to think and create whenever inspiration takes them. Our creative tools are engineered with German precision ensuring premium performance.







# o mechanical pencils







A rOtring mechanical pencil is a purposefully designed creative tool, that is engineered with precision for optimum performance. A problem solving tool, capturing thoughts and a device to communicate creative visions. rOtring has a wide range of analog and hybrid mechanical pencils to help getting the idea out.



mechanical pencil + stylus hybrid

Premium hybrid mechanical pencil + stylus, combining both modes at the same end with a unique retractable mechanism.

#### Hybrid

- Unique "Twist and Click" retractable mechanism of the entire sleeve and lead: pocket safe + durability
- Retract the pencil and use the stylus without the hassle of turning the tool around. Its all on the same end
- Hexagonal barrel ensuring fatigue-free writing and drawing. Shaped to prevent the tool from sliding when laid down on tables
- Non-slip metal knurled grip

#### **Stylus**

- · Precision stylus tip for high accuracy, control and speed
- 100% effective at every angle
- Soft tip glides smoothly and is compatible with all capacitive touchscreens

#### **Mechanical Pencil**

- rOtring brass mechanism for precision lead advancement
- Fixed lead guidance sleeve preventing break and offering an unimpeded view of the page for precise ruler-based drawing
- Built-in eraser under the push-button cap
- Refillable. Loaded with high-polymer HB leads

1900181	black	НВ	0.5 mm	elitting 000 e   U.S. inn
1900182	black	НВ	0.7 mm	(Quillag) 005+   0.7 mm
1900183	silver	НВ	0.5 mm	netring 800+   0.5 mm
1900184	silver	НВ	0.7 mm	netring 800+   0.7 mm

#### 800 mechanical pencil

Top of the line mechanical pencil with full metal body and retractable mechanism.


- Unique "Twist and Click" retractable mechanism of the entire sleeve and lead: pocket safe + durability
- rOtring brass mechanism for precision lead advancement
- Fixed lead guidance sleeve preventing break and offering an unimpeded view of the page for precise ruler-based drawing
- Full metal body providing ideal balance of weight and feeling
- Hexagonal barrel ensuring fatigue-free writing and drawing. Shaped to prevent the tool from sliding when laid down on tables
- Non-slip metal knurled grip
- Built-in eraser under the push-button cap
- Refillable. Loaded with high-polymer HB leads



#### 600 mechanical pencil

Iconic mechanical pencil with full metal body and rOtring's original design.

- rOtring brass mechanism for precision lead advancement
- Fixed lead guidance sleeve preventing break and offering an unimpeded view of the page for precise ruler-based drawing
- Full metal body providing ideal balance of weight and feeling
- Hexagonal barrel ensuring fatigue-free writing and drawing. Shaped to prevent the tool from sliding when laid down on tables
- Non-slip metal knurled grip
- Adjustable lead hardness grade indicator
- Built-in eraser under the push-button cap
- Refillable. Loaded with high-polymer HB leads



- rOtring brass mechanism for precision lead advancement
- Fixed lead guidance sleeve preventing break and offering an unimpeded view of the page for precise ruler-based drawing
- Plastic body for a light-weight tool
- Hexagonal barrel ensuring fatigue-free writing and drawing. Shaped to prevent the tool from sliding when laid down on tables
- Non-slip metal knurled grip
- · Adjustable lead hardness grade indicator
- Built-in eraser under the push-button cap
- · Refillable. Loaded with high-polymer HB leads



#### 300 mechanical/clutch pencil

Light-weight mechanical pencil with hexagonal plastic body.

#### 0.5 and 0.7 mm:

- rOtring brass mechanism for precision lead advancement
- Fixed lead guidance sleeve preventing break and offering an unimpeded view of the page for precise ruler-based drawing
- Plastic body for a light-weight tool
- Hexagonal barrel ensuring fatigue-free writing and drawing. Shaped to prevent the tool from sliding when laid down on tables
- · Adjustable lead hardness grade indicator
- Built-in eraser under the push-button cap
- Refillable. Loaded with high-polymer HB leads

#### 2.0 mm:

- Clutch-grip mechanism for secure holding of the 2.0mm lead
- Plastic body for a light-weight tool
- Hexagonal barrel ensuring fatigue-free writing and drawing. Shaped to prevent the tool from sliding when laid down on tables
- Adjustable lead hardness grade indicator
- Built-in sharpener under the push-button cap
- · Refillable. Loaded with HB leads

1904726	black	НВ	0.5 mm	10 10 10 10 10 10 10 10 10 10 10 10 10 1
1904724	black	НВ	0.7 mm	r@ning 300 / 0.5 mm y
1904729	black	НВ	2.0 mm	# <b>@tiling 200 j 0,7 mm</b> }





#### Rapid Pro mechanical pencil

#### 0.5 and 0.7 mm

Mechanical pencil with full metal body and cushion lead mechanism.

- Sliding sleeve and cushion lead mechanism for high level of break resistance and outstanding writing and doodling comfort
- rOtring brass mechanism for precision lead advancement
- Full metal body providing ideal balance of weight and feeling
- Non-slip metal knurled grip
- Built-in eraser under the push-button cap
- Refillable. Loaded with high-polymer HB leads

#### 2.0 mm

Mechanical pencil with full metal body and unique precision lead advancement mechanism.

- Unique push mechanism for controlled 2mm lead transportation
- Full metal body providing ideal balance of weight and feeling
- Non-slip metal knurled grip
- Built-in sharpener under the push-button cap
- Refillable. Loaded with rOtring HB leads

Also available in ballpoint pen.



Light-weight mechanical pencil with a rubberised grip.

- rOtring brass mechanism for precision lead advancement
- Fixed lead guidance sleeve preventing break and offering an unimpeded view of the page for precise ruler-based drawing
- Plastic body for a light-weight tool
- Triangular barrel for relaxed drawing
- Soft touch rubberised grip for a great comfort
- Available models using the ISO 3098 color-coding for an easy line width identification
- Built-in eraser under the push-button cap
- Refillable. Loaded with high-polymer HB leads

Also available in ballpoint pen.

1904694	black, with colour-coding HB 0.35 mm	r⊕fring Tikky 0.35
1904695	black, with colour-coding HB 0.5 mm	retring Tally 0.5
1904696	black, with colour-coding HB 0.7 mm	r⊚tring Tixy 0.7
1904697	black, with colour-coding HB 1.0 mm	r⊛tring Thây 1.0

**\$0801310** black, with colour-coding
Set of 3 HB 0.35/0.5/0.7 mm

1904510	burgundy, with colour-coding HB 0.35 mm	r⊛tring Tikky 0.35
1904691	burgundy, with colour-coding HB 0.5 mm	retting lixty 0.5
1904692	burgundy, with colour-coding HB 0.7 mm	r⊚tring Thky 0.7
1904693	burgundy, with colour-coding HB 1.0 mm	r®tring listy 1.0





1904698	white	НВ	0.5 mm		s@iring litiy o.s
1904506	white	НВ	0.7 mm		
1904700	black	НВ	0.5 mm		r®tring Tixy 0.5
			0.0		_
1904701	blue	НВ	0.5 mm		n@mlag Titty 0.5
1904508	blue	НВ	0.7 mm		_
1904699	red	НВ	0.5 mm		r@tring Titly 0.5
1904507	red	НВ	0.7 mm		
1904702	yellow	НВ	0.5 mm		oftning Tily or
1904509	yellow	НВ	0.7 mm		=
1904505	assorted	HB white 3	0.7 mm	ed, 3 x yellow	
1904749	assorted	HB	1.0 mm	a, o x yonow	
	colours, 3 x	white, 3	x blue, 3 x re	ed, 3 x yellow	
1904703	orange	НВ	0.5 mm		r@tring Truy 0.5
1904707	orange	НВ	0.7 mm		
1904704	grey	НВ	0.5 mm		r@tring Toty o.r
1904708	grey	НВ	0.7 mm		
1904705	brown	НВ	0.5 mm		r©tring Taty 0.5
1904709	brown	НВ	0.7 mm		
1904706	ivory	НВ	0.5 mm		r@tring 7tty 0.7
1904710	ivory	НВ	0.7 mm		
NEW					
1937248	red ochre	HB	0.5 mm		(String Tray 0.5
1937322	red ochre	НВ	0.7 mm		
NEW	dauli alaka	LID	0.5		
1937321 1937325	dark slate dark slate	HB HB	0.5 mm 0.7 mm		rening Tay as
	uai k Siäle	110	0.7 111111		
<b>NEW</b> 1937249	ocean depth	ne LID	0.5 mm		
1937249	ocean deptr		0.5 mm		rening buy 05
	ocean aepti	טווטו	0.7 111111		
NEW 1937250	navy blue	НВ	0.5 mm		
1937250	navy blue	пв НВ	0.5 mm		(Ciring Tity 0.5
1001 027	navy blue	טוי	O., 111111		

- Extra-strong and flexible
- Easy to erase

12 pcs.

S0312410	НВ	0.35 mm	1 2 2 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
S0312630	2B	0.5 mm	Control of the contro
S0312640	В	0.5 mm	married whereon
S0312650	НВ	0.5 mm	O S S S S S S S S S S S S S S S S S S S
S0312660	Н	0.5 mm	T T T T T T T T T T T T T T T T T T T
S0312670	2H	0.5 mm	100 Page 100
S0231230	2B	0.7 mm	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
S0312680	В	0.7 mm	e to the second
S0312690	НВ	0.7 mm	11
S0312700	НВ	1.0 mm	E Salati promoren

#### 2.0 mm leads

Strong leads for 2.0 mm mechanical/clutch pencils.

- Extra-strong
- Easy to erase

12 pcs.

S0230351	2B	2.0 mm
S0230451	HB	2.0 mm
S0230541	2H	2.0 mm



#### rapid B eraser

Premium eraser for polymer/graphite pencil lines.

- Dust brushes easily off the media
- The erased surface stays clean, with no smears or marks
- · Ink lines unaffected
- Does not contain abrasives
- Available in two sizes: Rapid B20 (large) and Rapid B30 (medium)

rapid B20 1904794 (box of 20) rapid B30 1904793 (box of 30)



#### rapid TB 20 eraser

Combined eraser for pencil and ink lines.

- · Dust brushes easily off the media
- The erased surface stays clean, with no smears or marks
- Does not contain abrasives

1904795 (box of 20)



#### Tikky eraser

Eraser for polymer/graphite pencil lines.

- Media surface always remains clean due to use of dirt-catching additives (no hard avrasives)
- Available in 3 different size: Tikky 40 (small), Tikky 30 (medium) and Tikky 20 (large)

1904765 Tikky 20 1904767 Tikky 30 1904768 Tikky 40



#### **Eraser refills**

for Tikky mechanical pencils

S0271220

for 300 mechanical pencils

1934364



1934365

for 800 mechanical pencils

1892340











Each rOtring pen is created with a specific technology to meet your needs when sketching, writing or drawing. Our ballpoint, fineliner, rollerpoint and multifunctional pens are a combination of ergonomics and sophisticated mechanisms to give your ideas more detail and permanence.



10

#### Tikky 3 in 1 multipen

Multifunctional pen with rubberised grip and "magic view" mechanism.

- Innovative "magic view" mechanism turning it optionally into a pencil to sketch, a ballpoint pen to write or a red ballpoint to highlight. Face the desired mode icon, press the push button and simply write
- Full plastic body for a light-weight tool
- Softtouch rubberised grip for a great comfort
- Eraser included underneath the push-button cap
- Refillable. Loaded with high-polymer HB leads and high quality metal D1 refills

Tip: Hold the pen in your hand, just look at the desired mode icon, press the push button and simply write.

#### BP blue / BP red / PCL 0.7 mm

1904359 black 1904452 white



1904360 black 1904451 white



#### D1 refills for Tikky 3 in 1 multipens

S0891220 blue

S0891230 black

S0891240 red



#### Rapid Pro ballpoint

Top of the line refillable ballpoint pen with full metal body.

- Long-lasting, smooth and precise ballpoint
- Retractable ballpoint pen: pocket-safe
- Full metal body providing ideal balance of weight and feeling
- Hexagonal barrel ensuring fatigue-free writing. Shaped to prevent the tool from sliding when laid down on tables
- Non-slip metal knurled grip
- Airplane-safe
- Medium line width
- Refillable. Loaded with high quality metal jumbo refill, blue ink

Also available in mechanical pencil.



#### **Jumbo** ballpoint refill

High quality metal refill for ballpoint pens.

Medium line width

1904842	blue	M
1904843	black	М



#### Tikky ballpoint

Light-weight ballpoint pen with rubberised grip.

- Retractable ballpoint pen: pocket-safe
- Triangular barrel for relaxed writing
- Soft touch rubberised grip for a great comfort
- Airplane-safe
- Medium line width
- Loaded with plastic jumbo refill, blue ink

Also available in mechanical pencil.

1904718	white	M	r®tring Thiy
1904629	black	M	r⊛tring Tixiy
1904741	blue	М	r⊚tring 7aty
1904628	red	M	n@dring Thly
1904742	yellow	M	reithing lidy

#### **Tikky Graphic** fineliner

Innovative fineliner with pigmented ink.

- Free Ink technology for a constant and consistent line quality and a long usage
- Pigmented lightfast and water-resistant ink for long-life drawings
- Ink level window showing the amount of ink left in the reservoir
- Available in 7 different line widths

1904750	black ink	0.1 mm	r⊛tring Ticky Grophic 0.1
1904752	black ink	0.2 mm	pigmented ne
1904753	black ink	0.3 mm	
1904754	black ink	0.4 mm	r⊛tring tikky Graphie d I
1904756	black ink	0.5 mm	
1904757	black ink	0.7 mm	retring law Graphic 64
1904758	black ink	0.8 mm	r⊛tring Takey Graphic 0.8

not refillable

# technical & calligraphy pens





A rOtring technical pen is a professional high precision pen offering a unique drawing technology available in 13 different line widths, with a color coding in compliance with ISO standards. A rOtring calligraphy pen, available in lettering, sketching and calligraphy line widths, is a must for people who want to put a personal stamp on their written work.




High precision technical pen with rOtring's unique capillary cartridge, in 13 line widths.

- Wear-resistant, hard chrome-plated thin tip allows working in exquisite detail
- Innovative cartridge including the ink helix so every time it is changed, the pen gets a new clean helix and a new pressure equalisation system for easy maintenance
- Improved temperature stability through extra large ink-helix volume and optimum location of the ventilation opening for the best reliability
- Ink can be used down to the last drop
- Ink level is clearly visible
- One ink cartridge included inside the pen
- Can be used on a variety of surfaces such as lineboard, tracing paper or vellum drawing paper

1903234 S0218960	rapidograph nib	0.1 mm 0.1 mm		r⊚tring rəpldogrəph
1903235 S0219030	rapidograph nib	0.13 mm * 0.13 mm *		r⊚tring repidograph
1903476 S0219110	rapidograph nib	0.18 mm * 0.18 mm *	1 18	r®tring <i>rapidograph</i>
1903236 S0219200	rapidograph nib	0.2 mm 0.2 mm	20	r⊛tring <i>rapldograph</i>
1903237 S0219270	rapidograph nib	0.25 mm * 0.25 mm *	= 25	r⊚tring rapidograph
1903238 S0219360	rapidograph nib	0.3 mm 0.3 mm	30	r⊛tring rapidograph
1903477 \$0219430	rapidograph nib	0.35 mm * 0.35 mm *	35	r⊚tring rapldograph
1903239 S0219520	rapidograph nib	0.4 mm 0.4 mm	40	r⊛tring <i>rapidograph</i>
1903240 S0219590	rapidograph nib	0.5 mm * 0.5 mm *		r⊚fring rapidograph
1903472 S0219670	rapidograph nib	0.6 mm 0.6 mm	.60	r⊛tring rapidograph
1903473 S0219740	rapidograph nib	0.7 mm * 0.7 mm *	70	r⊚tring <i>rapidograph</i>
1903474 S0219820	rapidograph nib	0.8 mm 0.8 mm	.80	r®tring <i>tapidograph</i>
1903475 S0219890	rapidograph nib	1.0 mm * 1.0 mm *		r®tring rapidograph





Drawing tube in 3 mm dia. metal bushing.



#### rapidograph Set

Content: 4 rapidograph pens, 4 pen stations, 1 compass attachment, 1 stencilling joint

#### S0204440





#### rapidograph Junior Set

Content: 3 rapidograph pens, 1 Tikky burgundy 0.5, 6 ink cartridges

#### S0699480 S0699490

_	0.25		_	0.2
_	0.35		_	0.4
	0.5		_	0.6



#### rapidograph College Set

Content: 3 rapidograph pens, 1 Tikky burgundy 0.5, 12 hi-Polymer HB leads, 1 B20 eraser, 6 ink cartridges, 1 compass attachment

#### \$0699500 \$0699510 \$0699520 \$0699540

		000000	
0.1	<b>0.2</b>	- 0.25	<b>0.2</b>
0.3	0.3	<b>0.35</b>	0.4
0.5	0.5	0.5	0.6



#### rapidograph College Set with Pen Station

Content: 3 rapidograph pens, 1 Tikky burgundy 0.5, 12 hi-Polymer HB leads, 1 B20 eraser, 3 pen stations, 3 ink cartridges, 1 compass attachment

#### S0699530

_	0.25
$\overline{}$	0.35
=	0.5



#### rapidograph College Set 4


Content: 4 rapidograph pens, 12 hi-Polymer HB leads, 1 B20 eraser, 6 ink cartridges, 1 compass attachment

#### S0699570






- Wear-resistant, hard chrome-plated thin tip allows working in exquisite detail
- Refillable ink reservoir ideal for frequent drawers using bottle inks
- Patented push-on sleeve for easy access to the ink helix and for fast cleaning
- Ink level is clearly visible
- Ink bottle not included
- Can be used on a variety of surfaces such as lineboard, tracing paper or vellum drawing paper





Line widths for drawing per ISO 128 and DIN 15 and for lettering per ISO 3098/I-DIN 6776.

Drawing tube in 3 mm dia. metal bushing.









#### technical & calligraphy pens

#### isograph Set

Content: 4 isograph pens, 4 pen stations, 1 bottle of ink 23ml, 1 compass attachment, 1 stencilling joint

#### S0202940 S0226890

_	0.25	_	0.2
-	0.35	_	0.3
	0.5	_	0.4
_	0.7	_	0.5




#### isograph Junior Set

Contents: 3 isograph pens, 1 Tikky burgundy 0.5, 4 ink cartridges

#### S0699300 S0699320 S0699330 S0699340

_	0.1		_	0.2
_	0.2	-	_	0.3
_	0.3		_	0.5





#### isograph College Set

Contents: 3 isograph pens, 1 Tikky burgundy 0.5, 12 hi-polymer HB leads, 1 B20 eraser, 1 bottle of ink 23ml, 1 compass attachment

#### S0699370 S0699380

_	0.2	_	- 1	0.25
_	0.3	-	- 1	0.35
_	0.5	=	_	0.5

#### S0699390 S0706970 S0699400

_	0.2	-	— 1	0.2	_	0.2
_	0.4	-	_	0.4	_	0.35
_	0.6	-	_	0.8	_	0.7



#### isograph Master Set

Contents: 3 isograph pens, 1 Tikky burgundy 0.5, 12 hi-polymer HB leads, 1 B20 eraser, 1 Centro compass, 1 bottle of ink 23ml, 1 compass attachment

#### S0699420 S0699430 S0699450

0000420 00000400		00000				
_	0.1		0.2		_	0.2
_	0.3		0.3			0.4
_	0.5		0.5		_	0.6



#### Rapidograph ink - capillary cartridges

Innovative capillary cartridges for Rapidograph.

- High density of pigment particles for opacity and lightfastness
- Line sharpness and adhesiveness
- Fast drying on media
- Waterproofness

S0215710

S0215870

S0194640

• Can be used on a variety of surfaces: lineboard, tracing paper, vellum drawing paper



## tering General 1938 Repillarpatrons

#### Isograph ink - bottled ink

Bottled pigmented ink for Isograph.

- High density of pigment particles for opacity and lightfastness
- Line sharpness and adhesiveness
- Fast drying on media
- Waterproofness
- Can be used on a variety of surfaces: lineboard, tracing paper, vellum drawing paper

		Ink Colour
S0216040	23 ml	red
S0216200	23 ml	green
S0216280	23 ml	blue
S0194660	23 ml	black
S0216550	23 ml	white
S0216630	250 ml	black
S0215630	Cartridges	black



# Conting Company Com

#### rOtring cleaning fluid for technical pens

For cleaning drawing instruments used with non-etching drawing inks.

**S0215410** 100 ml



technical & calligraphy pens

- Precise nib crafted from the finest stainless steel
- Ergonomic body combining the balance and nib shape of the quill pen with the convenience of a modern fountain pen for comfortable grip
- Body compatible with ArtPen lettering, sketching and calligraphy nibs
- Two ink cartridges included
- Refillable with cartridges and ink bottle via ArtPen converter (not included)



ArtPen 1903440	Front Section S0270810	Sketch	EF	Greetings
1903641	S0270820	Sketch	F	Festival
1903642	S0270830	Lettering	М	NewYork
1903643	S0324620	Lettering	В	PARTY
1903644	S0270850	Calligraphy	1.1	Richard
1903645	\$0270870	Calligraphy	1.5	Maria
1903647	S0270880	Calligraphy	1.9	Musik
1903648	S0270890	Calligraphy	2.3	241enu

\$0205870 Calligraphy-Set

1 x ArtPen 1.5 mm,

front section 1.9 and 2.3 mm, 6 cartridges, black ink



#### **ArtPen/Calligraphy Inks**

The best ink for your rOtring Artpen and your calligraphy work. High intensity for the optimum quality of your drawing and writing publications. Available in Black and Blue.

**Brillant ink** 

**S0194751** black **S0194681** royal blue





rOtring converter \$0227850





### compasses







A rOtring compass is engineered to help developing the most precise and perfect designs in the easier way. We offer three ranges of compasses - Compact, Centro and Convex - for student to professional use.



#### **Convex Giant Bow Rapid Adjustment compass** with extension bar and pen adaptator

- · Premium material for a professional tool. Unique rOtring design with rounded legs
- Convenient rapid adjustment through button-mechanism. Precise settings. Simultaneous opening and closing of both legs. High degree of protection against unintended leg opening and thus change in radius
- Length: 182 mm. Circles up to Ø 620 mm
- Extension bar
- Swivelling pen adaptor with fine lead insert 0.5 mm
- · Lead box and spare needle

S0233750 with extension bar, circles up to Ø 620 mm



#### **Convex Universal compass** with telescopic extension

- Premium material for a professional tool
- . Universally applicable due to interchangeable inserts such as compass attachment and extension bar. Radius easily adjusted and stays adjusted due to static friction in the compass head
- Length: 150 mm. Circles up to Ø 520 mm. Pivot: Ø 3.5 mm.
- Convenient integrated extension bar
- Lead box and spare needle

#### S0233471



#### Centro

#### **Centro Giant Bow Rapid Adjustment compass**

(+ optional extension bar)

- Premium material
- Convenient rapid adjustment through button-mechanism. Precise settings. Simultaneous opening and closing of both legs. High degree of protection against unintended leg opening and thus change in radius
- Length: 170 mm. Pivot: Ø 4.0 mm
- Circles up to Ø 400 mm (S0214470 without extension bar) or circles up to Ø 640 mm (S0214540 with extension bar)
- Lead box and spare needle

S0214470 without extension bar,

circles up to 400 mm dia.

S0214540 with extension bar.

circles up to 640 mm dia.



#### **Centro Geometry compass**

- · Premium material
- Precise radius setting by setting through central adjusting wheel and spindle. Simultaneous opening and closing of both legs. Highly resistant to accidental changes in radius
- Length: 160 mm. Circles up to Ø 250 mm
- Lead box and spare needle

#### S0233300





2015 Catalogue

#### Centro Rapid Adjustement compass silver edition

Infinitely variable radius adjustment in silver edition

- · Premium material
- Convenient rapid adjustment through operating the legs.
   Precise settings. Simultaneous opening and closing of both legs. High degree of protection against unintended leg opening and thus change in radius
- Lead box and spare needle

#### S0830390



#### **Centro Universal compass**

(+ optional extension bar and pen holder)

- Premium material
- Radius easily adjusted and stays adjusted due to static friction in the compass head
- Circles up to Ø 380 mm (S0214320 without extension bar) or circles up to Ø 540 mm (S0214390 with extension bar and pen holder)
- Lead box and spare needle

S0214320

S0214390

with extension bar and pen holder





#### **Centro Universal set**

#### 7 pieces

- Universal compass: Universally applicable due to interchangeable inserts such as compass attachment and extension bar. Radius easily adjusted and stays adjusted due to static friction in the compass head.
   Circles up to Ø 540 mm
- Extension bar
- Dividers compass: For marking line segments needles in both legs. Radius stays adjusted due to static friction in the compass head.
- Small Bow compass
- Drawing pen and drawing pen holder
- Lead box and spare needle

#### S0233370

#### Centro Universal set 8 pieces

- Universal compass: Universally applicable due to interchangeable inserts such as compass attachment and extension bar. Radius easily adjusted and stays adjusted due to static friction in the compass head. Circles up to Ø 540 mm
- Extension bar
- Dividers compass: For marking line segments needles in both legs. Radius stays adjusted due to static friction in the compass head
- Small Bow compass
- Bow compass
- Drawing pen and drawing pen holder
- Lead box and spare needle

#### S0233410





#### Compact

#### **Compact Rapid Adjustement compass**

- Rapid adjustment through operating the legs. Precise settings.
   Simultaneous opening and closing of both legs. High degree of protection against unintended leg opening and thus change in radius
- Plastic grip zone with dots for comfortable use
- Length: 170 mm. Circles up to Ø 360 mm. Pivot: Ø 4.0 mm
- Lead box and spare needle

#### S0676580



#### **Compact Geometry compass**

- Precise radius setting. Simultaneous opening and closing of both legs. Highly resistant to accidental changes in radius
- Plastic grip zone with dots for comfortable use
- Length: 170 mm. Circles up to Ø 360 mm. Pivot: Ø 4.0 mm
- Lead box and spare needle

#### S0676570



#### **Compact Giant Universal compass**

- Universally applicable due to interchangeable inserts such as compass attachment and extension bar. Radius easily adjusted and stays adjusted due to static friction in the compass head
- Plastic grip zone with dots for comfortable use
- Length: 160 mm. Circles up to Ø 360 mm. Pivot: Ø 3.5 mm
- · Lead box and spare needle

#### S0676550



#### **Compact Giant Universal set**

#### 6-pieces

- Giant universal compass: Universally applicable due to interchangeable inserts such as compass attachment and extension bar.
   Radius easily adjusted and stays adjusted due to static friction in the compass head
- Stable extension bar
- Compass attachment with universal compass holding device
- Drawing pen and drawing pen holder
- Lead box and spare needle

#### S0676560



#### **Compact Universal compass**

(+ optional extension bar and compass attachment)

- Universally applicable due to interchangeable inserts such as compass attachment and extension bar. Radius easily adjusted and stays adjusted due to static friction in the compass head
- Lead box
- Length: 130 mm. Pivot: Ø 3.5 mm
- Circles up to Ø 320 mm (S0676530 without extension bar) or circles up to Ø 480 mm (S0676540 with extension bar and compass attachment)

#### S0676530 S0676540







#### **Accessories**

#### Compass attachement with universal holding device

- With stepped peg to fit 3 .5 mm and 4 .0 mm dia
- The universal holding device takes pens/pencils up to 11.5 mm dia  ${\bf S0451450}$

#### **Dual compass attachment**

- With stepped peg to fit 3 .5 and 4.0 mm dia
- Peg slot adjustable by 90°

#### S0322070





# drawing










Otring 2015 Catalogue

A rOtring drawing aid is a professional tool made of high-quality durable materials. Our selection of set squares, rulers, templates, lettering stencils and other drawing aids was designed to answer all your needs.



#### **Professional Set Square**

Crystal clear, robust plastic, convenient, removable grip Clearly and precisely embossed Counter-directional numbering with coloured background Indian ink edges and naps, angle scales 180°/1° Hypotenuse 32 cm with 30 cm / 1 mm scale

#### S0699270

# **Professional Set Square**

High-quality plexiglas Convenient removable handle Clear and precise fine imprinting Contrary scale with coloured background Tracing edges and ink naps Angle scale 180°/1° Hypotenuse 25 cm with 22cm/1 mm scale S0451820

#### **Large Geometry Set Square wih Handle**

Crystal-clear, stable plastic Robust handle Contrary scale with coloured background Bevelled edges and ink naps Hypotenuse 23 cm with 20 cm/1 mm scale

#### S0903950

#### **Geometry Set Square**

Crystal-clear, stable plastic Contrary scale with coloured background Bevelled edges and ink naps Hypotenuse 16 cm with 14 cm/1 mm scale

# S0237630

# **Geometry Set Square with Handle**

Crystal-clear, stable plastic Robust removable handle Contrary scale with coloured background Bevelled edges and ink naps Hypotenuse 16 cm with 14 cm/1 mm scale

# S0903940

#### **Geometry Set (4 pieces)**

Crystal-clear, stable plastic, bevelled edges and/or tracing edges

Contents: 30 cm ruler, semicircular protractor, set square 30°/60°, hypotenuse 23 cm, set square 45°, hypotenuse 20 cm

## S0221370

# Set Squares Sets of 2, 45° and 30°/60° set square


Crystal-clear, stable plastic, tracing edges all round, 1 mm scale

**\$0237840** 45°, hypotenuse 25 cm, 30°/60°, hypotenuse 29 cm **\$0237870** 45°, hypotenuse 32 cm, 30°/60°, hypotenuse 37 cm **\$0237900** 45°, hypotenuse 36 cm, 30°/60°, hypotenuse 41 cm

















#### **Semicircular Protractor**

Crystal-clear, stable plastic, contrary scale, centring point and bevelled edges
Scaling: 10 cm

S0221230



Crystal-clear, stable plastic, bevelled edges on the outside contours, sine/cosine curves A = 1 and A = 0.5, tangent curve  $\alpha$ 

Size:  $123 \times 70 \times 1.8 \text{ mm}$ 

#### S0673400





# Burmester Curves Set (3 pieces)

For drawing of universal curves

Crystal-clear, stable plastic, double-sided tracing edges all round

#### S0221301



#### **Flat Ruler**

Crystal-clear, stable plastic, bevelled edge and tracing edge, 1 mm increments

 \$0220870
 Scaling: 16 cm

 \$0220950
 Scaling: 30 cm

 \$0221450
 Scaling: 40 cm

 \$0221500
 Scaling: 50 cm



## **Plate Ruler**

Crystal-clear, stable plastic, textured plate Scale on both sides,  $1 \times 1$ -mm scale,  $1 \times 0.5$ -mm scale

**\$0221020** Scaling: 30 cm



### **Wooden Ruler**

Natural beech wood, bevelled edge, 1 mm increments

**\$0237930** Scaling: 17 cm



# **Triangular reduction scales**

S0236961			Engineer/DIN ISO 5455				DIN
	1:2	1:5	1:10 1	:20	1:50	1:100	
S0220481			Architect	1			
	1:20	1:25	1:50	1:75	1:100	1:125	
S0220561			School				2
	1:20	1:25	1:33 <sup>1</sup> / <sub>3</sub>	1:50	1:75	1:100	
S0220641			Architect	4			
	1:10	1:20	1:25	1:30	1:40	1:50	
S0220721			Surveying	6			
	1:500	1:1000	1:1250	1:1500	1:2000	1:2500	
S0237031			Mechanical design				9
	1 - 10	1 · 15	1.20	1 . 25	1 • 33 1/2	1.50	



## Lettering stencils in Z-profile per ISO 3098/I, lettering type B

Can be pulled away from a line of text downwards without smudging the ink

Character Roman rapidograph isograph Colour height code

S0228530 5.0 mm 1903240 1903492 brown



## H-profile lettering stencils Type 1451


Roman Character rapidograph isograph height

S0228061 5.0 mm 1903240 1903492 ABCDEGHUKLMIN, ÖPRSTÜVWXYZ I 1234567-190

# "Studio" electrical engineering angle template

A drawing aid for metalworking students. With 15°, 30°, 45°, 60°, 75°, and 90° angles, mm coordinate graduation, protractor, circles from 1-18 mm dia., and holes for hatching. Symbols and easy-to-combine symbol elements per DIN 40700, Latin and Greek characters in 3.5 mm and numerals in 3.5 and 5.0 mm sizes per ISO 3098/I Bv.






#### Circles templates 1-30 mm

Circles of 1-30 mm dia. in 1 mm increments. With polygon guides and protractor. Radii 4, 6, 10, 16 mm. With millimetre ruler and fingerlift.






# Circles templates 1-36 mm

Circles of 1-36 mm dia. in 1 mm increments. With polygon guides and protractor. Radii 6, 10, 16, 20 mm. With millimetre ruler and fingerlift.

# S0221691

255 x 129 x 1.6 mm U 0.5 m ∨



# Radii template

48 radii from 0.5-40 mm, 0.5-2 mm in 0.1 mm increments, radii per DIN 250 underlined. Built-in semicircular protractor. With surface symbols.

# S0238341


Ø 160 x 1.6 mm ∪0.5-0.35 m ∨




#### Architect's combination template

Separate layout of symbols for furniture, sanitary fittings, electrical fittings, door openings, level and direction symbols, insulation.





See above




**Furniture templates** 

\$0238851 →
\$cale 1:100

190 x 95 x 1.1 mm

∪ 0.35 m




# **ISOMETRIC ellipses template**

Axial ratio 0.707 : 1.225 (1 : 1.732)/35° 16′, isometric axes 2-60 mm.

The template edges are designed to enable the ellipses to be positioned in the major isometric planes.

**\$0238021 ₩** 295 x 145 x 1.2 mm  $\cup$  0.5  $\overline{\mathbb{m}}$ 





Template with tracing edge



Fine-lead mechanical pencil



Template with bosses



Pencil



Technical pen










A rOtring drawing board is a robust board of unbreakable and non-warping material enabling stability and direct measurement for the best drawing precision. Available in A4 and A3 sizes, this professional and premium tool offer an ergonomic design for easy and comfortable working.



High-quality drawing table with complete drawing system.

- Complete drawing system with drawing board laminated on all sides
- Anodised aluminium guide track with plastic guide coating
- Parallel straightedge with Stop-and-Gomechanism
- Drawing head with STOP-and-GO mechanism
- Adjustable plastic tilter


**\$0213920** A2 (board size 700 x 600 x 16 mm)



# rapid drawing board A4 and A3

Top of the line premium board.

- Robust board of unbreakable, non-warping material.
- Two magnetic clamp strips with central pushbutton operation and additional corner clamp at top-right hand corner for easy, secure and exact positioning of the media at all four corners. No danger of wrinkling the media when erasing.
- Parallel straightedge with Stop-and-Go-mechanism and second locking facility on A3 sized boards for added stability.
- Guide rails designed for permanently smooth, featherlight straight-edge movement.
- Media-size markings to aid in drawing the drawing field lines.
- Compass plotting scale for picking up radii quickly.
- Tilters for comfortable working.
- Rapid set square for drawing vertical, horizontal lines and angles, with full accuracy.



**\$0232710** rapid A4 **\$0213910** rapid A3

## rapid drawing board in college case

- Rapid drawing board features above.
- Rigid case.
- Features guides to hold the drawing board securely.
- Space for books and utensils.

\$0232980 rapid A3 + college case




(**6**)

# profil drawing board A4 and A3

Full-featured board.

- Robust board of unbreakable, non-warping material.
- One magnetic clamp strip with automatic hold-open and additional corner clamp for easy positioning and clamping the media.
- Parallel straightedge with Stop-and-Go-mechanism and second locking facility on A3 sized boards for added stability.
- Guide rails designed for permanently smooth, feather-light straight-edge movement.
- Media-size markings and viewing holes for checking the exact placement of the media.
- Compass plotting scale for picking up radii quickly.



**\$0232430** profil A4 **\$0213750** profil A3

# college board

Drawing board with parallel straightedge.

- One magnetic clamp strip with scale and additional corner clamp for easy positioning.
- Parallel straightedge with Stop-and-Gomechanism and grip area.
- Straightedge guide slots on all four sides with signal humps.

### S0213660



# **Carry bag**

Protective carry bag for drawing board.

- Tough weatherproof nylon.
- Detachable shoulder strap.
- Space for books and utensils.
- Empty.
- Available in two sizes for A4 and A3 boards.

**\$0232160** for A3 boards **\$0232200** for A4 boards

# College case

Protective case for drawing board.

- Rigid case.
- Features guides to hold the drawing board securely.
- Empty.
- Available in one size for A3 boards.

S0232510 for A3 boards











2015 Catalogue



Premium drawing head for drawing board.

- Automatic setting every 15°, locking of any angle in between.
- Free swing-setting.
- Contra-rotating 0-90° scale.
- Break mechanism to lock in position on straightedge.
- Compatible with all rOtring drawing boards (current catalogue).

# S0213830

# Junior drawing head

Drawing head for drawing board.

- 15° ratchet action.
- Compatible with all rOtring drawing boards (current catalogue)..

#### S0213680



# Rapid set square

Set square for drawing board.

- For direct measurement and drawing of vertical and horizontal lines and angles.
- · For hatching.
- Compatible with all rOtring drawing boards (current catalogue).

## S0232240









Product of Newell Europe sàrl 10 chemin de Blandonnet 1214 Vernier, Switzerland

Represented by NWL Hamburg Services GmbH Albert-Einstein-Ring 17 22761 Hamburg, Germany Distributed in Poland by Newell Poland SA plac Andersa 7 61-894 Poznań, Poland