

iiyama G-MASTER G2470HS-B1 computer monitor 60,5 cm (23.8") 1920 x 1080 Pixels Full HD LCD Zwart

Merk : iiyama

Productfamilie: G-MASTER

Artikelcode: G2470HS-B1

Productnaam : G2470HS-B1

iiyama G-MASTER G2470HS-B1. Beeldscherm diagonaal: 60,5 cm (23.8"), Resolutie: 1920 x 1080 Pixels, HD type: Full HD, Display technologie: LCD, Responstijd: 0,2 ms, Oorspronkelijke beeldverhouding: 16:9, Kijkhoek, horizontaal: 178°, Kijkhoek, verticaal: 178°. Ingebouwde luidsprekers. VESA-montage. Kleur van het product: Zwart



Display		Ports & interfaces	
Display diagonal *	60.5 cm (23.8")	Headphone out *	✓
Display resolution *	1920 x 1080 pixels	HDCP	✓
HD type *	Full HD	Ergonomics	
Native aspect ratio *	16:9	VESA mounting *	✓
Display technology *	LCD	Panel mounting interface	100 x 100 mm
Panel type *	Fast IPS	Cable management	✓
LED backlight	✓	Cable lock slot *	✓
Touchscreen *	✗	Cable lock slot type	Kensington
Display brightness (typical)	300 cd/m ²	Height adjustment *	✗
Response time *	0.2 ms	Tilt adjustment	✓
Screen shape *	Flat	Tilt angle range	3.5 - 21.5°
Contrast ratio (typical) *	1000:1	On Screen Display (OSD)	✓
Maximum refresh rate *	180 Hz	On Screen Display (OSD) languages	Czech, German, Dutch, English, Spanish, French, Italian, Japanese, Polish, Portuguese, Russian
Viewing angle, horizontal	178°	Power	
Viewing angle, vertical	178°	Energy efficiency class (SDR) *	E
Display number of colours *	16.7 million colours	Energy consumption (SDR) per 1000 hours *	18 kWh
Pixel pitch	0.275 x 0.275 mm	Power consumption (typical) *	18 W
Horizontal scan range	30 - 225 kHz	Power consumption (standby) *	0.5 W
Display diagonal (metric)	60.5 cm	Power consumption (off)	0.3 W
Performance		AC input voltage	100 - 240 V
Flicker-free technology	✓	AC input frequency	50/60 Hz
Multimedia		Energy efficiency scale	A to G
Number of speakers	2	Weight & dimensions	
RMS rated power	4 W	Width (with stand)	539.5 mm
Built-in speaker(s) *	✓	Depth (with stand)	192.5 mm
Built-in camera *	✗	Height (with stand)	393.5 mm
Design		Weight (with stand)	3.2 kg
Market positioning *	Gaming		
Product colour *	Black		

Ports & interfaces		Packaging data	
Built-in USB hub *	✘	Package width	610 mm
HDMI *	✔	Package depth	413 mm
HDMI ports quantity	1	Package height	126 mm
HDMI version	1.4	Packaging content	
DisplayPorts quantity	1	Cables included	AC, DisplayPort, HDMI
DisplayPort version	1.2	Quick start guide	✔



4948570124466

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 15-MAR-2025. Prints or copies of Information are only valid on the printed Publication date