

Fractal

LUNA

CREATE A NEW CHARACTER

PRODUCT SHEET

Pop 2 Vision

English version

Index

Overview	3
Key features.....	4
General specifications.....	5-6
Package contents.....	7
Additional information.....	7



OVERVIEW

Pop 2 Vision

Crafted for clarity

Pop 2 Vision pairs a panoramic glass design with an intuitive dual-chamber layout — crafted for a clean, uncluttered view of your build. With support for graphics cards up to 412 mm long and top-mounted radiators up to 360 mm, it offers flexibility for modern gaming hardware. And to help keep your system running smoothly, it comes with four pre-installed reverse-blade fans. Inside, Pop 2 Vision offers a decluttered interior layout with reverse connector motherboard compatibility for an even cleaner finish. In RGB versions, curated lighting themes and customization options are included, with two easily accessible control buttons for smooth, effortless adjustments.



Key features

- ▶ Dual-chamber design with a panoramic view into a clean, uncluttered interior
- ▶ Includes four reverse-blade fans and ventilated panels for out-of-the-box airflow
- ▶ Supports further cooling with space for top-mounted radiators up to 360 mm
- ▶ Designed for gaming with support for graphics cards up to 412 mm in length
- ▶ Tool-free access with easily removable panels including a glass side and front
- ▶ Tidy interior with ample cable space and routing features for a clean finish
- ▶ Offers support for both standard and reverse connector motherboards
- ▶ Flexible power supply configuration with two possible mounting positions
- ▶ Comes with an accessible I/O featuring two USB ports and a combo audio jack
- ▶ Includes integrated RGB controls for effortless lighting adjustments (RGB version only)



Specifications

Specification	Pop 2 Vision Black	Pop 2 Vision Black RGB	Pop 2 Vision White RGB
Dedicated 3.5" drive mounts	1	1	1
Dedicated 2.5" drive mounts	3	3	3
5.25" drive mounts	—	—	—
Expansion slots	7	7	7
Motherboard compatibility	E-ATX* / ATX / mATX / Mini-ITX *Up to 280 mm with protrusion beyond the main motherboard plate	E-ATX* / ATX / mATX / Mini-ITX *Up to 280 mm with protrusion beyond the main motherboard plate	E-ATX* / ATX / mATX / Mini-ITX *Up to 280 mm with protrusion beyond the main motherboard plate
Reverse connector motherboard support	ATX / mATX	ATX / mATX	ATX / mATX
Power supply type	ATX	ATX	ATX
Front interface	1 x USB Type-A 5 Gbps 1 x USB Type-C 5 Gbps 1 x Audio/Mic Combo Jack	1 x USB Type-A 5 Gbps 1 x USB Type-C 5 Gbps 1 x Audio/Mic Combo Jack 2 x Lighting control buttons	1 x USB Type-A 5 Gbps 1 x USB Type-C 5 Gbps 1 x Audio/Mic Combo Jack 2 x Lighting control buttons
Total fan mounts	8 x 120 mm or 2 x 140 mm + 5 x 120 mm	8 x 120 mm or 2 x 140 mm + 5 x 120 mm	8 x 120 mm or 2 x 140 mm + 5 x 120 mm
Front-right fan	2 x 120 mm (2 x Aspect 12X Reverse non-PWM case fans included)	2 x 120 mm (2 x Aspect 12X Reverse non-PWM case fans included)	2 x 120 mm (2 x Aspect 12X Reverse non-PWM case fans included)
Top fan	3 x 120 mm or 2 x 140 mm	3 x 120 mm or 2 x 140 mm	3 x 120 mm or 2 x 140 mm
Rear fan	1 x 120 mm	1 x 120 mm	1 x 120 mm
Bottom fan	2 x 120 mm (2 x Aspect 12X Reverse non-PWM case fans included)	2 x 120 mm (2 x Aspect 12X Reverse non-PWM case fans included)	2 x 120 mm (2 x Aspect 12X Reverse non-PWM case fans included)
Dust filters	Top (steel) and bottom (steel)	Top (steel) and bottom (steel)	Top (steel) and bottom (steel)
Front radiator	—	—	—
Top radiator	Up to 280 / 360 mm	Up to 280 / 360 mm	Up to 280 / 360 mm



Specifications

Specification	Pop 2 Vision Black	Pop 2 Vision Black RGB	Pop 2 Vision White RGB
Rear radiator	1 x 120 mm	1 x 120 mm	1 x 120 mm
Bottom radiator	—	—	—
PSU max length	190 mm	190 mm	190 mm
GPU max length	412 mm	412 mm	412 mm
CPU cooler max height	172 mm	172 mm	172 mm
Cable routing space	93 mm (without 2.5"/3.5" bracket installed)	93 mm (without 2.5"/3.5" bracket installed)	93 mm (without 2.5"/3.5" bracket installed)
Cable routing grommet	Yes	Yes	Yes
Cable management features	Hook-and-loop straps	Hook-and-loop straps	Hook-and-loop straps
Tool-less access	Top filter, left side panel, right side panel, front side panel, bottom filter	Top filter, left side panel, right side panel, front side panel, bottom filter	Top filter, left side panel, right side panel, front side panel, bottom filter
Thumbscrews	PCIe covers	PCIe covers	PCIe covers
Left side panel	Tempered glass	Tempered glass	Tempered glass
Front panel	Tempered glass	Tempered glass	Tempered glass
Right side panel	Steel	Steel	Steel
Case dimensions (L x W x H)	434 x 297 x 441 mm	434 x 297 x 441 mm	434 x 297 x 441 mm
Case dimensions w/o feet, protrusions, screws	431 x 297 x 421 mm	431 x 297 x 421 mm	431 x 297 x 421 mm
Net weight	9.7 kg	9.7 kg	9.7 kg
Package dimensions (L x W x H)	550 x 410 x 530 mm	550 x 410 x 530 mm	550 x 410 x 530 mm
Gross weight	11.3 kg	11.3 kg	11.3 kg
Chassi type/structure	Dual-chamber	Dual-chamber	Dual-chamber
Fans included	4 x Aspect 12X Reverse Black non-PWM case fans	4 x Aspect 12X Reverse RGB Black non-PWM case fans	4 x Aspect 12X Reverse RGB White non-PWM case fans



Package contents

Pop 2 Vision (all SKU)

Computer case

Accessory kit

Product manual

Additional information

Product	SKU	EAN	UPC
Pop 2 Vision Black	FD-C-POV2A-01	7340172712152	843276112158
Pop 2 Vision Black RGB	FD-C-POV2A-02	7340172712169	843276112165
Pop 2 Vision White RGB	FD-C-POV2A-03	7340172712176	843276112172



