

Mars Gaming MPB1000PSI power supply unit 1000 W 24-pin ATX ATX Zwart

Merk : Mars Gaming

Artikelcode: MPB1000PSI


Productnaam : MPB1000PSI

Mars Gaming MPB1000PSI. Totaal vermogen: 1000 W, AC-ingangsspanning: 220 - 240 V, AC-ingangsfrequentie: 47 - 63 Hz. Motherboard power connector: 24-pin ATX, Bekabelingstype: Volledig modulair. Bedoeld voor: PC, Vormfactor van de voeding (PSU): ATX, 80 PLUS certificatie: 80 PLUS Gold. Kleur van het product: Zwart, Type koeling: Actief, Ventilator diameter: 14 cm. Meegeleverde kabels: CPU, PCIe, Peripheral (Molex), SATA



Energie		Poorten & interfaces	
Totaal vermogen *	1000 W	CPU power connector (4+4 pin)	✓
AC-ingangsspanning *	220 - 240 V	ATX Power connector (24-pin)	✓
AC-ingangsfrequentie	47 - 63 Hz	Aantal EPS-aansluitingen	2
Stroom	15 A	Bekabelingstype	Volledig modulair
Power factor	0,9	Prestatie	
Power Factor Correctie (PFC) type	Actief	80 PLUS certificatie *	80 PLUS Gold
Aantal +12V rail(s)	1	Bedoeld voor *	PC
Gecombineerd vermogen (+3.3V)	150 W	Vormfactor van de voeding (PSU) *	ATX
Gecombineerd vermogen (+12V)	1000 W	Geluidsniveau	14 dB
Gecombineerd vermogen (+5V)	150 W	Bearing technologie	FDB
Gecombineerd vermogen (-12V)	3,6 W	Design	
Gecombineerd vermogen(+5Vsb)	12,5 W	Kleur van het product	Zwart
Max huidige output (+3.3V)	20 A	Type koeling	Actief
Max huidige output(+12V)	83,3 A	Ventilator diameter	14 cm
Max huidige output (+5V)	20 A	Aantal ventilatoren	1 ventilator(en)
Max huidige output (-12V)	0,3 A	Ventilator locatie	Boven
Max huidige output (+5Vsb)	2,5 A	Aan/uitschakelaar	✓
Efficiëntie	90 procent	Inhoud van de verpakking	
Stroomspanning bescherming	Onbelaste werking, Overstroom, Te hoog vermogen, Totale overspanningswaarde, Overspanning, Overbelasting, Kortsluiting, Onder spanning	Meegeleverde kabels	CPU, PCIe, Peripheral (Molex), SATA
Poorten & interfaces		Certificaten	
Motherboard power connector *	24-pin ATX	Certificaten van naleving	CE, RoHS
Aantal SATA power connectors	6	Gewicht en omvang	
Peripheral (Molex) power connectors (4-pin) *	3	Breedte	150 mm
EPS-voedingsconnector (4+4 pin)	✓	Diepte	160 mm
		Hoogte	85 mm
		Gewicht	1,75 kg

Poorten & interfaces		Verpakking	
PCI Express power connectors (6+2 pin)		Breedte verpakking	258 mm
		Diepte verpakking	136 mm
		Hoogte verpakking	206 mm
		Type verpakking	Doos



8435693110163

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.