

XS Touchpad Keyboard



Models may vary from the image shown

Small, flat and extremely robust

The "XS Touchpad Keyboard" (G84-5500) combines comfortable mouse control with compact dimensions. The mouse can be controlled easily and precisely via the large touchpad with two mouse keys.

Key benefits

- High-quality touchpad with two mouse buttons for convenient control of the cursor
- High degree of reliability and precise keystroke feel thanks to individual keys with Gold Crosspoint contacts (Cherry ML technology)
- Ideal for continuous usage due to the long operating life in excess of 20 million key confirmations per individual key
- Compact dimensions and very low overall build height, ideal for restricted spaces and for 19" applications
- Standardised measurements and installation dimensions of the complete XS product family - the keyboard can be adapted to every application
- Lightweight - for applications where every gram counts
- Plug & Play - can be used with the operating system's standard drivers
- Supports Code Set 3 and UnifiedPOS
- Fastening option for permanent installation
- Detachable pluggable feet for individually adjusting the tilt of the keyboard
- Freely programmable keys for even more time-saving operation

Technical Data:

Layout (country or language):

Product dependant, see table "Models"

Housing colour:

Product dependant, see table "Models"

Key colour:

Product dependant, see table "Models"

Weight (product):

approx. 540 g

Total weight (with packaging):

approx. 670 g

Cable Length:

approx. 2.50 m

Storage Temperature:

-20°C to 60°C

Operating Temperature:

0°C to 60°C







Current Consumption:

typ. 35 mA

Interface:

Product dependant, see table "Models"

Product approvals:

- cURus 
- c-tick 
- VCCI 
- CE 
- FCC 
- VDE 
- BSMI 

System requirements:

Product dependant, see table "Models"

Delivery Volume:

- XS Touchpad Keyboard
- Operating instructions in hard copy
- 2 Pluggable feet

Dimensions (product):

approx. 374 x 139 x 18 mm

Packaging dimensions:

approx. 393 x 196 x 33 mm

Reliability:

- MTBF > 4.9 mill. hours

Touchpad:

- Resolution: 1000 dpi
- Number of Keys: 2

Keyboard:

- Key technology: ML
- Service life, standard key: > 20 million key operations
- Operation characteristics: Linear
- Inscription technology: Laser
- Inscription layout: Normal
- Number of Keys: Product dependant, see table "Models"

Packaging Unit:

- Number of products in the master package: 21
- Number of master packages per pallet: 12

Warranty:

2 years

Errors, technical changes and delivery possibilities excepted. Technical information refers only to the specifications of the products. Features may differ from the information provided.

Models:

(possible country/layout versions, others available on request)

	Product name	Order number	Layout (country or language)	Housing colour	Key colour	Interface	System requirements	Number of Keys
1	XS Touchpad Keyboard	G84-5500LPMBE-0	Belgium	light gray	light gray	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89
2	XS Touchpad Keyboard	G84-5500LPMBE-2	Belgium	black	black	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89
3	XS Touchpad Keyboard	G84-5500LPMCH-0	Switzerland	light gray	light gray	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89
4	XS Touchpad Keyboard	G84-5500LPMCH-2	Switzerland	black	black	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89
5	XS Touchpad Keyboard	G84-5500LPMDE-0	Germany	light gray	light gray	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89
6	XS Touchpad Keyboard	G84-5500LPMDE-2	Germany	black	black	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89
7	XS Touchpad Keyboard	G84-5500LPMDK-0	Denmark	light gray	light gray	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89

	Product name	Order number	Layout (country or language)	Housing colour	Key colour	Interface	System requirements	Number of Keys
8	XS Touchpad Keyboard	G84-5500LPMDK-2	Denmark	black	black	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89
9	XS Touchpad Keyboard	G84-5500LPMES-0	Spain	light gray	light gray	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89
10	XS Touchpad Keyboard	G84-5500LPMES-2	Spain	black	black	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89
11	XS Touchpad Keyboard	G84-5500LPMEU-0	US English with EURO symbol	light gray	light gray	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	88
12	XS Touchpad Keyboard	G84-5500LPMEU-2	US English with EURO symbol	black	black	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	88
13	XS Touchpad Keyboard	G84-5500LPMFR-0	France	light gray	light gray	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89
14	XS Touchpad Keyboard	G84-5500LPMFR-2	France	black	black	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89
15	XS Touchpad Keyboard	G84-5500LPMGB-0	UK	light gray	light gray	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89

	Product name	Order number	Layout (country or language)	Housing colour	Key colour	Interface	System requirements	Number of Keys
16	XS Touchpad Keyboard	G84-5500LPMGB-2	UK	black	black	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89
17	XS Touchpad Keyboard	G84-5500LPMHU-0	Hungary	light gray	light gray	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89
18	XS Touchpad Keyboard	G84-5500LPMHU-2	Hungary	black	black	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89
19	XS Touchpad Keyboard	G84-5500LPMIT-0	Italy	light gray	light gray	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89
20	XS Touchpad Keyboard	G84-5500LPMIT-2	Italy	black	black	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89
21	XS Touchpad Keyboard	G84-5500LPMNO-0	Norway	light gray	light gray	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89
22	XS Touchpad Keyboard	G84-5500LPMNO-2	Norway	black	black	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89
23	XS Touchpad Keyboard	G84-5500LPMPL-0	Poland	light gray	light gray	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89

	Product name	Order number	Layout (country or language)	Housing colour	Key colour	Interface	System requirements	Number of Keys
24	XS Touchpad Keyboard	G84-5500LPMPL-2	Poland	black	black	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89
25	XS Touchpad Keyboard	G84-5500LPMPO-0	Portugal	light gray	light gray	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89
26	XS Touchpad Keyboard	G84-5500LPMPO-2	Portugal	black	black	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89
27	XS Touchpad Keyboard	G84-5500LPMSF-0	Sweden / Finland	light gray	light gray	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89
28	XS Touchpad Keyboard	G84-5500LPMSF-2	Sweden / Finland	black	black	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89
29	XS Touchpad Keyboard	G84-5500LPMSK-0	Slovakia	light gray	light gray	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89
30	XS Touchpad Keyboard	G84-5500LPMSK-2	Slovakia	black	black	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89
31	XS Touchpad Keyboard	G84-5500LPMTQ-0	Turkey	light gray	light gray	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89

	Product name	Order number	Layout (country or language)	Housing colour	Key colour	Interface	System requirements	Number of Keys
32	XS Touchpad Keyboard	G84-5500LPMTQ-2	Turkey	black	black	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89
33	XS Touchpad Keyboard	G84-5500LPMTS-0	Czech Republic	light gray	light gray	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89
34	XS Touchpad Keyboard	G84-5500LPMTS-2	Czech Republic	black	black	PS/2 (keyboard), PS/2 (mouse, trackball, touchpad)	PS/2 connections for keyboard and mouse	89
35	XS Touchpad Keyboard	G84-5500LUMBE-0	Belgium	light gray	light gray	USB	USB connection	89
36	XS Touchpad Keyboard	G84-5500LUMBE-2	Belgium	black	black	USB	USB connection	89
37	XS Touchpad Keyboard	G84-5500LUMCH-0	Switzerland	light gray	light gray	USB	USB connection	89
38	XS Touchpad Keyboard	G84-5500LUMCH-2	Switzerland	black	black	USB	USB connection	89
39	XS Touchpad Keyboard	G84-5500LUMDE-0	Germany	light gray	light gray	USB	USB connection	89
40	XS Touchpad Keyboard	G84-5500LUMDE-2	Germany	black	black	USB	USB connection	89
41	XS Touchpad Keyboard	G84-5500LUMDK-0	Denmark	light gray	light gray	USB	USB connection	89
42	XS Touchpad Keyboard	G84-5500LUMDK-2	Denmark	black	black	USB	USB connection	89
43	XS Touchpad Keyboard	G84-5500LUMES-0	Spain	light gray	light gray	USB	USB connection	89
44	XS Touchpad Keyboard	G84-5500LUMES-2	Spain	black	black	USB	USB connection	89
45	XS Touchpad Keyboard	G84-5500LUMEU-0	US English with EURO symbol	light gray	light gray	USB	USB connection	88
46	XS Touchpad Keyboard	G84-5500LUMEU-2	US English with EURO symbol	black	black	USB	USB connection	88
47	XS Touchpad Keyboard	G84-5500LUMFR-0	France	light gray	light gray	USB	USB connection	89
48	XS Touchpad Keyboard	G84-5500LUMFR-2	France	black	black	USB	USB connection	89
49	XS Touchpad Keyboard	G84-5500LUMGB-0	UK	light gray	light gray	USB	USB connection	89
50	XS Touchpad Keyboard	G84-5500LUMGB-2	UK	black	black	USB	USB connection	89
51	XS Touchpad Keyboard	G84-5500LUMHU-0	Hungary	light gray	light gray	USB	USB connection	89
52	XS Touchpad Keyboard	G84-5500LUMHU-2	Hungary	black	black	USB	USB connection	89

	Product name	Order number	Layout (country or language)	Housing colour	Key colour	Interface	System requirements	Number of Keys
53	XS Touchpad Keyboard	G84-5500LUMIT-0	Italy	light gray	light gray	USB	USB connection	89
54	XS Touchpad Keyboard	G84-5500LUMIT-2	Italy	black	black	USB	USB connection	89
55	XS Touchpad Keyboard	G84-5500LUMNO-0	Norway	light gray	light gray	USB	USB connection	89
56	XS Touchpad Keyboard	G84-5500LUMNO-2	Norway	black	black	USB	USB connection	89
57	XS Touchpad Keyboard	G84-5500LUMPL-0	Poland	light gray	light gray	USB	USB connection	89
58	XS Touchpad Keyboard	G84-5500LUMPL-2	Poland	black	black	USB	USB connection	89
59	XS Touchpad Keyboard	G84-5500LUMPO-0	Portugal	light gray	light gray	USB	USB connection	89
60	XS Touchpad Keyboard	G84-5500LUMPO-2	Portugal	black	black	USB	USB connection	89
61	XS Touchpad Keyboard	G84-5500LUMSF-0	Sweden / Finland	light gray	light gray	USB	USB connection	89
62	XS Touchpad Keyboard	G84-5500LUMSF-2	Sweden / Finland	black	black	USB	USB connection	89
63	XS Touchpad Keyboard	G84-5500LUMSK-0	Slovakia	light gray	light gray	USB	USB connection	89
64	XS Touchpad Keyboard	G84-5500LUMSK-2	Slovakia	black	black	USB	USB connection	89
65	XS Touchpad Keyboard	G84-5500LUMTQ-0	Turkey	light gray	light gray	USB	USB connection	89
66	XS Touchpad Keyboard	G84-5500LUMTQ-2	Turkey	black	black	USB	USB connection	89
67	XS Touchpad Keyboard	G84-5500LUMTS-0	Czech Republic	light gray	light gray	USB	USB connection	89
68	XS Touchpad Keyboard	G84-5500LUMTS-2	Czech Republic	black	black	USB	USB connection	89