



## TP-Link TL-SG108PE Managed L2 Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Zwart

**Merk :** TP-Link

**Artikelcode:** TL-SG108PE V2

**Productnaam :** TL-SG108PE



TP-Link TL-SG108PE. Switch type: Managed, Switch-laag: L2. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 8. MAC-adrestabel: 4000 entries, Switchingcapaciteit: 16 Gbit/s. Netwerkstandaard: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x. Power over Ethernet (PoE)



Beheerfuncties		Design	
Switch type *	Managed	Certificering	FCC, CE, RoHS
Switch-laag	L2	<b>Energie</b>	
Quality of Service (QoS)	✓	Stroombron *	DC
Web-gebaseerd management	✓	Vermogenstoevoer inclusief *	✓
<b>Poorten &amp; interfaces</b>		Stroom	1.25 A
Aantal basis-switching RJ-45 Ethernet-poorten *	8	Ingangsspanning	48 V
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Vermogensverbruik (max)	65,2 W
Aantal Gigabit Ethernet (koper)-poorten	8	<b>Power over Ethernet (PoE)</b>	
<b>Netwerk</b>		Power over Ethernet (PoE) *	✓
Netwerkstandaard *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x	Hoeveelheid Power over Ethernet (PoE) ports	4
10G support *	✗	Vermogen per poort Power over Ethernet (PoE)	15,4 W
Ondersteunde kabel types	Cat3, Cat4, Cat5, Cat5e, Cat6	Totaal Power over Ethernet (PoE)-budget	64 W
Port mirroring	✓	<b>Eisen aan de omgeving</b>	
Verbindingsaggregatie	✓	Bedrijfstemperatuur (T-T)	0 - 40 °C
Broadcast stormbeheer	✓	Temperatuur bij opslag	-40 - 70 °C
Auto MDI/MDI-X	✓	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Auto-negotiation	✓	Luchtvochtigheid bij opslag	5 - 95 procent
VLAN=ondersteuning	✓	Warmtedissipatie	256,19 BTU/h
Virtuele LAN-functies	Port-based VLAN	<b>Gewicht en omvang</b>	
Aantal VLANs	32	Breedte	158 mm
<b>Data-uitwisseling</b>		Diepte	101 mm
Switchingcapaciteit *	16 Gbit/s	Hoogte	25 mm
Verzending snelheid	11,9 Mpps	<b>Verpakking</b>	
MAC-adrestabel *	4000 entries	Meegeleverde kabels	AC
Store-and-forward	✓	Gebruiksaanwijzing	✓
Jumbo Frames ondersteuning	✓	Type verpakking	Doos
Jumbo frames	15000	Breedte verpakking	131 mm
Packet buffergeheugen	1,5 MB	Diepte verpakking	196 mm
<b>Beveiliging</b>		Hoogte verpakking	121 mm
IGMP snooping	✓	Gewicht verpakking	890 g
Bescherming lus	✓	<b>Logistieke gegevens</b>	
		Code geharmoniseerd systeem (HS) 85176990	

## Design

Kleur van het product	Zwart
LED-indicatoren	Activiteit, Link, Power over Ethernet (PoE), Stroom, Snelheid, Status



6935364094744



0845973094744



845973094744



6935364094751

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.