

be quiet! Dark Power Pro 14 IO power supply unit 1600 W 20+4 pin ATX ATX Zwart



Merk : be quiet!

Artikelcode: BP023EU

Productnaam : Dark Power Pro 14 IO

be quiet! Dark Power Pro 14 IO. Totaal vermogen: 1600 W, AC-ingangsspanning: 100 - 240 V, Piekvermogen: 1700 W. Motherboard power connector: 20+4 pin ATX, Lengte stroomkabel moederbord: 60 cm, Lengte SATA-stroomkabel: 600,750,900,1050 mm. Bedoeld voor: PC, Vormfactor van de voeding (PSU): ATX, 80 PLUS certificatie: 80 PLUS Titanium. Kleur van het product: Zwart, Type koeling: Actief, Ventilator diameter: 13,5 cm. USB kabel lengte: 0,8 m

Energie		Prestatie	
Totaal vermogen *	1600 W	80 PLUS certificatie *	80 PLUS Titanium
Piekvermogen	1700 W	Cybenetics-certificering	Titanium
AC-ingangsspanning *	100 - 240 V	Bedoeld voor *	PC
AC-ingangsfrequentie	50/60 Hz	Vormfactor van de voeding (PSU) *	ATX
Maximale ingangsstroom (@110V)	15 A	ATX version	3.1
Maximale ingangsstroom (@220V)	9 A	EPS version	2.92
Power factor	0,98	Geluidsniveau	29,1 dB
Power Factor Correctie (PFC) type	Actief	Bearing technologie	FDB
Aantal +12V rail(s)	6	Mean time between failures (MTBF)	100000 uur
Gecombineerd vermogen (+3.3V)	150 W	Design	
Gecombineerd vermogen (+12V)	1600 W	Kleur van het product	Zwart
Gecombineerd vermogen (+5V)	150 W	Type koeling	Actief
Gecombineerd vermogen (-12V)	6 W	Ventilator diameter	13,5 cm
Gecombineerd vermogen(+5Vsb)	17,5 W	Aantal ventilatoren	1 ventilator(en)
Max huidige output (+3.3V)	25 A	Ventilator snelheid	0 - 2600 RPM
Max output current (+12V1)	40 A	Belichting	✗
Max output current (+12V2)	40 A	Aan/uitschakelaar	✓
Max output current (+12V3)	45 A	Aan/uit-schakelaar voor ventilator	✓
Max output current (+12V4)	45 A	Eisen aan de omgeving	
Max huidige output (+5V)	25 A	Bedrijfstemperatuur (T-T)	0 - 40 °C
Max huidige output (-12V)	0,5 A	Inhoud van de verpakking	
Max huidige output (+5Vsb)	3,5 A	Inclusief kabelbinder(s)	✓
Houd-tijd	14,5 ms	USB kabel lengte	0,8 m
Efficiëntie	93,4 procent	Certificaten	
Stroomspanning bescherming	Overstroom, Overspanning, Oververhitting, Kortsluiting, Surge & inrush protection (SIP), Onder spanning, Te hoog vermogen	Certificaten van naleving	
Poorten & interfaces		Gewicht en omvang	
Motherboard power connector *	20+4 pin ATX		
Lengte stroomkabel moederbord	60 cm	Breedte	
Aantal SATA power connectors	16		

Poorten & interfaces		Gewicht en omvang	
Lengte SATA-stroomkabel	600,750,900,1050 mm	Diepte	200 mm
Aantal SATA stroomkabels	5	Hoogte	86 mm
Peripheral (Molex) power connectors (4-pin) *	2	Gewicht	2,63 kg
Lengte stroomkabel randapparaat (Molex)	900,1050 mm	Verpakking	
EPS power connector (8-pin)	✓	Gebruikershandleiding	✓
EPS-voedingsconnector (4+4 pin)	✓	Handleidingtalen	Vereenvoudigd Chinees, Duits, Engels, Spaans, Frans, Italiaans, Japans, Pools, Russisch, Thais
PCI Express power connectors (6+2 pin)	6	Breedte verpakking	253 mm
PCI Express voedingsconnectoren (12-pin)	2	Diepte verpakking	417 mm
Lengte PCI Express-stroomkabel	60 cm	Hoogte verpakking	152 mm
CPU power connector (4+4 pin)	✓	Gewicht verpakking	6,68 kg
Lengte CPU-stroomkabel	70 cm	Logistieke gegevens	
ATX power connector (20+4 pin)	✓	(Binnenste) verzendverpakking lengte	44 cm
PCI Express connector	✓	(Binnenste) verzendverpakking breedte	32,5 cm
Bekabelingstype	Volledig modulair	(Binnenste) verzendverpakking hoogte	28,3 cm
		Nettogewicht transportverpakking	15,2 kg
		Producten per (binnenste) verzendverpakking	2 stuk(s)
		Garantieperiode	10 jaar
		Overige specificaties	
		Inclusief schroeven	✓
		Kabelbinders inbegrepen	✓



4260052192115

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.