



Wyse 5010 thin client

Powerful, compact, highly efficient dual core thin client for knowledge workers.

Strong. Compact. Affordable.

The Wyse 5000 series thin client is a highly efficient and powerful endpoint platform for Citrix, Microsoft, VMware, and Wyse vWorkspace virtual desktop environments. It is available with Windows Embedded Standard, Wyse-enhanced enterprise Linux, or virus-immune Wyse ThinOS. With its extremely compact size and high performance, it's a versatile virtual desktop endpoint.

High-performance multimedia.

Need to deploy a dependable platform to display, manipulate and work with high-definition multimedia, voice and video in a virtualized environment? With a powerful, energy-saving dual core AMD G Series APU in a compact chassis with dual-HD monitor support, the Wyse 5010 thin client delivers stunning performance and display capabilities across 2D, 3D and HD video applications. As such, it supports a broad and diverse range of user, application and operating requirements.

Highly scalable, easy to operate and manage.

IT won't need to visit or touch Wyse 5000 series thin clients to manage them as they can be managed remotely with Wyse Device Manager (WDM). WDM helps lower the total cost of ownership for large deployments and offers remote enterprise-wide management that scales as you grow from just a few to tens of thousands of cloud clients.

With Wyse thin clients, customers get a complete services portfolio including Deployment Services, ProSupport and Accidental Damage service, giving Dell business partners end-to-end support throughout the product lifecycle.

Environmentally conscious computing.

When it comes to energy efficiency, the Wyse 5000 series outperforms other, more power-hungry desktop alternatives. Its silent diskless and fanless design helps reduce power usage to just a fraction of that used in traditional desktops.

Specifications

Dell Wyse 5010 thin client

Operating system	Windows Embedded Standard 7/7P/8 Wyse Enhanced Linux Wyse ThinOS
CPU	AMD G-Series T48E Dual Core 1.4GHz
Memory	16GB Flash / 4GB RAM DDR3 (Windows Embedded 7/7P/8) 8GB Flash / 2GB RAM DDR3 (Linux, ThinOS) Optional SSD storage also supported
Graphics	Radeon HD 6250 graphics (integrated with APU)
I/O peripheral support	1 x DisplayPort. (Optional DisplayPort to DVI-I adapter available) 1 x One DVI-I port. DVI to VGA (DB-15) adapter included 4 x USB 2.0 ports (two front, two rear)
Networking	10/100/1000 Gigabit Ethernet Optional dual band 802.11 a/b/g/n wireless Optional SFP Module support for Fiber NIC network connectivity Optional Bluetooth connectivity
Resolution	VESA monitor support with Display Data Control (DDC) for automatic setting of resolution and refresh rate DisplayPort: 2560 x 1600 at 32bpp / DVI-I: 1920 x 1200 at 32bpp Dual display: 1920 x 1200 at 32bpp / Supports dual digital high-resolution displays
Audio	Composite audio jack: 1/8-inch mini, 16-bit stereo / Internal mono speaker
Dimensions	Height: 6.7 inches (170 mm) / Width: 1.6 inches (40 mm) / Depth: 7.3 inches (185 mm)
Weight	2.05 lbs. (0.93 kg)
Mountings	Vertical feet, standard Optional VESA mounting bracket for mounting to flat surfaces, such as walls Please note: 5000 series clients cannot mount directly to the backs of monitors Optional Ergotron mounting stand for mounting with Dell monitors
Security	Data: WEBS Trusted Platform Module (TPM) 1.2 Device: Built-in Kensington security slot (cable sold separately)
Power	Worldwide auto-sensing 100-240 VAC, 50/60 Hz 65W, 19V DC Energy Star V.5.2 Phase V external and EuP compliant power adapter
Temperature range	Operating, vertical position: 32° to 104° F (10° to 40° C) Storage: 14° to 140° F (-10° to 60° C)
Humidity	20% to 80% condensing, 10% to 95% non-condensing
Safety certifications	Ergonomics: German EKI-ITB 2000, ISO 9241-3/-8 Safety: cULus 60950, TÜV-GS, EN 60950 RF Interference: FCC Class B, CE, VCCI, C-Tick Environmental: WEEE, RoHS Compliant Energy Star®, EPEAT Silver listed
Warranty	Three-year hardware warranty
Support and deployment	Complete services portfolio including Deployment Services, ProSupport and Accidental Damage service.

Learn more: Visit www.dell.com/wyse

Dell Inc.
One Dell Way
Round Rock, TX 78664

Visit our website at:
www.dell.com/wyse

Ask a Dell expert:
<https://marketing.dell.com/t2d-wyse>

Dell cloud client-computing sales
1-800-438-9973
CCC_sales@dell.com

Dell.com