


## THE STAR-SERIES IN A NEW LOOK & FEEL

DESIGNED BY IN-AKUSTIK

Most cables of the in-akustik Star series got a facelifting and are now characterized by a clear and consistent style, particularly by the construction of the plug. A label in metal optic including the product name and the in-akustik branding is embedded into the corpus of the plug. This gives the plug its elegant design and a high quality feel. All contacts are 24c gold plated and therefore guarantee the best possible contact and minimum transition resistance.



### THE NEW IN-AKUSTIK STAR SERIES COVERS ALL COMMON AV-APPLICATIONS

#### NEW DESIGN:

- Star Stereo Audio Cable
- Star Y-Subwoofer Cable
- Star Mono-Subwoofer Cable
- Star Optical Cable
- Star Video / Digital Cable
- Star High Speed HDMI Cable with Ethernet

#### AS BEFORE:

- Star MP3 Audio Cable
- Star Headphone Extension Cable
- Star HDMI Splitter / Switch
- Star Digital / Analog Converter
- Star Speaker Cable
- Star Accessories



## STAR STEREO AUDIO CABLE



### STEREO RCA -> STEREO RCA

The Star audio cable reduces sound loss with its dense shielding and thick inner conductor. The 24c gold-plated metal plugs preserve quality at the connections.

- Dense shielding
- 24c gold plated contacts
- Conductors made of high-purity OFC copper
- Cable diameter: 2 x 6,0 mm
- Additional earth/remote cable

ITEM-NO	EAN	TYPE	SRP
00304107	4001985511112	Star AUDIO CABLE Stereo; RCA <> RCA 0,75m	19,79
00304115	4001985511129	Star AUDIO CABLE Stereo; RCA <> RCA 1,5m	24,99
0030413	4001985511136	Star AUDIO CABLE Stereo; RCA <> RCA 3,0m	31,99
0030415	4001985511143	Star AUDIO CABLE Stereo; RCA <> RCA 5,0m	39,99

## STAR Y-SUBWOOFER CABLE



### RCA -> STEREO RCA

The Star Y subwoofer cable reduces sound loss with its dense shielding and thick inner conductor. The 24c gold-plated metal plugs preserve quality at the connections.

- Dense shielding
- 24c gold plated contacts
- Conductors made of high-purity OFC copper
- Cable diameter: 6,0 mm

ITEM-NO	EAN	TYPE	SRP
0030822	4001985511150	Star AUDIO CABLE Y Sub; RCA > 2 x RCA; 6,0 mm 2,0m	17,49
0030823	4001985511174	Star AUDIO CABLE Y Sub; RCA > 2 x RCA; 6,0 mm 3,0m	20,99
0030825	4001985511198	Star AUDIO CABLE Y Sub; RCA > 2 x RCA; 6,0 mm 5,0m	27,49
00308275	4001985511211	Star AUDIO CABLE Y Sub; RCA > 2 x RCA; 6,0 mm 7,5m	30,49
00308310	4001985511235	Star AUDIO CABLE Y Sub; RCA > 2 x RCA; 6,0 mm 10,0m	37,49
00308312	4001985511259	Star AUDIO CABLE Y Sub; RCA > 2 x RCA; 6,0 mm 12,0m	40,49

## STAR MONO-SUBWOOFER CABLE



### RCA -> RCA

The Star mono subwoofer cable reduces sound loss with its dense shielding and thick inner conductor. The 24c gold-plated metal plugs preserve quality at the connections.

- Dense shielding
- 24c gold plated contacts
- Conductors made of high-purity OFC copper
- Cable diameter: 6,0 mm

ITEM-NO	EAN	TYPE	SRP
00308221	4001985511167	Star AUDIO CABLE Mono Sub; RCA <> RCA; 6,0 mm 2,0m	10,99
00308231	4001985511181	Star AUDIO CABLE Mono Sub; RCA <> RCA; 6,0 mm 3,0m	12,49
00308251	4001985511204	Star AUDIO CABLE Mono Sub; RCA <> RCA; 6,0 mm 5,0m	14,99
003082751	4001985511228	Star AUDIO CABLE Mono Sub; RCA <> RCA; 6,0 mm 7,5m	19,79
003083101	4001985511242	Star AUDIO CABLE Mono Sub; RCA <> RCA; 6,0 mm 10,0m	23,99
003083121	4001985511266	Star AUDIO CABLE Mono Sub; RCA <> RCA; 6,0 mm 12,0m	30,79

## STAR VIDEO-/DIGITAL CABLE



### RCA -> RCA

Star video cable in a highly-flexible design with dense spiral shielding and gold-plated plugs for connecting video recorders or DVD players with AV receivers or TVs etc.

- 2-fold shielding
- 24c gold plated contacts
- Conductors made of high-purity OFC copper
- Cable diameter: 5,5 mm
- 75 Ohm Impedance

ITEM-NO	EAN	TYPE	SRP
00316207	4001985511303	Star VIDEO- / DIGITAL CABLE RCA <> RCA; 5,0 mm 0,75m	9,89
00316215	4001985511310	Star VIDEO- / DIGITAL CABLE RCA <> RCA; 8,0 mm 1,5m	11,49
0031623	4001985511327	Star VIDEO- / DIGITAL CABLE RCA <> RCA; 5,0 mm 3,0m	14,49
0031625	4001985511334	Star VIDEO- / DIGITAL CABLE RCA <> RCA; 5,0 mm 5,0m	18,49
00316275	4001985511341	Star VIDEO- / DIGITAL CABLE RCA <> RCA; 5,0 mm 7,5m	23,49
00316310	4001985511358	Star VIDEO- / DIGITAL CABLE RCA <> RCA; 5,0 mm 10m	28,99
00316315	4001985511365	Star VIDEO- / DIGITAL CABLE RCA <> RCA; 5,0 mm 15m	39,49

## STAR HIGH SPEED HDMI KABEL | HDMI® 2.0



### HDMI -> HDMI

The High Speed HDMI cable with Ethernet from the in-akustik Star-series supports all HD audio formats and a resolution of up to 2160p (4k). 24c gold-plated plugs for optimum contact. It is suitable for connecting digital AV components, such as DVD, Blu-ray players or game consoles with a plasma, LCD, LED-TV or projector.

- 3-fold shielding
- 24c gold plated contacts
- Conductors made of high-purity OFC copper
- Ethernet Network (bis 100 Mbit)
- Audio Return Channel ARC
- Additional Color Spaces
- Content Type
- 2160p (4K x 2K Video)
- Data rate up to 10,2 Gbit/s (340 MHz bandwidth)
- Deep Color multi-bit; x.v.Color
- HD Audio
- Up to 8 audio channels (24 Bit /192 kHz)
- CEC-, HDCP-, EDID compatible
- HDMI® 2.0 compatible

ITEM-NO	EAN	TYPE	SRP
00324507	4001985511372	Star HIGH SPEED HDMI CABLE WITH Eth HDMI Eth <> HDMI Eth 0,75m	11,99
00324515	4001985511389	Star HIGH SPEED HDMI CABLE WITH Eth HDMI Eth <> HDMI Eth 1,5m	14,49
00324530	4001985511396	Star HIGH SPEED HDMI CABLE WITH Eth HDMI Eth <> HDMI Eth 3,0m	18,49
00324550	4001985511402	Star HIGH SPEED HDMI CABLE WITH Eth HDMI Eth <> HDMI Eth 5,0m	28,49

## STAR OPTICAL CABLE



### TOS-LINK -> TOS-LINK

The optical digital cable with standardised Toslink plugs for connecting digital audio sources such as CD, DVD, Blu-ray players or game consoles to AV receivers, etc.

- Precisely fitting Toslink plugs
- Plastic fibre
- Highly flexible

ITEM-NO	EAN	TYPE	SRP
00312107	4001985511273	Star OPTICAL CABLE Toslink <> Toslink 0,75m	14,49
00312115	4001985511280	Star OPTICAL CABLE Toslink <> Toslink 1,5m	17,99
0031213	4001985511297	Star OPTICAL CABLE Toslink <> Toslink 3,0m	21,49

## STAR MP3-PHNOE PLUG CABLE



### 3,5 PHNOE PLUG -> 3,5 PHNOE PLUG | 3,5 PHNOE PLUG -> 2xRCA

The Star MP3 audio cable for connecting MP3 players (iPods), laptops or PCs to an amplifier, AV receiver or car radio with RCA jacks sockets..

- Mini 3,5 mm Phnoe Plug
- Foil shielding
- 24c gold plated contacts

ITEM-NO	EAN	TYPE	SRP
003101005	4001985501403	3,5 Phnoe Plug <> 3,5 Phnoe Plug 0,5m	5,99
0031010075	4001985501410	3,5 Phnoe Plug <> 3,5 Phnoe Plug 0,75m	6,59
003101015	4001985501427	3,5 Phnoe Plug <> 3,5 Phnoe Plug 1,5m	7,69
00310103	4001985501434	3,5 Phnoe Plug <> 3,5 Phnoe Plug 3,0m	9,39
003100005	4001985501335	3,5 Phnoe Plug > 2 x RCA 0,5m	5,99
0031000075	4001985501342	3,5 Phnoe Plug > 2 x RCA 0,75m	6,59
003100015	4001985501359	3,5 Phnoe Plug > 2 x RCA 1,5m	7,09
00310003	4001985501366	3,5 Phnoe Plug > 2 x RCA 3,0m	8,79
00310005	4001985501373	3,5 Phnoe Plug > 2 x RCA 5,0m	11,49
00310007	4001985501380	3,5 Phnoe Plug > 2 x RCA 7,0m	14,29
00310010	4001985501397	3,5 Phnoe Plug > 2 x RCA 10,0m	17,49

## STAR HEADPHONE EXTENSION CABLE



### 3,5 PHNOE PLUG (M) -> 3,5 PHNOE PLUG (F)

### 3,5 PHNOE PLUG (M) -> 2 x 3,5 PHNOE PLUG (F)

If you want to enjoy more freedom of movement by extending your headphone cable, it must not be necessarily replaced with a longer cable. In this case, we recommend the in-akustik mp3 extension cable. These are fitted at one end with a 3.5-millimeter jack and the other end with a 3.5-millimeter plug, and can be used as a connector between the headphones and the playback device.

- Mini 3,5 mm Phnoe Plug
- Foil shielding
- 24c gold plated contacts

ITEM-NO	EAN	TYPE	SRP
003105015	4001985503506	3,5 Phnoe Plug > 3,5 Phnoe Plug (f) 1,5m	8,19
00310503	4001985503513	3,5 Phnoe Plug > 3,5 Phnoe Plug (f) 3,0m	10,49
00310505	4001985503520	3,5 Phnoe Plug > 3,5 Phnoe Plug (f) 5,0m	11,49
00310302	4001985210305	3,5 Phnoe Plug > 2 x 3,5 Phnoe Plug (f)	7,79

## STAR DIGITAL/ANALOG CONVERTER



### COAXIAL IN | OPTICAL IN -> STEREO RCA OUT

The Star Studio Digital Converter converts digital audio data into analog signals. Its application range is very universal. The converter can be used, for example, for the faint sound of a new flat-screen television on an older but sound quality hi-fi player. The stereo output provides the usual line-level and can be connected, for example, to the AUX or TV input of the amplifier.

- Audio formats LPCM 44/48/96 kHz
- Supports up to 24 Bit
- S/N ratio > 100dB
- Harmonic distortion: 0,05% max.
- Wolfson-Chip

ITEM-NO	EAN	TYPE	SRP
00315001	4001985509133	Star Audio Konverter	54,00

## STAR HIGH SPEED HDMI SPLITTER | 3D



### 1 x HDMI IN -> 2 x HDMI OUT

This Star HDMI splitter distributes an HDMI source (such as a set-top box or a DVD player) to two displays (such as LCD or plasma panels). The splitter is HDMI 1.3 compatible and can handle all common formats. For greater distances we recommend the usage of the provided power supply.

- 3D-support
- Bandwidth up to 3 x 2.25 Gbps / 225 MHz
- Full HD 1080p compatible
- HDCP compatible
- HDMI 1.3
- Includes power supply

ITEM-NO	EAN	TYPE	SRP
003247012	4001985502745	Star HDMI Splitter 1->2 High Speed	98,00

## STAR HIGH SPEED HDMI SWITCH | 3D



### 3 x HDMI IN -> 1 x HDMI OUT

The compact HDMI switch is compatible with Full HD and does not require a separate power supply. Switching between the sources is done automatically or manually at the touch of a button.

- 3D-support
- Full HD 1080p compatible
- HDMI 1.3
- CEC-, HDCP compatible
- HD Audio; bis zu 8 audio channels
- Deep color; x.v. color

ITEM-NO	EAN	TYPE	SRP
003245031	4001985501328	Star HDMI Switch High Speed	53,00



## STAR MINI-ABSORBER



The sub-absorber made from a special rubber compound for optimum damping of vibration between the devices and the standing position

- Withstands up to 8 kg / set of 4

ITEM-NO	EAN	TYPE	SRP
008508	4001985850808	Star Mini Absorber	22,99

## STAR SPEAKER CABLE | OPTIONAL "EURO SPOOL" FOR EASY WINDING



The universal speaker cable for all applications has square/round coding for correct connections and correct phasing to the amplifier and speaker.

- Flexible, easy to install
- Universal speaker cable for any application
- Plus/minus recognition

ITEM-NO	EAN	TYPE	SRP
010017409	4001985174096	2 x 0,75 mm <sup>2</sup> ; EURO SPOOL; Set 40m	47,49
010018409	4001985184095	2 x 0,75 mm <sup>2</sup> ; EURO SPOOL; Set 40m	47,49
010024309	4001985243099	2 x 1,5 mm <sup>2</sup> ; EURO SPOOL; Set 30m	55,00
010024369	4001985243693	2 x 1,5 mm <sup>2</sup> ; EURO SPOOL; Set 30m	55,00
010044259	4001985442591	2 x 2,5 mm <sup>2</sup> ; EURO SPOOL; Set 25m	72,00
01001740	4001985170074	2 x 0,75 mm <sup>2</sup> ; MINI SPOOL; Set 40m	45,99
01001840	4001985018048	2 x 0,75 mm <sup>2</sup> ; MINI SPOOL; Set 40m	45,99
01002436	4001985024360	2 x 1,5 mm <sup>2</sup> ; MINI SPOOL; Set 30m	54,00
01002430	4001985024308	2 x 1,5 mm <sup>2</sup> ; MINI SPOOL; Set 30m	54,00
01004425	4001985044252	2 x 2,5 mm <sup>2</sup> ; MINI SPOOL; Set 25m	74,00

## STAR SPEAKER CABLE | REELS



The universal speaker cable for all applications has square/round coding for correct connections and correct phasing to the amplifier and speaker.

ITEM-NO	EAN	TYPE	SRP
003020010	4001985650071	2 x 0,75 mm <sup>2</sup> ; Cable Reels 10m; 40 Stk	12,59
003020006	4001985650064	2 x 0,75 mm <sup>2</sup> ; Cable Reels 6m; 50 Stk	8,19
003021010	4001985650088	2 x 1,5 mm <sup>2</sup> ; Cable Reels 10m; 35 Stk	21,29
003021020	4001985650095	2 x 1,5 mm <sup>2</sup> ; Cable Reels 20m; 20 Stk	40,99
003022010	4001985650101	2 x 2,5 mm <sup>2</sup> ; Cable Reels 10m; 25 Stk	32,49

EXAMPLE OF A STAR PLACEMENT  
125 CM x 145 CM

