



Power Cable

PC to Schuko, 1.8 m (6 ft.)

Powerful connections for computing solutions.

MANHATTAN® Power Cables easily connect and extend the reach between a power source and personal computers, monitors, printers, power adapters and other equipment. Ideal for new systems or replacement applications, MANHATTAN offers an assortment of universal power cables engineered and built from quality materials that meet current safety approvals to deliver and maintain reliable connections. Fully molded boots with strain relief, durable PVC jackets and heavy-duty construction, MANHATTAN Power Cables help provide maximum electrical conductivity to transmit dependable power where and when it's needed.

Lifetime Warranty

Strict manufacturing standards ensure the highest quality in all MANHATTAN products. All items carry a full Lifetime Warranty — the strongest quality commitment anyone can make.

Model
300148





Model
300148

Features

- Connects most desktop computers to Schuko outlets
- IEC 60320 C13 socket connector, 10 A / 250 V, 3-blade
- Schuko CEE 7, 16 A / 250 V
- Molded connections with strain relief
- Lifetime Warranty

Specifications

IEC 60320 C13 SOCKET, MALE

- Approvals: VDE, ESI, IMQ, LCIE, KEMA, OVE, CEBEC, SEV, SEMKO, DEMKO, NEMKO, FIMKO and UL
- Power: 10 A / 250 V
- Socket count: 3-blade
- Molded plastics
- Strain-relief connection

SCHUKO CEE 7, MALE

- Approvals: VDE, IMQ, LCIE, KEMA, OVE, CEBEC, SEMKO, DEMKO, NEMKO and FIMKO
- Power: 10-16 A / 250 V
- Pin count: 2
- Molded plastics
- Strain-relief connection

CABLE

- Number of strands / strand thickness: 26 / 0.19 mm
- Number of cores: 3
- Insulation thickness: 0.6 mm
- Jacket thickness: 0.8 mm
- Nominal overall diameter: 6.8 mm
- Rating: 6 A
- Length: 1.8 m (6 ft.)

For more information on MANHATTAN products, consult your local dealer or visit www.manhattan-products.com.



Copyright © MANHATTAN

All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.

MH-300148-DS-0609-01