

# Delock 2.5" External Enclosure SATA HDD / SSD > USB 3.0

## Description

This Delock enclosure enables the installation of a 2.5" SATA hard drive or SSD and can be operated either in the mobile rack 47213 via SATA or externally via USB.



## Specification

- Externally to be connected via USB
- Internally to be connected via Mobile Rack 47213 to SATA
- Connector:
  - internal:
    - 1 x SATA 22 pin male
  - external:
    - 1 x SATA 22 pin female
    - 1 x USB 3.0 Type Micro-B female
- Suitable for 2.5" SATA HDD / SSD:
  - HDD height up to 9.5 mm
  - SATA HDD / SSD up to 6 Gb/s
  - HDD / SSD up to 2 TB
- Data transfer rate:
  - USB 3.0 up to 5 Gb/s
  - SATA up to 6 Gb/s
- LED indicator for power and access
- Dimensions (LxWxH): ca. 131.5 x 80.0 x 16.5 mm
- Cable data:
  - 1 x cable USB 3.0 Type Micro-B male to USB 3.0 Type-A male ca. 60 cm (incl. connector)

## System requirements

- Windows 7/7-64/8/8-64/8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-A port

## Package content

- 2.5" enclosure
- USB 3.0 cable
- Screwdriver
- Screws
- User manual

## Item No. 47226

EAN: 4043619472260

Country of origin: China

Package: Retail Box



Images



General	
Suitable for data medium:	2.5" SSD or HDD height up to 9.5 mm
Internal construction:	full PCB
Supported operating system:	Windows 7 32-bit Windows 7 64-bit Windows 8 32-bit Windows 8 64-bit Windows 8.1 32-bit Windows 8.1 64-bit Windows 10 32-bit Windows 10 64-bit
Interface	
External:	1 x SATA 22 pin female 1 x USB 3.0 Type Micro-B female
Internal:	1 x SATA 22 pin male
Physical characteristics	
Housing:	Aluminium
Colour:	black
Length:	131.5 mm
Width:	80.0 mm
Height:	16.5 mm