

TP-Link RE650 netwerkextender Netwerkzender Wit 10, 100, 1000 Mbit/s

Merk: TP-Link Artikelcode: RE650

Productnaam: RE650

TP-Link RE650. Soort: Netwerkzender, Overdrachtssnelheid: 1733 Mbit/s, Ethernet LAN, data-overdrachtsnelheden: 10,100,1000 Mbit/s. Soort antenne: Extern, Zendvermogen (CE): 2.4 GHz ≤20dBm, 5 GHz ≤23dBm. Bekabelingstechnologie: 10/100/1000Base-T(X), Netwerkstandaard: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, Wi-Fi-standaarden: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac). Kleur van het product: Wit, Aantal per verpakking: 1 stuk(s), Certificering: CE. AC-ingangsspanning: 100 - 240 V, AC-ingangsfrequentie: 50/60 Hz, Vermogensverbruik (max): 12 W





_			
Performance		Design	
Type *	Network transmitter	Quantity per pack	1 pc(s)
Data transfer rate	1733 Mbit/s	Reset button	✓
Ethernet LAN data rates	10,100,1000 Mbit/s	Certification	CE
Windows operating systems supported	Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise, Windows 10 Enterprise, Windows 10 Home, Windows 10 Home x64, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro, Windows 10 Pro, Windows 2000 Professional, Windows 7 Enterprise, Windows 7 Enterprise, Windows 7 Home Basic, Windows 7 Home Basic, Windows 7 Home Premium, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8 Enterprise, Windows 8 Enterprise, Windows 8 Fro, Windows 8 Fro, Windows 8 Fro, Windows 8 Fro, Windows Vista Business, Windows Vista Business, Windows Vista Enterprise, Windows Vista Home Basic, X64, Windows Vista Home Basic, X64, Windows Vista Home Premium, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64	Power	
		AC input voltage AC input frequency Power consumption (max)	100 - 240 V 50/60 Hz 12 W
		Operational conditions	
		Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	0 - 40 °C -40 - 70 °C 10 - 90% 5 - 90%
		Weight & dimensions	
		Width Depth Height	163 mm 86 mm 40 mm
		Packaging content	
		Quick start guide	✓
		Packaging data	
		Package type	Box
		Package width	202 mm
		Package depth	125 mm
		Package height	97 mm
		Package weight	610 g
		Certificates	
		Compliance certificates	CE, Federal Communications Commission (FCC), RoHS
Mac compatibility	/	Logistics data	
Mac operating systems supported	✓	Harmonized System (HS) code	85176990
Linux operating systems supported	✓		

Performance		
Browser supported	Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0	
Antenna		
Antennas quantity Antenna type Transmitting power (CE)	4 External 2.4 GHz ≤20dBm, 5 GHz ≤23dBm	
Network		
Cabling technology	10/100/1000Base-T(X) IEEE 802.11a, IEEE 802.11ac, IEEE	
Networking standards	802.11b, IEEE 802.11g, IEEE 802.11n	
Wi-Fi	✓	
Wi-Fi Wi-Fi standards	★ 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	
	802.11a, 802.11b, 802.11g, Wi-Fi 4	
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac) 1733 Mbit/s Dual-band (2.4 GHz / 5 GHz)	
Wi-Fi standards Wi-Fi data rate (max)	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac) 1733 Mbit/s	
Wi-Fi standards Wi-Fi data rate (max) Wi-Fi band	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac) 1733 Mbit/s Dual-band (2.4 GHz / 5 GHz) 64-bit WEP, 128-bit WEP, WPA-PSK,	
Wi-Fi standards Wi-Fi data rate (max) Wi-Fi band Security algorithms	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac) 1733 Mbit/s Dual-band (2.4 GHz / 5 GHz) 64-bit WEP, 128-bit WEP, WPA-PSK,	
Wi-Fi standards Wi-Fi data rate (max) Wi-Fi band Security algorithms Ports & interfaces	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac) 1733 Mbit/s Dual-band (2.4 GHz / 5 GHz) 64-bit WEP, 128-bit WEP, WPA-PSK, WPA2-PSK	
Wi-Fi standards Wi-Fi data rate (max) Wi-Fi band Security algorithms Ports & interfaces Ethernet LAN (RJ-45) ports	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac) 1733 Mbit/s Dual-band (2.4 GHz / 5 GHz) 64-bit WEP, 128-bit WEP, WPA-PSK, WPA2-PSK	



6935364094348

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.