



## LevelOne GEP-2421W630 netwerk-switch Unmanaged Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Zwart

**Merk :** LevelOne

**Artikelcode:** GEP-2421W630

**Productnaam :** GEP-2421W630



LevelOne GEP-2421W630. Switch type: Unmanaged. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 24. Full duplex. MAC-adrestabel: 8000 entries, Switchingcapaciteit: 48 Gbit/s. Netwerkstandaard: IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x. Power over Ethernet (PoE). Rack-montage



Beheerfuncties		Energie	
Switch type *	Unmanaged	AC-ingangsspanning	100 - 240 V
<b>Poorten &amp; interfaces</b>		AC-ingangsfrequentie	50 - 60 Hz
Aantal basis-switching RJ-45 Ethernet-poorten *	24	Spanning	56 V
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Uitgangsvermogen	30 W
<b>Netwerk</b>		Stroomverbruik (typisch)	630 W
Netwerkstandaard *	IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x	<b>Power over Ethernet (PoE)</b>	
10G support *	✗	Power over Ethernet (PoE) *	✓
Koperen ethernetbekabelingstechnologie	10BASE-T, 100BASE-TX, 1000BASE-T	Hoeveelheid Power over Ethernet (PoE) ports	24
Ondersteundende kabel types	Cat3, Cat4, Cat5, Cat5e, Cat6, Cat7	<b>Eisen aan de omgeving</b>	
Full duplex	✓	Bedrijfstemperatuur (T-T)	0 - 50 °C
Datastroombeheer	✓	Temperatuur bij opslag	-20 - 70 °C
Auto MDI/MDI-X	✓	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Auto-negotiation	✓	<b>Gewicht en omvang</b>	
MAC-adres zelflerende functie	✓	Breedte	200 mm
MAC-adres zelfverouderende functie	✓	Diepte	44 mm
<b>Data-uitwisseling</b>		Hoogte	440 mm
Switchingcapaciteit *	48 Gbit/s	Gewicht	3,4 kg
MAC-adrestabel *	8000 entries	<b>Verpakking</b>	
Jumbo Frames ondersteuning	✓	Gebruikershandleiding	✓
Jumbo frames	10000	Type verpakking	Doos
Packet forwarding rate (1 Gbps)	1488000 pps	Rekbevestigingspakket	✓
Packet forwarding rate (100 Mbps)	148800 pps	Rubberen voetjes	✓
Packet forwarding rate (10 Mbps)	14880 pps	Breedte verpakking	260 mm
Packet buffergeheugen	4,1 MB	Diepte verpakking	95 mm
<b>Design</b>		Hoogte verpakking	540 mm
Rack-montage *	✓	Gewicht verpakking	4 kg
Kleur van het product	Zwart	<b>Logistieke gegevens</b>	
LED-indicatoren	LAN, Power over Ethernet (PoE), Stroom	(Buitenste) hoofdverpakking breedte	510 mm
		(Buitenste) hoofdverpakking lengte	280 mm
		(Buitenste) hoofdverpakking hoogte	555 mm
		Code geharmoniseerd systeem (HS)	85176990
		(Buitenste) hoofdverpakking brutogewicht	18 kg

Design		Logistieke gegevens	
Officiële goedkeuringen	EMI: EN55032:2012+AC:2013, EN55022:2010+AC:2011, AS/NZS CISPR 22 Amdt. (2010), EN61000-3-2:2014, EN61000-3-3:2013. EMS: EN55024:2010, IEC61000-4-2:2008, IEC61000-4-3:2006+A1:2007+A2:2010, IEC61000-4-4:2012, IEC61000-4-5:2005, IEC61000-4-6:2013, IEC61000-4-8:2009, IEC61000-4-11:2004	Hoeveelheid per (buitenste) hoofdverpakking	5 stuk(s)
Land van herkomst	Taiwan		
Veiligheid	FCC Class A, CE		
Prestatie			
Mean time between failures (MTBF)	55500 uur		



4015867202142

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 16-MAR-2024. Prints or copies of Information are only valid on the printed Publication date