



## LevelOne GTL-2891 netwerk-switch Managed L3 Gigabit Ethernet (10/100/1000) Grijs

**Merk :** LevelOne

**Artikelcode:** GTL-2891

**Productnaam :** GTL-2891



LevelOne GTL-2891. Switch type: Managed, Switch-laag: L3. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 24, Console port: RJ-45. Full duplex. MAC-adrestabel: 16000 entries, Switchingcapaciteit: 128 Gbit/s. Netwerkstandaard: IEEE 802.1D, IEEE 802.1Q, IEEE 802.1ag, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE.... Rack-montage



Beheerfuncties		Prestatie	
Switch type *	Managed	Physical stacking (units)	8
Switch-laag	L3	Intern geheugen	256 MB
Quality of Service (QoS)	✓	Flash memory	128 MB
Traffic-classificatie	✓	Upgraden van firmware mogelijk	✓
ARP-inspectie	✓	Telnet	✓
<b>Poorten &amp; interfaces</b>		sFlow	✓
Aantal basis-switching RJ-45 Ethernet-poorten *	24	Mean time between failures (MTBF)	904213 uur
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	<b>Energie</b>	
Aantal moduleslots SPF+	2	AC-ingangsspanning	100 - 240 V
Console port	RJ-45	AC-ingangsfrequentie	50 - 60 Hz
<b>Netwerk</b>		Output current	1,5 A
Netwerkstandaard *	IEEE 802.1D, IEEE 802.1Q, IEEE 802.1ag, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE 802.3ad, IEEE 802.3ah, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Stroomverbruik (typisch)	35 W
10G support *	✓	<b>Power over Ethernet (PoE)</b>	
Full duplex	✓	Power over Ethernet (PoE) *	✗
Verbindingsaggregatie	✓	<b>Eisen aan de omgeving</b>	
Spanning tree protocol	✓	Bedrijfstemperatuur (T-T)	0 - 45 °C
VLAN=ondersteuning	✓	Temperatuur bij opslag	-40 - 70 °C
Virtuele LAN-functies	Private VLAN, Voice VLAN, Protocol-based VLAN, MAC address-based VLAN, Port-based VLAN, IP subnet-based VLAN	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
<b>Data-uitwisseling</b>		Luchtvochtigheid bij opslag	10 - 90 procent
Switchingcapaciteit *	128 Gbit/s	<b>Gewicht en omvang</b>	
Verzending snelheid	95,23 Mpps	Breedte	440 mm
MAC-adrestabel *	16000 entries	Diepte	315 mm
Store-and-forward	✓	Hoogte	44 mm
Statische route	✓	Gewicht	3,7 kg
Packet buffergeheugen	1,5 MB	<b>Verpakking</b>	
<b>Beveiliging</b>		Meegeleverde kabels	AC, LAN (RJ-45)
DHCP-functies	DHCP snooping, DHCP relay	Snelstartgids	✓
Access Control List (ACL)	✓	Type verpakking	Doos
IGMP snooping	✓	Rekbevestigingspakket	✓
		Rubberen voetjes	✓
		Ondersteunings-cd	✓
		Breedte verpakking	590 mm
		Diepte verpakking	390 mm
		Hoogte verpakking	133 mm
		Gewicht verpakking	5,3 kg

Beveiliging		Logistieke gegevens	
Statische poort beveiliging	✓	(Buitenste) hoofdverpakking breedte	590 mm
SSH/SSL support	✓	(Buitenste) hoofdverpakking lengte	390 mm
BPDU filtering / bescherming	✓	(Buitenste) hoofdverpakking hoogte	133 mm
Authenticatie	MAC-gebaseerde authenticatie, Webgebaseerde authenticatie	Code geharmoniseerd systeem (HS)	85176990
DoS aanval preventie	✓	(Buitenste) hoofdverpakking brutogewicht	5,3 kg
Protocollen		Hoeveelheid per (buitenste) hoofdverpakking	1 stuk(s)
Beheerprotocollen	CLI/WEB, Telnet/SNMP v1/v2/v3, RMON I,BOOTP/DHCP, SNTP, DNS,		
Ondersteunde netwerkprotocollen	IPv4/IPv6		
GARP VLAN Registratieprotocol (GVRP)	✓		
Design			
Rack-montage *	✓		
Stapelbaar *	✓		
Kleur van het product	Grijs		
LED-indicatoren	✓		
Land van herkomst	China		
Veiligheid	UL 60950-1 & CSA 60950-1, CB IEC 60950-1 & EN 60950-1, UL/CUL		
Certificering	FCC, CE, VCCI Class A, WEEE, RoHS		



4015867199015

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 16-MAR-2024. Prints or copies of Information are only valid on the printed Publication date