

ZYXEL

## Zyxel GS1200-5 Managed Gigabit Ethernet (10/100/1000) Zilver

**Merk :** Zyxel

**Artikelcode:** GS1200-5-EU0101F

**Productnaam :** GS1200-5

Zyxel GS1200-5. Switch type: Managed. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 5. MAC-adrestabel: 2000 entries, Switchingcapaciteit: 10 Gbit/s. Netwerkstandaard: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z. DC voltage input: 5 V. Netstekker: DC-in ingang



Beheerfuncties		Design	
Switch type *	Managed	LED-indicatoren	Stroom
Quality of Service (QoS)	✓	Veiligheid	CE-LVD, BSMI
Web-gebaseerd management	✓	Elektromagnetische compatibiliteit	CE, FCC, BSMI, Class B
Poorten & interfaces		Prestatie	
Aantal basis-switching RJ-45 Ethernet-poorten *	5	Upgraden van firmware mogelijk	✓
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Energie	
Netstekker	DC-in ingang	DC voltage input	5 V
Netwerk		Stroom	1 A
Netwerkstandaard *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Vermogensverbruik (max)	2,03 W
10G support *	✗	Power over Ethernet (PoE)	
Port mirroring	✓	Power over Ethernet (PoE) *	✗
Datastroombeheer	✓	Eisen aan de omgeving	
Verbindingsaggregatie	✓	Bedrijfstemperatuur (T-T)	0 - 40 °C
Broadcast stormbeheer	✓	Temperatuur bij opslag	-40 - 70 °C
Auto MDI/MDI-X	✓	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
VLAN=ondersteuning	✓	Luchtvochtigheid bij opslag	10 - 90 procent
Data-uitwisseling		Gewicht en omvang	
Switchingcapaciteit *	10 Gbit/s	Breedte	121 mm
MAC-adrestabel *	2000 entries	Diepte	75 mm
Jumbo Frames ondersteuning	✓	Hoogte	26 mm
Jumbo frames	9000	Gewicht	233 g
Packet buffergeheugen	1 MB	Verpakking	
Beveiliging		Snelstartgids	✓
DHCP-functies	DHCP client	Inclusief AC-adapter	✓
IGMP snooping	✓	Type verpakking	Doos
Authenticatie	Auto VLAN, MAC-gebaseerde authenticatie	Rubberen voetjes	✓
		Breedte verpakking	127 mm
		Diepte verpakking	82 mm
		Hoogte verpakking	95 mm

<b>Multicast-functies</b>		<b>Verpakking</b>	
Multicast-ondersteuning	✓	Gewicht verpakking	388 g
<b>Protocollen</b>		<b>Logistieke gegevens</b>	
Beheerprotocollen	IGMPv1,IGMPv2,IGMPv3	Code geharmoniseerd systeem (HS) 85176990	
<b>Design</b>			
Rack-montage *	✗		
Kleur van het product	Zilver		



4718937598670

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-SEP-2024. Prints or copies of Information are only valid on the printed Publication date