



## LevelOne GTL-2661 netwerk-switch Managed L2 Gigabit Ethernet (10/100/1000) Zwart

**Merk :** LevelOne

**Artikelcode:** GTL-2661

**Productnaam :** GTL-2661



LevelOne GTL-2661. Switch type: Managed, Switch-laag: L2. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 24, Console port: RJ-45. MAC-adrestabel: 16000 entries, Switchingcapaciteit: 88 Gbit/s. Netwerkstandaard: IEEE 802.1D, IEEE 802.1Q, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3, IEEE 802.3ab, IEEE.... Rack-montage

Beheerfuncties		Design	
Switch type *	Managed	Reset button	✓
Switch-laag	L2	LED-indicatoren	Activiteit, Link, Stroom
Quality of Service (QoS)	✓	Land van herkomst	China
Web-gebaseerd management	✓	Veiligheid	UL
Traffic-classificatie	✓	Certificering	CE class A, FCC, VCCI, BSMI
System event log	✓		
Poorten & interfaces		Prestatie	
Aantal basis-switching RJ-45 Ethernet-poorten *	24	Intern geheugen	32 MB
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Upgraden van firmware mogelijk	✓
Aantal moduleslots SPF+	2	Telnet	✓
Console port	RJ-45	Fanloos	✓
		Mean time between failures (MTBF)	636219 uur
Netwerk		Energie	
Netwerkstandaard *	IEEE 802.1D, IEEE 802.1Q, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Stroombron *	AC
10G support *	✓	AC-ingangsspanning	100 - 240 V
Koperen ethernetbekabelingstechnologie	10BASE-T, 100BASE-TX, 1000BASE-T	AC-ingangsfrequentie	50 - 60 Hz
Port mirroring	✓	Stroomverbruik (typisch)	20 W
Datastroombeheer	✓	Power over Ethernet (PoE)	
Verbindingsaggregatie	✓	Power over Ethernet (PoE) *	✗
Broadcast stormbeheer	✓	Eisen aan de omgeving	
Rate limiting	✓	Bedrijfstemperatuur (T-T)	0 - 50 °C
Spanning tree protocol	✓	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Kabellengtedetectie	✓	Warmtedissipatie	68,242 BTU/h
VLAN=ondersteuning	✓	Gewicht en omvang	
Virtuele LAN-functies	Tagged VLAN, MAC address-based VLAN, Port-based VLAN	Breedte	220 mm
Data-uitwisseling		Diepte	440 mm
Switchingcapaciteit *	88 Gbit/s	Hoogte	44 mm
Verzending snelheid	65,5 Mpps	Gewicht	2,29 kg
MAC-adrestabel *	16000 entries	Verpakking	
Store-and-forward	✓	Meegeleverde kabels	AC, LAN (RJ-45)
Aantal wachtrijen	8	Snelstartgids	✓
		Type verpakking	Doos
		Rekbevestigingspakket	✓
		Ondersteunings-cd	✓
		Breedte verpakking	405 mm

Data-uitwisseling		Verpakking	
Statische route	✓	Diepte verpakking	580 mm
Jumbo Frames ondersteuning	✓	Hoogte verpakking	80 mm
Jumbo frames	10000	Gewicht verpakking	3,02 kg
Packet buffergeheugen	12 MB	<b>Logistieke gegevens</b>	
<b>Beveiliging</b>		(Buitenste) hoofdverpakking breedte	340 mm
DHCP-functies	DHCP snooping, DHCP relay, DHCPv6 snooping, DHCP client	(Buitenste) hoofdverpakking lengte	600 mm
Access Control List (ACL)	✓	(Buitenste) hoofdverpakking hoogte	435 mm
Statische poort beveiliging	✓	Code geharmoniseerd systeem (HS)	85176990
SSH/SSL support	✓	(Buitenste) hoofdverpakking brutogewicht	11 kg
BPDU filtering / bescherming	✓	Hoeveelheid per (buitenste) hoofdverpakking	4 stuk(s)
Wachtwoordbeveiliging	✓		
DoS aanval preventie	✓		
<b>Protocollen</b>			
Beheerprotocollen	MLD, Telnet, SNMP V1, V2c & V3, RMON, Web Browser, TFTP		
Ondersteunde netwerkprotocollen	IPv4/IPv6		
<b>Design</b>			
Rack-montage *	✓		
Kleur van het product	Zwart		



4015867203057

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-SEP-2024. Prints or copies of Information are only valid on the printed Publication date