

## NETGEAR GS108LP Unmanaged Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) 1U Zwart, Grijs

**Merk :** NETGEAR

**Artikelcode:** GS108LP-100EUS

**Productnaam :** GS108LP

NETGEAR GS108LP. Switch type: Unmanaged. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000). MAC-adrestabel: 4000 entries, Switchingcapaciteit: 16 Gbit/s. Netwerkstandaard: IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3i, IEEE 802.3j, IEEE 802.3u, IEEE 802.3x. DC voltage input: 54 V. Netstekker: AC-in-aansluiting. Power over Ethernet (PoE). Ophangstelsysteem voor aan de muur, Rack-montage, Vormfactor: 1U



<b>Management features</b>		<b>Performance</b>	
Switch type *	Unmanaged	Mean time between failures (MTBF)	2752476 h
Quality of Service (QoS) support	✓	<b>Power</b>	
<b>Ports &amp; interfaces</b>		Power source *	DC/PoE
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	DC input voltage	54 V
Gigabit Ethernet (copper) ports quantity	8	Input current	1.25 A
Power connector	AC-in jack	Power consumption (typical)	67.5 W
<b>Network</b>		Power consumption (max)	130 W
Networking standards *	IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x	<b>Power over Ethernet (PoE)</b>	
10G support *	✗	Power over Ethernet (PoE) *	✓
Flow control support	✓	Power over Ethernet plus (PoE+) ports quantity	8
Ethernet LAN data rates	10,100,1000 Mbit/s	Total Power over Ethernet (PoE) budget	60 W
<b>Data transmission</b>		<b>Operational conditions</b>	
Switching capacity *	16 Gbit/s	Operating temperature (T-T)	0 - 40 °C
MAC address table *	4000 entries	Storage temperature (T-T)	-20 - 70 °C
Store-and-forward	✓	Operating relative humidity (H-H)	0 - 90%
Jumbo frames support	✓	Storage relative humidity (H-H)	0 - 95%
<b>Design</b>		Operating altitude	0 - 1000 m
Rack mounting *	✓	Heat dissipation	230.85 BTU/h
Form factor	1U	<b>Weight &amp; dimensions</b>	
Product colour	Black, Grey	Width	236 mm
LED indicators	✓	Depth	102 mm
Wall mountable	✓	Height	27 mm
Number of fans	0 fan(s)	Weight	600 g
<b>Performance</b>		<b>Logistics data</b>	
Buffer size	192 KB	Harmonized System (HS) code	85176990
Plug and Play	✓		



0606449134971



606449134971

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.