



LevelOne FGP-3400W380 netwerk-switch Unmanaged Fast Ethernet (10/100) Power over Ethernet (PoE) Zwart

Merk : LevelOne

Artikelcode: FGP-3400W380

Productnaam : FGP-3400W380

LevelOne FGP-3400W380. Switch type: Unmanaged. Type basis-switching RJ-45 Ethernet-poorten: Fast Ethernet (10/100), Aantal basis-switching RJ-45 Ethernet-poorten: 32. Full duplex. MAC-adrestabel: 32000 entries, Switchingcapaciteit: 10,4 Gbit/s. Netwerkstandaard: IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3u, IEEE 802.3x. Power over Ethernet (PoE). Rack-montage



Beheerfuncties		Energie	
Switch type *	Unmanaged	AC-ingangsfrequentie	50 - 60 Hz
Poorten & interfaces		Power over Ethernet (PoE)	
Aantal basis-switching RJ-45 Ethernet-poorten *	32	Power over Ethernet (PoE) *	✓
Type basis-switching RJ-45 Ethernet-poorten *	Fast Ethernet (10/100)	Aantal Power over Ethernet plus (PoE +)-poorten	32
Fast Ethernet (koperen) ports kwantiteit	32	Vermogen per poort Power over Ethernet (PoE)	30 W
Aantal Gigabit Ethernet (koper)-poorten	2	Totaal Power over Ethernet (PoE)-budget	380 W
Netwerk		Eisen aan de omgeving	
Netwerkstandaard *	IEEE 802.3, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3u, IEEE 802.3x	Bedrijfstemperatuur (T-T)	0 - 40 °C
Koperen ethernetbekabelingstechnologie	10BASE-T, 100BASE-TX, 1000BASE-T	Temperatuur bij opslag	-20 - 70 °C
Ondersteundende kabel types	Cat3, Cat4, Cat5, Cat5e, Cat6, Cat7	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Full duplex	✓	Luchtvochtigheid bij opslag	10 - 90 procent
Datastroombeheer	✓	Gewicht en omvang	
Data-uitwisseling		Breedte	195 mm
Switchingcapaciteit *	10,4 Gbit/s	Diepte	480 mm
MAC-adrestabel *	32000 entries	Hoogte	45 mm
Jumbo Frames ondersteuning	✓	Gewicht	2,8 kg
Jumbo frames	16000	Verpakking	
Packet forwarding rate (1 Gbps)	1488000 pps	Meegeleverde kabels	AC
Packet forwarding rate (100 Mbps)	148800 pps	Snelstartgids	✓
Packet forwarding rate (10 Mbps)	14880 pps	Type verpakking	Doos
Packet buffergeheugen	8 MB	Rekbevestigingspakket	✓
Design		Rubberen voetjes	✓
Rack-montage *	✓	Breedte verpakking	255 mm
Kleur van het product	Zwart	Diepte verpakking	534 mm
LED-indicatoren	LAN, Power over Ethernet (PoE), Stroom, Uplink	Hoogte verpakking	95 mm
		Gewicht verpakking	3,3 kg
		Logistieke gegevens	
		(Buitenste) hoofdverpakking breedte	510 mm
		(Buitenste) hoofdverpakking lengte	555 mm
		(Buitenste) hoofdverpakking hoogte	280 mm
		Code geharmoniseerd systeem (HS)	85176990

Design		Logistieke gegevens	
Officiële goedkeuringen	EMI:EN55032:2012+AC:2013, EN55022:2010+AC:2011, AS/NZS CISPR 22 Amdt. (2010), EN61000-3-2:2014, EN61000-3-3:2013;EMS: EN55024:2010, IEC61000-4-2:2008, IEC61000-4	(Buitenste) hoofdverpakking brutogewicht	17,8 kg
	3:2006+A1:2007+A2:2010, IEC61000-4-4:2012, IEC61000-4-5:2005, IEC61000-4-6:2013, IEC61000-4-8:2009, IEC61000-4-11:2004	Hoeveelheid per (buitenste) hoofdverpakking	5 stuk(s)
	Aan/uitschakelaar	✓	
	Land van herkomst	Taiwan	
Certificering	FCC Class A, CE		
Prestatie			
Mean time between failures (MTBF)		74000 uur	
Energie			
AC-ingangsspanning		100 - 240 V	



4015867203255

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-SEP-2024. Prints or copies of Information are only valid on the printed Publication date