

ZYXEL

## Zyxel GS1008HP Unmanaged Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Grijs

**Merk :** Zyxel

**Artikelcode:** GS1008HP-EU0101F

**Productnaam :** GS1008HP



- Plug-and-play 8-poorts gigabit-switch met 8-poorts PoE+ connectiviteit
- 60 Watt aan totale output op 8 gigabit PoE+poorten
- Ondersteunt 802.3af/802.3at met een maximaal PoE+ van 30 Watt per poort
- LED-indicator voor max. vermogen
- Geavanceerde energiebesparingen en geruisloos ontwerp zonder ventilator
- Robuuste metalen behuizing met de mogelijkheid van wandmontage

8 x RJ-45 10/100/1000, PoE, 240 x 105 x 26 mm, 610g

Zyxel GS1008HP. Switch type: Unmanaged. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 8. Switchingcapaciteit: 16 Gbit/s. Netwerkstandaard: IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x. DC voltage input: 55 V. Netstekker: DC-in ingang. Power over Ethernet (PoE)



| Beheerfuncties                                  |  | Eisen aan de omgeving                    |                 |
|---|--|--|-----------------|
| Switch type *                                   | Unmanaged  | Bedrijfstemperatuur (T-T)                | 0 - 40 °C       |
| <b>Poorten &amp; interfaces</b>                 |  | Temperatuur bij opslag                   | -40 - 70 °C     |
| Aantal basis-switching RJ-45 Ethernet-poorten * | 8  | Relatieve vochtigheid in bedrijf (V-V)   | 10 - 90 procent |
| Type basis-switching RJ-45 Ethernet-poorten *   | Gigabit Ethernet (10/100/1000)                     | Luchtvochtigheid bij opslag              | 10 - 90 procent |
| Netstekker                                      | DC-in ingang                                       | <b>Gewicht en omvang</b>                 |                 |
| <b>Netwerk</b>                                  |  | Breedte                                  | 240 mm          |
| Netwerkstandaard *                              | IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x | Diepte                                   | 105 mm          |
| 10G support *                                   | ✗  | Hoogte                                   | 26 mm           |
| Datastroombeheer                                | ✓  | Gewicht                                  | 610 g           |
| Auto MDI/MDI-X                                  | ✓  | <b>Verpakking</b>                        |                 |
| <b>Data-uitwisseling</b>                        |  | Meegeleverde kabels                      | AC              |
| Switchingcapaciteit *                           | 16 Gbit/s  | Snelstartgids                            | ✓               |
| Store-and-forward                               | ✓  | Inclusief AC-adapter                     | ✓               |
| Jumbo Frames ondersteuning                      | ✓  | Breedte verpakking                       | 256 mm          |
| Jumbo frames                                    | 9000   | Diepte verpakking                        | 132 mm          |
| <b>Design</b>                                   |  | Hoogte verpakking                        | 78 mm           |
| Kleur van het product                           | Grijs  | Gewicht verpakking                       | 1,26 kg         |
| LED-indicatoren                                 | Power over Ethernet (PoE), Stroom                  | <b>Logistieke gegevens</b>               |                 |
| <b>Energie</b>                                  |  | (Buitenste) hoofdverpakking breedte      | 283 mm          |
| Vermogenstoevoer inclusief *                    | ✓  | (Buitenste) hoofdverpakking lengte       | 415 mm          |
| DC voltage input                                | 55 V   | (Buitenste) hoofdverpakking hoogte       | 282 mm          |
| Stroom  | 1.3 A  | Code geharmoniseerd systeem (HS)         | 85176990        |
| Vermogensverbruik (max)                         | 72 W   | (Buitenste) hoofdverpakking brutogewicht | 9 kg            |
| <b>Power over Ethernet (PoE)</b>                |  |  |                 |
| Power over Ethernet (PoE) *                     | ✓  |  |                 |
| Hoeveelheid Power over Ethernet (PoE) ports     | 8  |  |                 |



4718937604135

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-SEP-2024. Prints or copies of Information are only valid on the printed Publication date