

## TP-Link Archer T2U Nano WLAN 433 Mbit/s

Merk: TP-Link Artikelcode: ARCHER T2U NANO

**Productnaam:** Archer T2U Nano

TP-Link Archer T2U Nano. Connectiviteitstechnologie: Bedraad, Hostinterface: USB, Interface: WLAN. Maximale overdrachtssnelheid van gegevens: 433 Mbit/s, Wifi-standaard: Wi-Fi 5 (802.11ac), Wifi-band: Dual-band (2.4 GHz / 5 GHz). Stroomvoorziening via USB. Kleur van het product: Zwart





Doute C intenforce		System very inches			
Ports & interfaces		System requirements			
Connectivity technology * Host interface * Interface *	Wired USB WLAN	Windows operating systems supported Mac operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1, Windows XP macOS		
USB version	2.0	Operational conditions			
Network		Operating temperature (T-T)	0 - 40 °C		
Maximum data transfer rate *  Networking standards *	433 Mbit/s IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE	Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	-40 - 70 °C 10 - 90% 5 - 90%		
Wi-Fi	802.11n, IEEE 802.1x	Sustainability			
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)	Sustainability compliance	✓		
Frequency range	2.4 - 5 GHz	Weight & dimensions			
Top Wi-Fi standard	Wi-Fi 5 (802.11ac)	Width	15 mm		
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	Depth Height	7.1 mm 18.6 mm		
WLAN data transfer rates supported	, , , , , ,		10.0 111111		
Modulation	16-QAM, 64-QAM, 256-QAM, CCK, DBPSK, DQPSK, OFDM	Packaging data Package width	138 mm		
Security algorithms	64-bit WEP, 128-bit WEP, WPA-PSK, WPA2-PSK	Package depth Package height	128 mm 30 mm		
Design		Package weight	90 g		
Component for *	PC/Laptop	Packaging content			
Product colour	Black	Resource CD	<b>✓</b>		
Internal *	×	Quick installation guide	<b>✓</b>		
Antenna	<b>✓</b>	Technical details			
Antenna design	Internal	recimical details	CF Fodoval Communication		
Antenna direction type Transmitting power (CE) Transmitting power (FCC)	smitting power (CE) 20 dBm		CE, Federal Communications Commission (FCC), RoHS		

Design		Logistics data	
Operating modes	Infrastructure mode	Harmonized System (HS) code	85176990
Power			
USB powered	1		



6935364099978

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.