

NETGEAR GS324TP Managed L2/L3/L4 Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Zwart

Merk : NETGEAR

Artikelcode: GS324TP-100EUS

Productnaam : GS324TP



NETGEAR GS324TP. Switch type: Managed, Switch-laag: L2/L3/L4. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 24. Full duplex. MAC-adrestabel: 16000 entries, Switchingcapaciteit: 52 Gbit/s. Netwerkstandaard: IEEE 802.3at, IEEE 802.1D, IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE.... Netstekker: AC-in-aansluiting. Power over Ethernet (PoE). Rack-montage

Beheerfuncties		Prestatie	
Switch type *	Managed	Geluidsniveau	32,8 dB
Switch-laag	L2/L3/L4	Upgraden van firmware mogelijk	✓
Quality of Service (QoS)	✓	Buffergrootte	512 KB
ARP-inspectie	✓	Energie	
Virtuele kabeltest (VCT)	✓	AC-ingangsspanning	100 - 240 V
Poorten & interfaces		AC-ingangsfrequentie	50 - 60 Hz
Aantal basis-switching RJ-45 Ethernet-poorten *	24	Stroom	5 A
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Vermogensverbruik (max)	229,9 W
Aantal moduleslots SPF	2	Power over Ethernet (PoE)	
Netstekker	AC-in-aansluiting	Power over Ethernet (PoE) *	✓
Netwerk		Aantal Power over Ethernet plus (PoE +)-poorten	24
Netwerkstandaard *	IEEE 802.3at, IEEE 802.1D, IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE 802.3az, IEEE 802.3x	Totaal Power over Ethernet (PoE)-budget	190 W
Port mirroring	✓	Eisen aan de omgeving	
Full duplex	✓	Bedrijfstemperatuur (T-T)	0 - 45 °C
Datastroombeheer	✓	Gewicht en omvang	
Verbindingsaggregatie	✓	Breedte	330 mm
Broadcast stormbeheer	✓	Diepte	206 mm
Rate limiting	✓	Hoogte	43 mm
Spanning tree protocol	✓	Gewicht	2,69 kg
Auto-negotiation	✓	Verpakking	
VLAN=ondersteuning	✓	Meegeleverde kabels	AC
Virtuele LAN-functies	Private VLAN, Voice VLAN, Port-based VLAN	Montagebeugels meegeleverd	✓
Aantal VLANs	256	Type verpakking	Doos
Data-uitwisseling		Breedte verpakking	268 mm
Switchingcapaciteit *	52 Gbit/s	Diepte verpakking	452 mm
MAC-adrestabel *	16000 entries	Hoogte verpakking	88 mm
Store-and-forward	✓	Gewicht verpakking	3,97 kg
Jumbo Frames ondersteuning	✓	Logistieke gegevens	
Beveiliging		(Buitenste) hoofdverpakking breedte	293 mm
DHCP-functies	DHCP client	(Buitenste) hoofdverpakking lengte	471 mm
Access Control List (ACL)	✓	(Buitenste) hoofdverpakking hoogte	498 mm
IGMP snooping	✓	Code geharmoniseerd systeem (HS)	85176990
Bescherming lus	✓	(Buitenste) hoofdverpakking brutogewicht	20,9 kg
DoS aanval preventie	✓		

Beveiliging		Logistieke gegevens	
ARP-aanvalspreventie	✓	Hoeveelheid per (buitenste) hoofdverpakking	5 stuk(s)
Design			
Rack-montage *	✓		
Kleur van het product	Zwart		
LED-indicatoren	✓		
Aantal ventilatoren	2 ventilator(en)		



0606449135626



606449135626



(01)10606449135623

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.