

NETGEAR GS110TP Managed L2/L3/L4 Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Grijs

Merk : NETGEAR

Artikelcode: GS110TP-300EUS

Productnaam : GS110TP



NETGEAR GS110TP. Switch type: Managed, Switch-laag: L2/L3/L4. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 8. Full duplex. MAC-adrestabel: 8000 entries, Switchingcapaciteit: 20 Gbit/s. Netwerkstandaard: IEEE 802.3ab, IEEE 802.3af, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z. DC voltage input: 54 V. Power over Ethernet (PoE)

Beheerfuncties		Prestatie	
Switch type *	Managed	Frequentie van processor	500 MHz
Switch-laag	L2/L3/L4	Type geheugen	RAM
Quality of Service (QoS)	✓	Intern geheugen	128 MB
Web-gebaseerd management	✓	Flash memory	32 MB
ARP-inspectie	✓	Mean time between failures (MTBF)	1200041 uur
Poorten & interfaces		Energie	
Aantal basis-switching RJ-45 Ethernet-poorten *	8	Vermogenstoevoer inclusief *	✓
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	AC-ingangsspanning	100 - 240 V
Aantal moduleslots SPF	2	AC-ingangsfrequentie	50 - 60 Hz
Netwerk		DC voltage input	54 V
Netwerkstandaard *	IEEE 802.3ab, IEEE 802.3af, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Stroom	1.25 A
Koperen ethernetbekabelingstechnologie	10BASE-T, 100BASE-TX, 1000BASE-T	Vermogensverbruik (max)	15,1 W
Port mirroring	✓	Power over Ethernet (PoE)	
Full duplex	✓	Power over Ethernet (PoE) *	✓
Datastroombeheer	✓	Aantal Power over Ethernet plus (PoE +)-poorten	8
Verbindingsaggregatie	✓	Vermogen per poort Power over Ethernet (PoE)	55 W
Broadcast stormbeheer	✓	Totaal Power over Ethernet (PoE)-budget	69,5 W
Rate limiting	✓	Eisen aan de omgeving	
Spanning tree protocol	✓	Bedrijfstemperatuur (T-T)	0 - 40 °C
MAC-adres zelflerende functie	✓	Temperatuur bij opslag	-20 - 70 °C
Aantal VLANs	64	Relatieve vochtigheid in bedrijf (V-V)	0 - 95 procent
Data-uitwisseling		Luchtvochtigheid bij opslag	0 - 95 procent
Switchingcapaciteit *	20 Gbit/s	Hoogte, in bedrijf	0 - 3000 m
MAC-adrestabel *	8000 entries	Hoogte bij opslag	0 - 3000 m
Store-and-forward	✓	Warmtedissipatie	237,38 BTU/h
Jumbo Frames ondersteuning	✓	Gewicht en omvang	
Packet buffergeheugen	0,5 MB	Breedte	236 mm
Beveiliging		Diepte	101 mm
DHCP-functies	DHCP client	Hoogte	27 mm
Access Control List (ACL)	✓	Gewicht	610 g
Toegangsbeheerlijst (ACL) IPv6-vermeldingen	100	Verpakking	
IGMP snooping	✓	Gebruikershandleiding	✓
Ondersteunde beveiligingsalgoritmen	802.1x RADIUS	Type verpakking	Doos
		Breedte verpakking	161 mm
		Diepte verpakking	267 mm

Beveiliging		Verpakking	
MAC adres filtering	✓	Hoogte verpakking	86 mm
Multicast-functies		Gewicht verpakking	1,49 kg
Multicast-ondersteuning	✓	Logistieke gegevens	
IPv4-multicast-vermeldingen	32	(Buitenste) hoofdverpakking breedte	274 mm
Aantal gefilterde multicast-groepen	256	(Buitenste) hoofdverpakking lengte	350 mm
Protocollen		(Buitenste) hoofdverpakking hoogte	309 mm
Beheerprotocollen	SNMP	Code geharmoniseerd systeem (HS)	85176990
Wissel protocols	SNMP	(Buitenste) hoofdverpakking brutogewicht	9,73 kg
Datalink-protocollen	Ethernet, Fast Ethernet, Gigabit Ethernet	Hoeveelheid per (buitenste) hoofdverpakking	6 stuk(s)
Ondersteunde netwerkprotocollen	HTTP, HTTPS		
Design			
Rack-montage *	✗		
Kleur van het product	Grijs		
LED-indicatoren	Activiteit, LAN, Link, Power over Ethernet (PoE), Stroom, Snelheid		
Certificering	CE, FCC, VCCI Class B, C-Tick		



0606449137644



606449137644

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.