Security SECURE. NETWORKS.



## **LANCOM** R&S®Unified Firewalls

### Network security by design

LANCOM R&S®Unified Firewalls complement your network by the relevant feature of cybersecurity. These easy-to-operate all-round solutions are tailored to the specific security needs of small and medium-sized businesses. Thanks to state-of-the-art security technologies and unified threat management (UTM), these next-generation firewalls provide reliable cybersecurity. A prominent feature is the innovative graphical user interface granting a concise overview of all of the secured areas in the company's network. Formerly complex and time-consuming configurations are greatly simplified since security policies can be systematically designed and enforced.

- > Protection against spam, viruses, malware, and complex cyber attacks
- > State-of-the-art security technologies such as R&S®PACE2 deep packet inspection
- > Protection against zero-day threats due to integrated sandboxing and machine learning
- > Intuitive network visualization enabling easy implementation of security and compliance policies
- > Detailed filtering and validation of applications and protocols
- > IT security "Made in Germany" and guaranteed without backdoors
- > Also available as virtual, software-based firewall (LANCOM vFirewall)
- > Tried-and-tested procurement and support from LANCOM
- > Integration into the LANCOM Management Cloud (in preparation)



### Easy to use, maximum security

The rise in cyber threats is leading to increasingly rigorous demands on corporate security, data protection, and the availability of complex IT systems. The LANCOM R&S®Unified Firewalls are next-generation firewalls that offer all-round cyber security thanks to unified threat management (UTM). This includes the use of advanced cyber-security technologie such as sandboxing and machine learning. Furthermore, clustering and the use of redundant hardware ensures that the company's IT remains available at all times (High Availability).

#### Intuitive web interface


The easy-to-use web-based user interface of the LANCOM R&S®Unified Firewalls empowers users to deliver the highest levels of cyber security. Human error in the configuration of the firewall is greatly reduced as the network firewall rules are clearly and graphically displayed. The browser-based centralized management GUI enables granular fine tuning

while providing a comprehensive overview of the secured devices and connections in the network. This not only faciliates the implementation of compliance policies but also saves time by allowing rules to be combined efficiently. The device is easy on resources, which saves on costs and improves productivity. Insights are gained due to comprehensive audit and compliance reports.

### **Cloud-based protection against viruses and malware**

Effective defense against malware and viruses is ensured by the firewall, which reliably detects suspicious files. To protect against as-yet unknown threats (zero-day exploits), suspicious files are first loaded into a protected cloud. In this isolated sandbox environment, the files can be securely and reliably tested. Analyses using third-generation machine learning based on billions of samples scan and proactively block threats based on their behavior. The cloud is hosted in Germany and complies with the European General Data Protection Regulation ("GDPR").

### Screenshot of the web interface for creating and managing firewall rules





# SSL inspection: Defense against complex cyber attacks through encrypted channels

Data-traffic encryption is increasingly widespread and, although this is welcome from the privacy point of view, there is the risk that malware enter systems via encrypted channels. Thanks to SSL inspection, even encrypted data packets can be scanned and filtered, applications detected, and compliance policies successfully implemented.

# Deep packet inspection: Granular filtering and validation of applications and protocols


To protect against complex cyber attacks, the firewalls use deep packet inspection (DPI) providing insights into encrypted data traffic. Utilizing the industry-leading

R&S®PACE2 DPI engine, UTM firewalls enable accurate classification of network traffic, protocols and applications. Fine-grained security policies actively regulate the use of certain applications, such as streaming services or browsers.

### **Network & security "Made in Germany"**

LANCOM R&S®Unified Firewalls are next-generation firewalls that are developed and programmed in Germany. Their UTM functions ideally complement existing LANCOM network infrastructures in terms of IT security. This constitutes a future-proof protection for corporate networks, guaranteed free of any backdoors.

#### Screenshot of the statistics in the web interface





Features: Appliances						
LANCOM R&S®Unified Firewalls	UF-50	UF-100	UF-200	UF-300	UF-500	UF-900
Network interfaces						
Ports	4x GE copper	4x GE copper	4x GE copper	8x GE copper	14x GE copper	8x GE copper (two slots for additional plug-in modules for 1G-ETH, 1G-SFP, and 10G-SFP+)
System performance						
IPS/IDS throughput (Mbps)	-	-	550	635	1,295	3,780
Firewall throughput (Mbps)	2,600 (UDP)	3,800 (UDP)	3,800 (UDP)	7,700 (UDP)	13,400 (UDP)	60,000 (UDP)
VPN throughput (Mbps)	200 (IPSec)	430 (IPSec)	430 (IPSec)	620 (IPSec)	1,260 (IPSec)	4,280 (IPSec)
Concurrent sessions	520,000	1,000,000	1,000,000	1,000,000	2,000,000	16,700,000
New sessions per second	8,000	11,000	11,000	13,000	33,000	130,000
Number of users	recom. for up to 10 users	recom. for up to 30 users	recom. for up to 30 users	recom. for up to 100 users	recom. for up to 300 users	recom. for up to 500 users
Power						
Input voltage (V)	100-240	100-240	100-240	100-240	100-240	100-240
Power consumption (W)	36	36	36	150	150	max. 300 W per active power supply module
Operating environment						
Operating temperature (°C)	0-40	0-40	0-40	0-40	0-40	0-40
Relative humidity (%)	10-90	5-90	5-90	20-90	20-90	5-90
Dimensions						
WxHxD (mm)	225 x 44 x 150	220 x 44 x 176	220 x 44 x 176	438 x 44 x 292	431 x 44 x 305	431 x 44 x 468

For dimensioning and calculating the maximum number of effective UTM users see LANCOM Techpaper <u>LANCOM R&S®Unified Firewall Sizing Guide</u>.



Features	Basic License	Full License	Feature description
Content Filter	UF-50 only	✓	URL and content filter Customizable rules for users Blacklists / whitelists Import / export of URL lists Category-based website blocking (individually definable) Online scan technology HTTP(S) proxy support Override function
Application control*		✓	Layer-7 packet filter (DPI) Filter by applications (e.g. Facebook, YouTube, BitTorrent, etc.) Blacklists/whitelists Protocol validation HTTP and IEC 104 decoder R&S®PACE 2 (Protocol and Application Classification Engine)
Antivirus*		<b>√</b>	*) available for LANCOM R&S®Unified Firewall UF-200, UF-300, UF-500, and UF-900  HTTP/S, FTP, POP3/S, SMTP/S Configurable exceptions Multi-level scanning (local and cloud-based) Sandboxing Fast classification of zero-day threats through AI technologies (machine learning)
Antispam*		<b>✓</b>	*) available for LANCOM R&S®Unified Firewall UF-100, UF-200, UF-300, UF-500, and UF-900  POP3/S, SMTP/S Configurable scan levels GlobalView Cloud using Recurrent Pattern Detection (RPD) — spam detection based on the e-mail distribution patterns Blacklists / whitelists Automatic e-mail rejection/deletion
IDS (Intrusion Detection System) / IPS (Intrusion Prevention System)*		<b>√</b>	*) available for LANCOM R&S®Unified Firewall UF-100, UF-200, UF-300, UF-500, and UF-900  Protection from DoS, port scans, malware, botnets, exploits, and vulnerabilities  More than 40,000 active signatures Configurable exceptions Scans all interfaces
Proxies	HTTP VoIP	<b>√</b>	*) available for LANCOM R&S®Unified Firewall UF-200, UF-300, UF-500, and UF-900  HTTPS, FTP, POP3/S, SMTP/S, SIP HTTP (transparent/non-transparent) Reverse proxy Supports Active Directory and local users Time-controlled
LAN/WAN support	√	√	Ethernet 10/100/1,000/10,000 Mbps Configurable MTU (Ethernet/DSL) xDSL Multi-WAN (weighted policy-based routing/failover) Load balancing Time restrictions for Internet connections Multiple, dynamic DNS support DHCP DMZ SNAT
VLAN	<b>√</b>	<b>√</b>	4096 VLANs per interface 802.1q header tagging (packet-based tagged VLANs) Compatible with bridging
Bridge mode	<b>√</b>	<b>√</b>	Layer-2 firewall Spanning Tree (bridge ID, port costs) Unlimited number of interfaces per bridge
Monitoring & statistics	<b>√</b>	<b>√</b>	Statistics (IDS/IPS, application control, surf control, antivirus/antispam) Logging to external syslog servers Export as CSV and XLS files SNMP/v2c and v3 Connection tracking
Administration	<b>√</b>	<b>√</b>	Object-oriented configuration Role-based administration Command-line interface (SSH) Saves desktop as PDF and HTML IP-based access restriction for SSH and web client
Web interface	✓	<b>√</b>	Self-explanatory functions Overview of the entire network Overview of all active services Browser-based, platform-independent View filtering based on custom tags



Features	Basic License	Full License	Feature description	
QoS	√	√	Guaranteed QoS bandwidth configurable for Internet connections QoS with ToS flags QoS in VPN connections	
X.509 certificates	<b>√</b>	<b>√</b>	CRL (Certificate Revocation List) OCSP (Online Certificate Status Protocol) — network protocol for X.509 certificate status validation Multi-CA support Multi-host certificate support	
VPN	<b>√</b>	<b>√</b>	User authentication High availability Wizards for VPN and certificates Site-to-site and client-to-site Client configuration packages	
IPSec	<b>√</b>	<b>√</b>	Full-tunnel mode IKEv1, IKEv2 PSK (pre-shared key) / certificates DPD (Dead Peer Detection) NAT-T XAUTH, L2TP Port configuration	
SSL-VPN	<b>√</b>	<b>√</b>	Routing mode VPN Bridge mode VPN TCP/UDP Specification of WINS and DNS servers	
Backup and restore	<b>√</b>	<b>√</b>	Local or remote access Automatic import during installation Automatic and scheduled backups Automatic upload (FTP, SCP) Disaster recovery from USB drive	
User authentication	<b>√</b>	<b>√</b>	Active Directory import Local user administration Authentication via web or client Single sign-on (Kerberos) Multiple logins Captive portal Terminal Server Support (via Remote Desktop IP Virtualization)	
HA (High availabilty)*	<b>√</b>	<b>√</b>	A second Unified Firewall of the same type is required Stateful failover Active/passive Hot standby Link aggregation *) available for LANCOM R&S®Unified Firewall UF-200, UF-300, UF-500, and UF-900	



Warranty	
Warranty claim	3 years
Accessories	
LANCOM Firewall Rack Mount UF-50	Rack Mount for LANCOM R&S®Unified Firewall UF-50 item no. 55119
LANCOM Firewall Rack Mount UF-100/200	Rack Mount for LANCOM R&S®Unified Firewall UF-100 & UF-200 item no. 55120
LANCOM Firewall 8x 1G RJ45 Module UF-900	Plug-in module for LANCOM R&S®Unified Firewall UF-900, 8x 1G ETH / RJ45 item no. 55121
LANCOM Firewall 4x 1G SFP Module UF-500/900	Plug-in module for LANCOM R&S®Unified Firewall UF-500 & UF-900, 4x 1G SFP item no. 55122
LANCOM Firewall 4x 10G SFP+ Module UF-500/900	Plug-in module for LANCOM R&S®Unified Firewall UF-500 & UF-900, 4x 10G SFP+ item no. 55123
Options	
LANCOM Warranty Basic Option	Option for extending the manufacturer warranty from 3 to 5 years item no. 10710
LANCOM Warranty Advanced Option	Option for extending the manufacturer warranty from 3 to 5 years, and advanced replacement by the next working day on hardware failure item no. 10715
Hardware Appliances	
LANCOM R&S®Unified Firewall UF-50	Next-generation firewall, 4x GE, Maximum 10 concurrent users, 3 years warranty; UF-50 Basic License mandatory for operation item no. 55001
LANCOM R&S®Unified Firewall UF-100	Next-generation UTM firewall, 4x GE, Maximum 30 concurrent users, 3 years warranty; UF-100 Basic License or Full License mandatory for operation item no. 55011
LANCOM R&S®Unified Firewall UF-200	Next-generation UTM firewall, 4x GE, Maximum 30 concurrent users, 3 years warranty; UF-200 Basic License or Full License mandatory for operation item no. 55021
LANCOM R&S®Unified Firewall UF-300	Next-generation UTM firewall, 8x GE, Maximum 100 concurrent users, rack mount included; 3 years warranty; UF-300 Basic License or Full License mandatory for operation item no. 55031
LANCOM R8S®Unified Firewall UF-500	Next-generation UTM firewall, 14x GE, Maximum 200 concurrent users, rack mount included; 3 years warranty; UF-500 Basic License or Full License mandatory for operation item no. 55041
LANCOM R8S®Unified Firewall UF-900	Next-generation UTM firewall, 8x GE, 2 slots for optional plug-in modules (8x GE, 4x SFP, 4x SFP+), Maximum 500 concurrent users, rack mount included; 3 years warranty; UF-900 Basic License or Full License mandatory for operation item no. 55051
Licenses (Basic)	
LANCOM R&S®UF-50-1Y Basic License (1 Year)	License for activating firewall functionalities of the R&S UF-50, SSL Insp., Content Filter, incl. all software updates, runtime 1 year item no. 55098
LANCOM R&S®UF-50-3Y Basic License (3 Years)	License for activating firewall functionalities of the R&S UF-50, SSL Insp., Content Filter, incl. all software updates, runtime 3 years item no. 55099
LANCOM R&S®UF-50-5Y Basic License (5 Years)	License for activating firewall functionalities of the R&S UF-50, SSL Insp., Content Filter, incl. all software updates, runtime 5 years item no. 55100
LANCOM R&S®UF-100-1Y Basic License (1 Year)	License for activating firewall functionalities of the R&S UF-100, SSL Insp., incl. all software updates, runtime 1 year Item no. 55083
LANCOM R&S®UF-100-3Y Basic License (3 Years)	License for activating firewall functionalities of the R&S UF-100, SSL Insp., incl. all software updates, runtime 3 years Item no. 55084
LANCOM R&S®UF-100-5Y Basic License (5 Years)	License for activating firewall functionalities of the R&S UF-100, SSL Insp., incl. all software updates, runtime 5 years Item no. 55085
LANCOM R&S®UF-200-1Y Basic License (1 Year)	License for activating firewall functionalities of the R&S UF-200, SSL Insp., incl. all software updates, runtime 1 year Item no. 55086
LANCOM R&S®UF-200-3Y Basic License (3 Years)	License for activating firewall functionalities of the R&S UF-200, SSL Insp., incl. all software updates, runtime 3 years Item no. 55087
LANCOM R&S®UF-200-5Y Basic License (5 Years)	License for activating firewall functionalities of the R&S UF-200, SSL Insp., incl. all software updates, runtime 5 years Item no. 55088
LANCOM R&S®UF-300-1Y Basic License (1 Year)	License for activating firewall functionalities of the R&S UF-300, SSL Insp., incl. all software updates, runtime 1 year Item no. 55089
LANCOM R&S®UF-300-3Y Basic License (3 Years)	License for activating firewall functionalities of the R&S UF-300, SSL Insp., incl. all software updates, runtime 3 years Item no. 55090
LANCOM R&S®UF-300-5Y Basic License (5 Years)	License for activating firewall functionalities of the R&S UF-300, SSL Insp., incl. all software updates, runtime 5 years Item no. 55091
LANCOM R&S®UF-500-1Y Basic License (1 Year)	License for activating firewall functionalities of the R&S UF-500, SSL Insp., incl. all software updates, runtime 1 year ltem no. 55092
LANCOM R&S®UF-500-3Y Basic License (3 Years)	License for activating firewall functionalities of the R&S UF-500, SSL Insp., incl. all software updates, runtime 3 years Item no. 55093



Licenses (Basic)	
LANCOM R&S®UF-500-5Y Basic License	License for activating firewall functionalities of the R&S UF-500, SSL Insp., incl. all software updates, runtime 5 years
(5 Years)	Item no. 55094
LANCOM R&S®UF-900-1Y Basic License (1 Year)	License for activating firewall functionalities of the R&S UF-900, SSL Insp., incl. all software updates, runtime 1 year Item no. 55095
LANCOM R&S®UF-900-3Y Basic License (3 Years)	License for activating firewall functionalities of the R&S UF-900, SSL Insp., incl. all software updates, runtime 3 years Item no. 55096
LANCOM R&S®UF-900-5Y Basic License (5 Years)	License for activating firewall functionalities of the R&S UF-900, SSL Insp., incl. all software updates, runtime 5 years Item no. 55097
Licenses (Full)	
LANCOM R&S®UF-100-1Y Full License (1 Year)	License for activating UTM- and firewall functionalities of the R&S UF-100, sandboxing, machine learning, AV/Malware Protection, SSL Insp., incl. all software updates, runtime 1 year item no. 55101
LANCOM R&S®UF-100-3Y Full License (3 Years)	License for activating UTM- and firewall functionalities of the R&S UF-100, sandboxing, machine learning, AV/Malware Protection, SSL Insp., incl. all software updates, runtime 3 years item no. 55102
LANCOM R85®UF-100-5Y Full License (5 Years)	License for activating UTM- and firewall functionalities of the R&S UF-100, sandboxing, machine learning, AV/Malware Protection, SSL Insp., incl. all software updates, runtime 5 years item no. 55103
LANCOM R85®UF-200-1Y Full License (1 Year)	License for activating UTM- and firewall functionalities of the R&S UF-200, sandboxing, machine learning, AV/Malware Protection, DPI, IDS/IPS, SSL Insp., incl. all software updates, runtime 1 year item no. 55104
LANCOM R&S®UF-200-3Y Full License (3 Years)	License for activating UTM- and firewall functionalities of the R&S UF-200, sandboxing, machine learning, AV/Malware Protection, DPI, IDS/IPS, SSL Insp., incl. all software updates, runtime 3 years item no. 55105
LANCOM R&S®UF-200-5Y Full License (5 Years)	License for activating UTM- and firewall functionalities of the R&S UF-200, sandboxing, machine learning, AV/Malware Protection, DPI, IDS/IPS, SSL Insp., incl. all software updates, runtime 5 years item no. 55106
LANCOM R&S®UF-300-1Y Full License (1 Year)	License for activating UTM- and firewall functionalities of the R&S UF-300, sandboxing, machine learning, AV/Malware Protection, DPI, IDS/IPS, SSL Insp., incl. all software updates, runtime 1 year item no. 55107
LANCOM R&S®UF-300-3Y Full License (3 Years)	License for activating UTM- and firewall functionalities of the R&S UF-300, sandboxing, machine learning, AV/Malware Protection, DPI, IDS/IPS, SSL Insp., incl. all software updates, runtime 3 years item no. 55108
LANCOM R85®UF-300-5Y Full License (5 Years)	License for activating UTM- and firewall functionalities of the R&S UF-300, sandboxing, machine learning, AV/Malware Protection, DPI, IDS/IPS, SSL Insp., incl. all software updates, runtime 5 years item no. 55109
LANCOM R85®UF-500-1Y Full License (1 Year)	License for activating UTM- and firewall functionalities of the R&S UF-500, sandboxing, machine learning, AV/Malware Protection, DPI, IDS/IPS, SSL Insp., incl. all software updates, runtime 1 year item no. 55110
LANCOM R&S®UF-500-3Y Full License (3 Years)	License for activating UTM- and firewall functionalities of the R&S UF-500, sandboxing, machine learning, AV/Malware Protection, DPI, IDS/IPS, SSL Insp., incl. all software updates, runtime 3 years item no. 55111
LANCOM R&S®UF-500-5Y Full License (5 Years)	License for activating UTM- and firewall functionalities of the R&S UF-500, sandboxing, machine learning, AV/Malware Protection, DPI, IDS/IPS, SSL Insp., incl. all software updates, runtime 5 years item no. 55112
LANCOM R&S®UF-900-1Y Full License (1 Year)	License for activating UTM- and firewall functionalities of the R&S UF-900, sandboxing, machine learning, AV/Malware Protection, DPI, IDS/IPS, SSL Insp., incl. all software updates, runtime 1 year item no. 55113
LANCOM R8S®UF-900-3Y Full License (3 Years)	License for activating UTM- and firewall functionalities of the R&S UF-900, sandboxing, machine learning, AV/Malware Protection, DPI, IDS/IPS, SSL Insp., incl. all software updates, runtime 3 years item no. 55114
LANCOM R&S®UF-900-5Y Full License (5 Years)	License for activating UTM- and firewall functionalities of the R&S UF-900, sandboxing, machine learning, AV/Malware Protection, DPI, IDS/IPS, SSL Insp., incl. all software updates, runtime 5 years item no. 55115

