brother
at your side

Brother HL-L9310CDW laserprinter Kleur 2400 x 600 DPI A4 Wifi

Merk : Brother   **Artikelcode:** HL-L9310CDW

Productnaam : HL-L9310CDW

- Afdruksnelheid tot 31 ppm
- LCD kleuren touchscreen 6.8 cm
- Netwerkklaar (bekabeld en draadloos), USB 2.0 Hi-speed
- iPrint&Scan, Wi-Fi Direct, Airprint, NFC, Mopria™ Print Service, Android Print Service Plugin
- Papierlade voor 250 vel, universele papierinvoer voor 50 vel
- Geleverd met toner (circa 6.500 pagina's)
Netwerk Kleurenlaserprinter 31 ppm - 1 GB - 2400 dpi class - interne duplexunit - NFC - Wireless
Brother HL-L9310CDW. Printtechnologie: Laser, Kleur. Aantal printcartridges: 4, Gebruiksindicatie
(maximaal): 80000 pagina's per maand. Maximale resolutie: 2400 x 600 DPI. Maximale ISO A-series
papierformaat: A4. Printsnelheid (zwart, standaardkwaliteit, A4/US Letter): 31 ppm, Duplex printen.
Beeldscherm: LCD. Netwerkgereed, Wifi

Printing

Duplex printing mode	Auto/Manual
Print speed (colour, normal quality, A4/US Letter)	31 ppm
Colour *	✔
Print technology *	Laser
Duplex printing *	✔
Maximum resolution *	2400 x 600 DPI
Print speed (black, normal quality, A4/US Letter) *	31 ppm
Duplex print speed (black, normal quality, A4/US Letter)	14 ppm
Duplex print speed (colour, normal quality, A4/US Letter)	14 ppm
Warm-up time	29 s
Time to first page (black, normal)	15 s
Time to first page (colour, normal)	15 s
Watermark printing	✔
N-up printing	2, 4, 9, 16, 25
Booklet printing function	✔

Features

Maximum duty cycle *	80000 pages per month
Number of print cartridges *	4
Page description languages *	BR-Script 3, PCL 6, PDF 1.7, XPS
Linear (1D) barcodes supported	Codabar, Code 128A, Code 128B, Code 128C, Code 39, Code 93, Facing Identification Mark, GS1 DataBar, ISBN, Interleaved 2 of 5, MSI, POSTNET, UPC-A, UPC-E
Country of origin	China

Network

Security algorithms	64-bit WEP, 128-bit WEP, 802.1x RADIUS, AES, EAP-FAST, EAP-TLS, EAP-TTLS, IPSec, LEAP, PEAP, SMTP-AUTH, SNMPv3, SSL/TLS, TKIP, WPA-PSK, WPS
Supported network protocols (IPv4)	ARP, RARP, BOOTP, DHCP, APIPA(AutoIP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/ LPD, Custom Raw Port/Port9100, IPP/IPPS, FTP Server, TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMP, Web Services (Print), CIFS client, SNTP client, LDAP
Supported network protocols (IPv6)	NDP, RA, DNS resolver, mDNS, LLMNR responder,LPR/LPD, Custom Raw Port/ Port9100, IPP/IPPS, FTP Server,TELNET Server, HTTP/HTTPS server, TFTP client and server, SMTP Client, SNMPv1/v2c/v3, ICMPv6, Web Services (Print), CIFS Client, SNTP Client, LDAP
Mobile printing technologies	Apple AirPrint, Brother iPrint & Scan, Google Cloud Print, Mopria Print Service

Performance

Internal memory *	1024 MB
Built-in processor	✔
Processor frequency	800 MHz
Sound pressure level (printing)	49 dB
Sound pressure level (quiet mode)	44 dB
Sound power level (printing)	65.5 dB

Features

Replacement cartridges	TN-910BK TN-910C TN-910M TN-910Y

Input & output capacity

Total number of input trays *	1
Total input capacity *	300 sheets
Total output capacity *	150 sheets
Paper tray 1 input capacity	250 sheets
Multi-Purpose tray	✔
Multi-Purpose tray input capacity	50 sheets
Maximum input capacity	2380 sheets
Maximum output capacity	150 sheets

Paper handling

Maximum ISO A-series paper size *	A4
Paper tray media types *	Bond paper, Envelopes, Glossy paper, Labels, Letterhead, Plain paper, Recycled paper
Multi-purpose tray media types	Bond paper, Glossy paper, Letterhead, Plain paper, Recycled paper
ISO A-series sizes (A0...A9) *	A4, A5, A6
Non-ISO print media sizes	Executive, Legal, Letter
Envelopes sizes	10
Custom media width	76.2 - 215.9 mm
Custom media length	127 - 355.6 mm
Paper tray media weight	60 - 105 g/m²
Paper tray media weight (imperial)	7.26 - 12.7 kg (16 - 28 lbs)
Multi-Purpose Tray media weight (imperial)	7.26 - 19.5 kg (16 - 43 lbs)

Ports & interfaces

Direct printing *	✔
USB port *	✔
USB 2.0 ports quantity	3
USB connector	USB Type-A

Network

Network ready	✔
Wi-Fi *	✔
Ethernet LAN *	✔
Cabling technology	10/100/1000Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Near Field Communication (NFC)	✔

Performance

Sound power level (standby)	60 dB

Design

Market positioning *	Business
Built-in display *	✔
Display	LCD
Colour display	✔
Display diagonal	6.86 cm (2.7")
Control type	Touch

Power

Power consumption (printing) *	580 W
Power consumption (ready)	70 W
Energy Star Typical Electricity Consumption (TEC)	1.8 kWh/week

System requirements

Windows operating systems supported	Windows 10, Windows 7, Windows 8
Mac operating systems supported	✔
Linux operating systems supported	✔
Server operating systems supported	Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016

Sustainability

Sustainability compliance	✔
Sustainability certificates	Blue Angel, ENERGY STAR, Nordic Swan Ecolabel

Weight & dimensions

Width	605 mm
Depth	575 mm
Height	645 mm
Weight	23 kg

Packaging data

Package width	642 mm
Package depth	603 mm
Package height	578 mm
Package weight	27 kg

Packaging content

Cartridge(s) included	✔
Included cartridge capacity (black)	6500 pages

Logistics data

Pallet gross height	18.6 cm
Pallet gross weight	178.8 kg
Master (outer) cases per pallet	6 pc(s)
Layers per pallet	3 pc(s)
Products per pallet	6 pc(s)

Technical details

Master (outer) cases per pallet layer	2 pc(s)
Pallet type	800 x 1200 mm

Other features

Authentication method	LDAP, ActiveDirectory, RADIUS
Dimensions (W x D x H) (imperial)	442 x 485.1 x 312.4 mm (17.4 x 19.1 x 12.3")
Online services supported	Dropbox, Google Drive

4977766774253

0012502646440

012502646440

4977766774260

4977766774222

4058154238417

4977766774239

4977766774246