

ZYXEL

Zyxel XGS1210-12-ZZ0101F netwerk-switch Managed Gigabit Ethernet (10/100/1000) Grijs

Merk : Zyxel

Artikelcode: XGS1210-12-ZZ0101F

Productnaam : XGS1210-12-ZZ0101F



Zyxel XGS1210-12-ZZ0101F. Switch type: Managed. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 8. Full duplex. MAC-adrestabel: 16000 entries, Switchingcapaciteit: 66 Gbit/s. Netwerkstandaard: IEEE 802.3, IEEE 802.3ab, IEEE 802.3bz, IEEE 802.3u, IEEE 802.3x, IEEE 802.3az. DC voltage input: 12 V



Management features		Multicast features	
Switch type *	Managed	Multicast support	✓
Quality of Service (QoS) support	✓	Design	
Web-based management	✓	Product colour	Grey
Ports & interfaces		Reset button	✓
Basic switching RJ-45 Ethernet ports quantity *	8	LED indicators	✓
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Number of fans	0 fan(s)
2.5G Ethernet (copper) ports quantity	2	Power	
SFP+ module slots quantity	2	Power source *	AC/DC
Network		Power supply included *	✓
Networking standards *	IEEE 802.3, IEEE 802.3ab, IEEE 802.3bz, IEEE 802.3u, IEEE 802.3x, IEEE 802.3az	AC input voltage	100 - 240 V
Full duplex	✓	AC input frequency	50 - 60 Hz
Flow control support	✓	DC input voltage	12 V
Link aggregation	✓	Input current	1.5 A
Broadcast storm control	✓	Power consumption (max)	15.61 W
Auto MDI/MDI-X	✓	Operational conditions	
Ethernet LAN data rates	10,100,1000,2500 Mbit/s	Operating temperature (T-T)	0 - 40 °C
VLAN support	✓	Storage temperature (T-T)	-40 - 70 °C
Data transmission		Operating relative humidity (H-H)	10 - 90%
Switching capacity *	66 Gbit/s	Storage relative humidity (H-H)	10 - 90%
Forwarding rate	49 Mpps	Weight & dimensions	
MAC address table *	16000 entries	Width	250 mm
Static route	✓	Depth	104 mm
		Height	24 mm
		Weight	768 g
		Packaging data	
		Package width	306 mm

Data transmission		Packaging data	
Jumbo frames support	✓	Package depth	225 mm
Jumbo frames	12000	Package height	64 mm
Packet buffer memory	1.5 MB	Package weight	1.22 kg
Security		Logistics data	
DHCP features	DHCP client	Harmonized System (HS) code	85176990
IGMP snooping	✓		
Loop protection	✓		



4718937610785

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 21-DEC-2024. Prints or copies of Information are only valid on the printed Publication date