

Zalman ZM1000-EBTII power supply unit 1000 W 24-pin ATX ATX Zwart

Merk : Zalman

Artikelcode: ZM1000-EBTII

Productnaam : ZM1000-EBTII

Zalman ZM1000-EBTII. Totaal vermogen: 1000 W, AC-ingangsspanning: 100 - 240 V, AC-ingangsfrequentie: 50 - 60 Hz. Motherboard power connector: 24-pin ATX, Lengte stroomkabel moederbord: 60 cm, Lengte SATA-stroomkabel: 600 mm. Bedoeld voor: PC, Vormfactor van de voeding (PSU): ATX, 80 PLUS certificatie: 80 PLUS Gold. Kleur van het product: Zwart, Type koeling: Actief, Ventilator diameter: 13,5 cm. Breedte: 150 mm, Diepte: 160 mm, Hoogte: 86 mm



Energie		Poorten & interfaces	
Totaal vermogen *	1000 W	CPU power connector (4+4 pin)	✓
AC-ingangsspanning *	100 - 240 V	Lengte CPU-stroomkabel	55 cm
AC-ingangsfrequentie	50 - 60 Hz	ATX Power connector (24-pin)	✓
Stroom	5.5 - 11 A	Floppy drive power connector	1
Power factor	99	Bekabelingstype	Volledig modulair
Power Factor Correctie (PFC) type	Actief	Prestatie	
Gecombineerd vermogen (+12V)	996 W	80 PLUS certificatie *	80 PLUS Gold
Gecombineerd vermogen (-12V)	3,6 W	Bedoeld voor *	PC
Gecombineerd vermogen(+5Vsb)	15 W	Vormfactor van de voeding (PSU) *	ATX
Max huidige output (+3.3V)	25 A	ATX version	2.31
Max huidige output(+12V)	83 A	Stille modus	✓
Max huidige output (+5V)	25 A	Bearing technologie	Kogellager
Max huidige output (-12V)	0,3 A	Mean time between failures (MTBF)	100000 uur
Max huidige output (+5Vsb)	3 A	Certificering	UL, FCC, CB, CE, KC, EAC, RoHS
Efficiëntie	90 procent	Design	
Stroomspanning bescherming	Overstroom, Te hoog vermogen, Overspanning, Oververhitting, Kortsluiting, Onderstroom	Kleur van het product	Zwart
Poorten & interfaces		Type koeling	Actief
Motherboard power connector *	24-pin ATX	Ventilator diameter	13,5 cm
Lengte stroomkabel moederbord	60 cm	Aantal ventilatoren	1 ventilator(en)
Aantal SATA power connectors	8	Ventilator locatie	Boven
Lengte SATA-stroomkabel	600 mm	Aan/uitschakelaar	✓
Peripheral (Molex) power connectors (4-pin) *	3	Eisen aan de omgeving	
EPS power connector (8-pin)	✓	Bedrijfstemperatuur (T-T)	0 - 40 °C
PCI Express power connectors (6+2 pin)	6	Gewicht en omvang	
Lengte PCI Express-stroomkabel	55 cm	Breedte	150 mm
CPU P4 connector (4-pin)	1	Diepte	160 mm
		Hoogte	86 mm

Gewicht en omvang	
Gewicht	3,25 kg
Technische details	
Certificaten van naleving	RoHS



8809213769306

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-SEP-2024. Prints or copies of Information are only valid on the printed Publication date