

LevelOne GTP-2871 netwerk-switch Managed L3 Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Grijs

Merk: LevelOne Artikelcode: GTP-2871

Productnaam: GTP-2871







Management features		Design	
Switch type * Switch layer	Managed L3	Rack mounting * Product colour	✓ Grey
Quality of Service (QoS) support	✓	Housing material	Metal
Web-based management	✓	Reset button	✓
Traffic classification	✓	LED indicators	✓
ARP inspection	✓	Performance	
Configuring Location Settings (CLI)	✓	Virtual stacking (units)	4
System event log	✓	Internal memory	512 MB
Ports & interfaces		Flash memory	32 MB
Basic switching RJ-45 Ethernet ports quantity *	24	Firmware upgradeable Plug and Play	<i>y</i>
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Mean time between failures (MTBF)	150000 h
Gigabit Ethernet (copper) ports	24	Power	
quantity		AC input voltage	100 - 240 V
SFP+ module slots quantity	4	AC input frequency	50 - 60 Hz
Fiber ports quantity Fiber optic connector	4 SFP+	Input current	6 A
Power connector	AC-in jack	Power consumption (typical)	468.2 W
		Power over Ethernet (PoE)	
Networking standards *	IEEE 802.1D, IEEE 802.1Q, IEEE 802.1ag, IEEE 802.1p, IEEE 802.1s, IEEE 802.1v, IEEE 802.1x, IEEE 802.3ad, IEEE 802.3ad, IEEE 802.3af, IEEE 802.3at, IEEE 802.3at, IEEE 802.3at, IEEE 802.3az, IEEE 802.3x, IEEE 802.3z	Power over Ethernet (PoE) * Power over Ethernet (PoE) power per port Total Power over Ethernet (PoE) budget	30 W 400 W
		Operational conditions	
10G support *	✓	Operating temperature (T-T)	0 - 45 °C
Port mirroring	✓	Storage temperature (T-T)	-40 - 70 °C
Full duplex	✓	Operating relative humidity (H-H) Storage relative humidity (H-H)	10 - 90% 5 - 95%
Link aggregation	✓		J - 9J /0
Broadcast storm control	✓	Weight & dimensions	
Rate limiting	•	Width Depth	330 mm 440 mm

Network		Weight & dimensions	
Spanning tree protocol Ethernet LAN data rates	10,100,1000 Mbit/s	Height Weight	44.5 mm 4.48 kg
Data transmission		Packaging content	
Switching capacity * Forwarding rate MAC address table * Store-and-forward	arding rate 95.232 Mpps address table * 16000 entries e-and-forward c route mum data transfer rate 10 Gbit/s of frames support of frames 12000	Cables included Quick start guide Rack mount kit Packaging data	AC ✓
Static route Maximum data transfer rate Jumbo frames support Jumbo frames Packet buffer memory		Rubber feet Resource CD Package width Package depth	390 mm 596 mm 80 mm
Security		Package height Package weight	6 kg
DHCP features Access Control List (ACL)	DHCP relay, DHCP server, DHCP snooping	Certificates Compliance certificates Certification	RoHS CE
IGMP snooping IGMP proxy		Logistics data	
Authentication Authentication type Queue scheduling algorithms	MAC-based authentication RADIUS Priority queuing (PQ), Weighted Round Robin (WRR)	Country of origin Harmonized System (HS) code	China 85176990
Multicast features			
Multicast support	✓		





4015867222669

0846359031056



846359031056

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.