

D-Link DGS-1100-16V2 netwerk-switch Managed L2 Gigabit Ethernet (10/100/1000) Zwart

Merk : D-Link

Artikelcode: DGS-1100-16V2

Productnaam : DGS-1100-16V2

D-Link DGS-1100-16V2. Switch type: Managed, Switch-laag: L2. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 16. Full duplex. MAC-adrestabel: 8000 entries, Switchingcapaciteit: 32 Gbit/s. Netwerkstandaard: IEEE 802.1AX, IEEE 802.1D, IEEE 802.1Q, IEEE 802.1p, IEEE 802.1w, IEEE 802.3, IEEE 802.3ab, IEEE.... Rack-montage



Beheerfuncties		Beveiliging	
Switch type *	Managed	IGMP snooping	✓
Switch-laag	L2	Ondersteunde beveiligingsalgoritmen	SNMP, SSL/TLS
Quality of Service (QoS)	✓	Algoritmen wachtrijplanning	SPQ, Weighted Round Robin (WRR)
Web-gebaseerd management	✓	Multicast-functies	
System event log	✓	Multicast-ondersteuning	✓
Poorten & interfaces		Design	
Aantal basis-switching RJ-45 Ethernet-poorten *	16	Rack-montage *	✓
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Kleur van het product	Zwart
Netwerk		LED-indicatoren	✓
Netwerkstandaard *	IEEE 802.1AX, IEEE 802.1D, IEEE 802.1Q, IEEE 802.1p, IEEE 802.1w, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Certificering	EMI FCC A, CE A, VCCI A, C-Tick, BSMI, CCC cUL, CE LVD, CB, BSMI, CCC
10G support *	✗	Prestatie	
Koperen ethernetbekabelingstechnologie	10BASE-T, 10BASE-TX, 1000BASE-T	Type processor	✓
Port mirroring	✓	Frequentie van processor	125 MHz
Full duplex	✓	Type geheugen	DRAM
Datastroombeheer	✓	Flash memory	16 MB
Verbindingsaggregatie	✓	Fanloos	✓
Broadcast stormbeheer	✓	Mean time between failures (MTBF)	710519 uur
Rate limiting	✓	Energie	
Auto MDI/MDI-X	✓	AC-ingangsspanning	100 - 240 V
Spanning tree protocol	✓	Vermogensverbruik (max)	10,1 W
Head-of-line (HOL) blocking	✓	Power over Ethernet (PoE)	
Ethernet LAN, data-overdrachtsnelheden	10,100,1000 Mbit/s	Power over Ethernet (PoE) *	✗
Auto-negotiation	✓	Eisen aan de omgeving	
VLAN=ondersteuning	✓	Bedrijfstemperatuur (T-T)	-5 - 50 °C
Virtuele LAN-functies	Port-based VLAN, Voice VLAN	Temperatuur bij opslag	-40 - 70 °C
Aantal VLANs	128	Relatieve vochtigheid in bedrijf (V-V)	0 - 95 procent
Data-uitwisseling		Luchtvochtigheid bij opslag	0 - 95 procent
Switchingcapaciteit *	32 Gbit/s	Hoogte, in bedrijf	0 - 2000 m
Verzending snelheid	23,81 Mpps	Warmtedissipatie	34,46 BTU/h

Data-uitwisseling		Gewicht en omvang	
MAC-adrestabel *	8000 entries	Breedte	280 mm
Store-and-forward	✓	Diepte	180 mm
Aantal wachtrijen	4	Hoogte	44 mm
Jumbo Frames ondersteuning	✓	Gewicht	1,27 kg
Jumbo frames	9216	Logistieke gegevens	
Packet buffergeheugen	4,1 MB	Code geharmoniseerd systeem (HS) 85176990	
Beveiliging			
DHCP-functies	DHCP client		



0790069451768



790069451768



5704174940258

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.