## Philips E Line 242E1GAJ/00 LED display 60,5 cm (23.8") 1920 x 1080 Pixels Full HD LCD Zwart, Chroom

Merk : Philips

Productfamilie: E Line

Artikelcode: 242E1GAJ/00

Productnaam : 242E1GAJ/00

## Monitor 242E1GAJ Gamemonitor

## Philips E Line 242E1GAJ/00 LED display 60,5 cm (23.8") 1920 x 1080 Pixels Full HD LCD Zwart, Chroom:

De Philips E line-gamemonitor is een prachtig allround beeldscherm dat zorgt voor geweldige en soepele gameplay. De AMD FreeSync <sup>™</sup>-technologie, snelle vernieuwingsfrequentie van 144 Hz en 1 ms zorgen voor een vloeiende entertainmentervaring, of u nu games speelt of films kijkt.

Philips E Line 242E1GAJ/00. Beeldschermdiagonaal: 60,5 cm (23.8"), Resolutie: 1920 x 1080 Pixels, HD type: Full HD, Display technologie: LCD, Beeldoppervlakte: Mat, Responstijd: 4 ms, Oorspronkelijke beeldverhouding: 16:9, Kijkhoek, horizontaal: 178°, Kijkhoek, verticaal: 178°. Ingebouwde luidsprekers. VESA-montage. Kleur van het product: Zwart, Chroom





| Display   |  | Ergonomics   |  |
|---|--|--|--|
| Display diagonal *<br>Display resolution *<br>HD type *<br>Native aspect ratio *<br>Display technology *<br>Panel type *<br>Backlight type<br>Touchscreen *<br>Display brightness (typical)<br>Response time *<br>Display surface<br>Anti-glare screen<br>Screen shape *  | 60.5 cm (23.8")<br>1920 x 1080 pixels<br>Full HD<br>16:9<br>LCD<br>VA<br>W-LED<br>×<br>350 cd/m <sup>2</sup><br>4 ms<br>Matt<br>✓<br>Flat                                      | VESA mounting *<br>Panel mounting interface<br>Cable lock slot *<br>Cable lock slot type<br>Height adjustment *<br>Tilt adjustment<br>Tilt angle range<br>On Screen Display (OSD)  | <ul> <li>100 x 100 mm</li> <li>Kensington</li> <li>X</li> <li>-5 - 20°</li> <li>Simplified Chinese, Traditional<br/>Chinese, Czech, German, Dutch,<br/>English, Spanish, Finnish, French,<br/>Greek, Hungarian, Italian, Japanese,<br/>Korean, Polish, Portuguese, Russian,<br/>Swedish, Turkish, Ukrainian</li> </ul> |
| Supported graphics resolutions<br>Supported video modes<br>Aspect ratio<br>Contrast ratio (typical) *   | 1920 x 1080 (HD 1080)<br>1080p<br>4:3, 16:9<br>3500:1  | Number of OSD languages<br>Plug and Play<br>LED indicators   | 21<br>✓<br>Operation, Stand-by   |
| Contrast ratio (typical) *<br>Dynamic contrast ratio marketing<br>name<br>Maximum refresh rate *<br>Viewing angle, horizontal<br>Viewing angle, vertical<br>Display number of colours *<br>Response time (fast)<br>Pixel pitch<br>Pixel density<br>Horizontal scan range<br>Vertical scan range<br>Viewable size, horizontal<br>Viewable size, vertical<br>Digital horizontal frequency | 3500:1<br>Mega Contrast<br>144 Hz<br>178°<br>16.7 million colours<br>1 ms<br>0.2745 x 0.2745 mm<br>93 ppi<br>30 - 160 kHz<br>48 - 144 Hz<br>52.7 cm<br>29.6 cm<br>30 - 160 kHz | Power<br>Energy efficiency class (SDR) *<br>Energy consumption (SDR) per 1000<br>hours *<br>Power consumption (typical) *<br>Power consumption (standby) *<br>Power consumption (average)<br>Power consumption (off)<br>AC input voltage<br>AC input frequency<br>Power supply type<br>Energy efficiency scale<br>European Product Registry for<br>Energy Labelling (EPREL) code | E<br>17 kWh<br>14.83 W<br>0.5 W<br>14.83 W<br>0.3 W<br>100 - 240 V<br>50 - 60 Hz<br>External<br>A+++ to D<br>416773  |

| Display  |  | Operational conditions  |  |
|--|--|---|--|
| Digital vertical frequency<br>Display diagonal (metric)<br>DDC/Cl<br>Haze rate<br>Surface hardness | 48 - 144 Hz<br>60.5 cm<br>✓<br>25%<br>3H | Operating temperature (T-T)<br>Storage temperature (T-T)<br>Operating relative humidity (H-H)<br>Operating altitude<br>Non-operating altitude | 0 - 40 °C<br>-20 - 60 °C<br>20 - 80%<br>0 - 3658 m<br>0 - 12192 m                            |
| Colour gamut standard  | sRGB                                     | Weight & dimensions   |  |
| Colour gamut<br>sRGB coverage (typical)<br>NTSC coverage (typical)<br>Display sRGB                 | 96.1%<br>125.9%<br>96.1%<br>✔            | Width (with stand)<br>Depth (with stand)<br>Height (with stand)<br>Weight (with stand)  | 540 mm<br>207 mm<br>414 mm<br>3.07 kg  |
| Performance  |  | Width (without stand)   | 540 mm   |
| NVIDIA G-SYNC * ×<br>AMD FreeSync * ✓<br>AMD FreeSync type FreeS                                   |  | Depth (without stand)<br>Height (without stand)<br>Weight (without stand)   | 43 mm<br>325 mm<br>2.49 kg   |
| Component video sync   | Separate sync                            | Packaging data  |  |
| Flicker-free technology<br>Low Blue Light technology<br>Multimedia<br>Number of speakers           | 2  | Package width<br>Package depth<br>Package height<br>Package weight<br>Package type  | 586 mm<br>148 mm<br>476 mm<br>4.83 kg<br>Box   |
| RMS rated power  | 3 W                                      |   | DOX  |
| Built-in speaker(s) *  | 1  | Packaging content   | -  |
| Built-in camera *  | ×  | Stand included<br>Cables included   | ✓<br>DisplayPort, HDMI, AC   |
| Design   |  | Manual  |  |
| Market positioning * 0<br>Product colour * 1<br>Frameless design 6<br>Front bezel colour 1         | Gaming<br>Black, Chrome<br>✓<br>Black    | Sustainability<br>Sustainability certificates<br>Doesn't contain<br>Other features  | ENERGY STAR<br>Mercury, PVC/BFR  |
| Detachable stand<br>Feet colour  | ✓<br>Black                               | Exterior finish type  | Textured   |
|  | Didek                                    | Picture enhancement   | SmartImage game  |
| Ports & interfaces       Built-in USB hub *     ×       DVI port     ×                             | ×  | Recyclable packaging material<br>Regulatory Approvals   | 100%<br>CB; TUV/ISO9241-307; TUV-<br>BAUART; CU-EAC; EAEU RoHS;<br>MEPS; RCM; PSB; CE Mark   |
| HDMI *   |  | Heavy metals free   | Hg (mercury), Pb (lead)  |
| HDMI ports quantity<br>DisplayPorts quantity   | 1  | EasyRead mode   | 1  |
| Audio output   | -<br>-                                   | LowBlue mode  | 1  |
| PC Audio in  | 1  | Compliance certificates   | RoHS   |
| HDCP<br>DC-in jack   | 4<br>4                                   | Mean time between failures (MTBF)<br>Certification  | 50000 h<br>CB, TUV/ISO9241-307, TUV-BAUART,<br>CU-EAC, EAEU RoHS, MEPS, RCM,<br>PSB, CE Mark |
|  |  | Logistics data  |  |
|  |  | Harmonized System (HS) code   | 85285210   |

Publication date: 10-DEC-2024. Prints or copies of Information are only valid on the printed Publication date



8712581769840

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.