

ZYXEL

Zyxel GS2220-10HP-EU0101F netwerk-switch Managed L2 Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Zwart

Merk : Zyxel

Artikelcode: GS2220-10HP-EU0101F

Productnaam : GS2220-10HP-EU0101F



Zyxel GS2220-10HP-EU0101F. Switch type: Managed, Switch-laag: L2. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 10. MAC-adrestabel: 16000 entries, Switchingcapaciteit: 20 Gbit/s. Netwerkstandaard: IEEE 802.1D, IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE.... Power over Ethernet (PoE). Rack-montage



Beheerfuncties		Design	
Switch type *	Managed	Kleur van het product	Zwart
Switch-laag	L2	Prestatie	
Quality of Service (QoS)	✓	Intern geheugen	256 MB
Web-gebaseerd management	✓	Flash memory	32 MB
Locatie-instellingen (CLI) configureren	✓	Geluidsniveau	41 dB
System event log	✓	Upgraden van firmware mogelijk	✓
Poorten & interfaces		Mean time between failures (MTBF)	587477 uur
Aantal basis-switching RJ-45 Ethernet-poorten *	10	Energie	
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	AC-ingangsspanning	100 - 240 V
Aantal Combo SFP-poorten	2	AC-ingangsfrequentie	50 - 60 Hz
Netwerk		Vermogensverbruik (max)	210,8 W
Netwerkstandaard *	IEEE 802.1D, IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Power over Ethernet (PoE)	
10G support *	✗	Power over Ethernet (PoE) *	✓
Koperen ethernetbekabelingstechnologie	10BASE-TX, 1000BASE-T	Hoeveelheid Power over Ethernet (PoE) ports	8
Datastroombeheer	✓	Totaal Power over Ethernet (PoE)-budget	180 W
Verbindingsaggregatie	✓	Eisen aan de omgeving	
Broadcast stormbeheer	✓	Bedrijfstemperatuur (T-T)	0 - 50 °C
Rate limiting	✓	Temperatuur bij opslag	-40 - 70 °C
Spanning tree protocol	✓	Relatieve vochtigheid in bedrijf (V-V)	10 - 95 procent
		Luchtvochtigheid bij opslag	10 - 95 procent
		Warmtedissipatie	718,828 BTU/h
		Gewicht en omvang	
		Breedte	267 mm
		Diepte	162 mm

Netwerk		Gewicht en omvang	
VLAN=ondersteuning	✓	Hoogte	44 mm
Virtuele LAN-functies	Port-based VLAN, Private VLAN, Protocol-based VLAN, Voice VLAN	Gewicht	1,8 kg
Data-uitwisseling		Inhoud van de verpakking	
Switchingcapaciteit *	20 Gbit/s	Meegeleverde kabels	AC
Verzending snelheid	15 Mpps	Verpakking	
MAC-adrestabel *	16000 entries	Breedte verpakking	375 mm
Packet buffergeheugen	1,5 MB	Diepte verpakking	235 mm
Beveiliging		Hoogte verpakking	61 mm
DHCP-functies	DHCP client, DHCP relay, DHCP snooping, DHCPv6 client, DHCPv6 relay	Gewicht verpakking	2,7 kg
Access Control List (ACL)	✓	Certificaten	
IGMP snooping	✓	Certificering	LVD, BSMI FCC 15 A, CE EMC A, BSMI ENC RoHS A
Ondersteunde beveiligingsalgoritmen	SNMP, SNMPv2, SNMPv3, SSH-2, SSL/TLS	Logistieke gegevens	
MAC adres filtering	✓	Code geharmoniseerd systeem (HS)	85176990
Authenticatie	Gast-VLAN, MAC-gebaseerde authenticatie		
Authenticatie type	IEEE 802.1x, RADIUS		
Multicast-functies			
Multicast-ondersteuning	✓		
Design			
Rack-montage *	✓		



4718937607402



0760559126742



760559126742

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.