

ZYXEL

Zyxel GS2220-50-EU0101F netwerk-switch Managed L2 Gigabit Ethernet (10/100/1000) Zwart

Merk : Zyxel

Artikelcode: GS2220-50-EU0101F

Productnaam : GS2220-50-EU0101F



Zyxel GS2220-50-EU0101F. Switch type: Managed, Switch-laag: L2. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 44. MAC-adrestabel: 16000 entries, Switchingcapaciteit: 100 Gbit/s. Netwerkstandaard: IEEE 802.1D, IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE.... Rack-montage



Beheerfuncties		Beveiliging	
Switch type *	Managed	Authenticatie	Gast-VLAN, MAC-gebaseerde authenticatie
Switch-laag	L2	Authenticatie type	IEEE 802.1x, RADIUS
Quality of Service (QoS)	✓	Multicast-functies	
Web-gebaseerd management	✓	Multicast-ondersteuning	✓
Locatie-instellingen (CLI) configureren	✓	Design	
System event log	✓	Rack-montage *	✓
Poorten & interfaces		Kleur van het product	Zwart
Aantal basis-switching RJ-45 Ethernet-poorten *	44	Prestatie	
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Intern geheugen	256 MB
Aantal Combo SFP-poorten	4	Flash memory	32 MB
Fibre channel-poorten	2	Geluidsniveau	47,3 dB
Vezel-optische connector	SFP	Mean time between failures (MTBF)	660245 uur
Netwerk		Energie	
Netwerkstandaard *	IEEE 802.1D, IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.1x, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	AC-ingangsspanning	100 - 240 V
10G support *	✗	AC-ingangsfrequentie	50 - 60 Hz
Koperen ethernetbekabelingstechnologie	10BASE-TX, 1000BASE-T	Vermogensverbruik (max)	36,9 W
Port mirroring	✓	Power over Ethernet (PoE)	
Datastroombeheer	✓	Power over Ethernet (PoE) *	✗
Verbindingsaggregatie	✓	Eisen aan de omgeving	
Broadcast stormbeheer	✓	Bedrijfstemperatuur (T-T)	0 - 50 °C
		Temperatuur bij opslag	-40 - 70 °C
		Relatieve vochtigheid in bedrijf (V-V)	10 - 95 procent
		Luchtvochtigheid bij opslag	10 - 95 procent
		Warmtedissipatie	125,829 BTU/h

Netwerk		Gewicht en omvang	
Rate limiting	✓	Breedte	440 mm
Spanning tree protocol	✓	Diepte	200 mm
VLAN=ondersteuning	✓	Hoogte	44,5 mm
Virtuele LAN-functies	Port-based VLAN, Private VLAN, Protocol-based VLAN, Voice VLAN	Gewicht	2,9 kg
Optische vezel		Inhoud van de verpakking	
Fiber ethernet cabling technologie	1000BASE-X	Meegeleverde kabels	AC
Data-uitwisseling		Verpakking	
Switchingcapaciteit *	100 Gbit/s	Breedte verpakking	496 mm
Verzending snelheid	74 Mpps	Diepte verpakking	289 mm
MAC-adrestabel *	16000 entries	Hoogte verpakking	90 mm
Packet buffergeheugen	1,5 MB	Gewicht verpakking	3,97 kg
Beveiliging		Certificaten	
DHCP-functies	DHCP client, DHCP relay, DHCP snooping, DHCPv6 client, DHCPv6 relay	Certificering	LVD, BSMI FCC 15 A, CE EMC A, BSMI ENC RoHS A
Access Control List (ACL)	✓	Logistieke gegevens	
IGMP snooping	✓	Code geharmoniseerd systeem (HS) 85176990	
Ondersteunde beveiligingsalgoritmen	SNMP, SNMPv2, SNMPv3, SSH-2, SSL/TLS		
MAC adres filtering	✓		



4718937607525



0760559126773



760559126773

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.