



TP-Link TL-SF1005LP netwerk-switch Unmanaged Fast Ethernet (10/100) Power over Ethernet (PoE) Zwart

Merk : TP-Link

Artikelcode: TL-SF1005LP

Productnaam : TL-SF1005LP

TP-Link TL-SF1005LP. Switch type: Unmanaged. Type basis-switching RJ-45 Ethernet-poorten: Fast Ethernet (10/100), Aantal basis-switching RJ-45 Ethernet-poorten: 5. Full duplex. MAC-adrestabel: 2000 entries, Switchingcapaciteit: 1 Gbit/s. Netwerkstandaard: IEEE 802.3af, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x. Power over Ethernet (PoE)



Beheerfuncties		Energie	
Switch type *	Unmanaged	AC-ingangsfrequentie	50 Hz
Poorten & interfaces		Stroom	0.81 A
Aantal basis-switching RJ-45 Ethernet-poorten *	5	Ingangsspanning	53.5 V
Type basis-switching RJ-45 Ethernet-poorten *	Fast Ethernet (10/100)	Vermogensverbruik (max)	47 W
Netwerk		Power over Ethernet (PoE)	
Netwerkstandaard *	IEEE 802.3af, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x	Power over Ethernet (PoE) *	✓
10G support *	✗	Hoeveelheid Power over Ethernet (PoE) ports	4
Koperen ethernetbekabelingstechnologie	10BASE-T, 100BASE-TX	Totaal Power over Ethernet (PoE)-budget	41 W
Ondersteundende kabel types	Cat3, Cat4, Cat5, Cat5e	Eisen aan de omgeving	
Full duplex	✓	Bedrijfstemperatuur (T-T)	0 - 40 °C
Half-duplex	✓	Temperatuur bij opslag	-40 - 70 °C
Datastroombeheer	✓	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Auto MDI/MDI-X	✓	Luchtvochtigheid bij opslag	5 - 90 procent
Auto-negotiation	✓	Warmtedissipatie	160,27 BTU/h
MAC-adres zelfverouderende functie	✓	Gewicht en omvang	
Data-uitwisseling		Breedte	100 mm
Switchingcapaciteit *	1 Gbit/s	Diepte	98 mm
Verzending snelheid	0,744 Mpps	Hoogte	25 mm
MAC-adrestabel *	2000 entries	Inhoud van de verpakking	
Store-and-forward	✓	Gebruiksaanwijzing	✓
Jumbo Frames ondersteuning	✓	Verpakking	
Jumbo frames	2000	Inclusief AC-adapter	✓
		Breedte verpakking	131 mm
		Diepte verpakking	196 mm


Design		Verpakking	
Rack-montage *	✗	Hoogte verpakking	121 mm
Kleur van het product	Zwart	Gewicht verpakking	740 g
LED-indicatoren	✓	Duurzaamheid	
Prestatie		Naleving van duurzaamheid	✓
Fanloos	✓	Certificaten	
Energie		Certificaten van naleving	CE, Federal Communications Commission (FCC), RoHS
Stroombron *	DC/PoE	Logistieke gegevens	
Vermogenstoevoer inclusief *	✓	Code geharmoniseerd systeem (HS) 85176990	
AC-ingangsspanning	220 V		



6935364052782



6935364052799



1210002616287

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.