



## TP-Link Omada EAP620 HD draadloos toegangspunt (WAP) 1201 Mbit/s Wit Power over Ethernet (PoE)

**Merk :** TP-Link

**Productfamilie:** Omada

**Artikelcode:** EAP620 HD

**Productnaam :** EAP620 HD

TP-Link Omada EAP620 HD. 2,4 GHz, 5 GHz, Maximale overdrachtsnelheid van gegevens: 1201 Mbit/s. Ondersteunde beveiligingsalgoritmen: SNMP, SNMPv2, SNMPv3, SSH, WEP, WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA2-PSK, WPA3, WPA3-PSK. Ethernet LAN, data-overdrachtsnelheden: 10,100,1000 Mbit/s. Power over Ethernet (PoE). Kleur van het product: Wit



Features		Management features	
2.4 GHz *	✓	Syslog	✓
5 GHz *	✓	Firmware upgradeable	✓
6 GHz *	✗	<b>Ports &amp; interfaces</b>	
Maximum data transfer rate *	1201 Mbit/s	Ethernet LAN (RJ-45) ports *	1
Maximum data transfer rate (2.4 GHz)	574 Mbit/s	DC-in jack	✓
Maximum data transfer rate (5 GHz)	1201 Mbit/s	<b>Power</b>	
Ethernet LAN data rates	10,100,1000 Mbit/s	Power over Ethernet (PoE) *	✓
Frequency band	2.4 - 5 GHz	Power over Ethernet (PoE) type supported	Active PoE, Passive PoE
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3at	DC voltage range	12 V
Cabling technology	10/100/1000Base-T(X)	<b>Design</b>	
Number of users	1020 user(s)	Placement *	Ceiling, Wall
Automatic channel selection	✓	Product colour *	White
Automatic channel scanning	✓	Reset button	✓
MIMO	✓	LED indicators	✓
MIMO type	Multi User MIMO	<b>Antenna</b>	
Spread spectrum method	OFDMA	Antenna type *	Internal
Fit AP mode features	Mesh networking	Antenna direction type	Omni-directional
VLAN support	✓	<b>Certificates</b>	
Rate limiting	✓	Certification	CE, FCC, RoHS
Flow control support	✓	<b>Weight &amp; dimensions</b>	
Band steering	✓	Width	160 mm
Airtime Fairness (ATF)	✓	Depth	160 mm
Quality of Service (QoS) support	✓	Height	33 mm
BeamForming	✓		

Features		Packaging data	
Transmitting power (CE)	20/23 dBm	Package type	Box
Transmitting power (FCC)	23 dBm	<b>Packaging content</b>	
<b>Security</b>		Quantity per pack	1 pc(s)
Security algorithms *	SNMP, SNMPv2, SNMPv3, SSH, WEP, WPA-Enterprise, WPA-PSK, WPA2-Enterprise, WPA2-PSK, WPA3, WPA3-PSK	Mounting kit	✓
MAC address filtering	✓	Quick start guide	✓
Remote Authentication Dial-In User Service (RADIUS)	✓	<b>Operational conditions</b>	
Access Control List (ACL)	✓	Operating relative humidity (H-H)	10 - 90%
<b>Management features</b>		Operating temperature (T-T)	0 - 40 °C
Web-based management	✓	Storage temperature (T-T)	-40 - 70 °C
		Storage relative humidity (H-H)	5 - 90%



4897098687765



6935364030742



6935364030759

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.