



## TP-Link Omada SG3428MP netwerk-switch Managed L2+ Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) 1U Zwart

**Merk :** TP-Link

**Productfamilie:** Omada

**Artikelcode:** SG3428MP

**Productnaam :** SG3428MP



TP-Link Omada SG3428MP. Switch type: Managed, Switch-laag: L2+. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 24, Console port: RJ-45/Micro-USB. MAC-adrestabel: 16000 entries, Switchingcapaciteit: 56 Gbit/s. Netwerkstandaard: IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3i, IEEE 802.3u, IEEE 802.3z. Netstekker: AC-in-aansluiting. Power over Ethernet (PoE). Rack-montage, Vormfactor: 1U



Beheerfuncties		Beveiliging	
Switch type *	Managed	Ondersteunde beveiligingsalgoritmen	SSH, SSL/TLS
Switch-laag	L2+	MAC adres filtering	✓
Quality of Service (QoS)	✓	Statische poort beveiliging	✓
Web-gebaseerd management	✓	SSH/SSL support	✓
Cloud-beheerd	✓	Bescherming lus	✓
ARP-inspectie	✓	BPDU filtering / bescherming	✓
Locatie-instellingen (CLI) configureren	✓	IP-MAC-Port binding	✓
System event log	✓	Authenticatie	MAC-gebaseerde authenticatie, Poortgebaseerde authenticatie
Poorten & interfaces		Multicast-functies	
Aantal basis-switching RJ-45 Ethernet-poorten *	24	Multicast-ondersteuning	✓
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Protocollen	
Aantal Gigabit Ethernet (koper)-poorten	24	Beheerprotocollen	SNMPv1/v2c/v3, LLDP/LLDP-MED
Aantal moduleslots SPF	4	GARP VLAN Registratieprotocol (GVRP)	✓
Console port	RJ-45/Micro-USB	Design	
Netstekker	AC-in-aansluiting	Rack-montage *	✓
Netwerk		Vormfactor	1U
Netwerkstandaard *	IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3i, IEEE 802.3u, IEEE 802.3z	Kleur van het product	Zwart
10G support *	✗	LED-indicatoren	✓
Koperen ethernetbekabelingstechnologie	10BASE-T, 1000BASE-T	Aantal ventilatoren	2 ventilator(en)
Port mirroring	✓	Certificering	CE, FCC, RoHS
IP routing	✓	Energie	
Datastroombeheer	✓	Stroombron *	AC
Verbindingsaggregatie	✓	Vermogenstoevoer inclusief *	✓
Broadcast stormbeheer	✓	AC-ingangsspanning	100 - 240 V
Rate limiting	✓	AC-ingangsfrequentie	50/60 Hz
Spanning tree protocol	✓	Vermogensverbruik (max)	480,1 W
Head-of-line (HOL) blocking	✓	Power over Ethernet (PoE)	
		Power over Ethernet (PoE) *	✓

Netwerk		Power over Ethernet (PoE)	
Ethernet LAN, data-overdrachtsnelheden	10,100,1000 Mbit/s	Aantal Power over Ethernet plus (PoE +)-poorten	24
Active Link-detectie	✓	Vermogen per poort Power over Ethernet (PoE)	30 W
VLAN=ondersteuning	✓	Totaal Power over Ethernet (PoE)-budget	384 W
Virtuele LAN-functies	MAC address-based VLAN, Port-based VLAN, Private VLAN, Tagged VLAN, Voice VLAN	<b>Eisen aan de omgeving</b>	
Aantal VLANs	4000	Bedrijfstemperatuur (T-T)	0 - 45 °C
<b>Data-uitwisseling</b>		Temperatuur bij opslag	-40 - 70 °C
Switchingcapaciteit *	56 Gbit/s	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Verzending snelheid	41,66 Mpps	Luchtvochtigheid bij opslag	5 - 90 procent
MAC-adrestabel *	16000 entries	Warmtedissipatie	1637,14 BTU/h
Store-and-forward	✓	<b>Gewicht en omvang</b>	
Jumbo Frames ondersteuning	✓	Breedte	440 mm
Jumbo frames	9000	Diepte	330 mm
Packet buffergeheugen	12 MB	Hoogte	44 mm
<b>Beveiliging</b>		<b>Verpakking</b>	
DHCP-functies	DHCP client, DHCP relay, DHCP server, DHCP snooping, DHCPv6 client, DHCPv6 snooping	Snelstartgids	✓
Access Control List (ACL)	✓	Gebruiksaanwijzing	✓
IGMP snooping	✓		



6935364010737

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-SEP-2024. Prints or copies of Information are only valid on the printed Publication date