

NETGEAR MS510TXM netwerk-switch Managed L2/L3/L4 10G Ethernet (100/1000/10000) Grijs, Blauw

Merk : NETGEAR

Artikelcode: MS510TXM

Productnaam : MS510TXM



NETGEAR MS510TXM. Switch type: Managed, Switch-laag: L2/L3/L4. Type basis-switching RJ-45 Ethernet-poorten: 10G Ethernet (100/1000/10000), Aantal basis-switching RJ-45 Ethernet-poorten: 8. Full duplex. MAC-adrestabel: 32000 entries, Switchingcapaciteit: 140 Gbit/s. Netwerkstandaard: IEEE 802.1D, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ad, IEEE 802.3x. Rack-montage



Beheerfuncties		Beveiliging	
Switch type *	Managed	Toegangsbeheerlijst (ACL) inkomend	100
Switch-laag	L2/L3/L4	IGMP snooping	✓
Quality of Service (QoS)	✓	Ondersteunde beveiligingsalgoritmen	HTTPS, SSL/TLS
Web-gebaseerd management	✓	Bescherming lus	✓
Cloud-beheerd	✓	Multicast-functies	
Poorten & interfaces		Multicast-ondersteuning	✓
Aantal basis-switching RJ-45 Ethernet-poorten *	8	Protocollen	
Type basis-switching RJ-45 Ethernet-poorten *	10G Ethernet (100/1000/10000)	Beheerprotocollen	SNMP v1/v2c,SNMP v3
Aantal moduleslots SFP+	2	Design	
Netwerk		Rack-montage *	✓
Netwerkstandaard *	IEEE 802.1D, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ad, IEEE 802.3x	Kleur van het product	Grijs, Blauw
10G support *	✓	LED-indicatoren	Activiteit, Stroom, Snelheid
Koperen ethernetbekabelingstechnologie	1000BASE-T	Prestatie	
Port mirroring	✓	Type processor	✓
Full duplex	✓	Frequentie van processor	1000 MHz
Datastroombeheer	✓	Intern geheugen	256 MB
Verbindingsaggregatie	✓	Flash memory	64 MB
Broadcast stormbeheer	✓	Energie	
Spanning tree protocol	✓	Vermogenstoevoer inclusief *	✓
Ethernet LAN, data-overdrachtsnelheden	100,1000,2500,5000,10000 Mbit/s	Power over Ethernet (PoE)	
VLAN=ondersteuning	✓	Power over Ethernet (PoE) *	✗
Aantal VLANs	256	Eisen aan de omgeving	
Data-uitwisseling		Bedrijfstemperatuur (T-T)	0 - 50 °C
Switchingcapaciteit *	140 Gbit/s	Temperatuur bij opslag	-20 - 70 °C
MAC-adrestabel *	32000 entries	Relatieve vochtigheid in bedrijf (V-V)	0 - 95 procent
Jumbo Frames ondersteuning	✓	Luchtvochtigheid bij opslag	0 - 95 procent
Jumbo frames	10000	Hoogte, in bedrijf	0 - 3000 m
Beveiliging		Hoogte bij opslag	0 - 3000 m
DHCP-functies	DHCP client, DHCP server	Gewicht en omvang	
Access Control List (ACL)	✓	Breedte	330 mm

Gewicht en omvang

Diepte	206 mm
Hoogte	43 mm



0606449152364



606449152364

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.