



TP-Link TL-SX105 netwerk-switch Unmanaged 10G Ethernet (100/1000/10000) Zwart

Merk : TP-Link

Artikelcode: TL-SX105

Productnaam : TL-SX105

TP-Link TL-SX105. Switch type: Unmanaged. Type basis-switching RJ-45 Ethernet-poorten: 10G Ethernet (100/1000/10000), Aantal basis-switching RJ-45 Ethernet-poorten: 5. MAC-adrestabel: 32000 entrees, Switchingcapaciteit: 100 Gbit/s. Netwerkstandaard: IEEE 802.1p, IEEE 802.3ab, IEEE 802.3an, IEEE 802.3bz, IEEE 802.3u, IEEE 802.3x. Ophangstelsysteem voor aan de muur



Beheerfuncties		Energie	
Switch type *	Unmanaged	Stroombron *	DC
Poorten & interfaces		Vermogenstoevoer inclusief *	✓
Aantal basis-switching RJ-45 Ethernet-poorten *	5	Stroom	2 A
Type basis-switching RJ-45 Ethernet-poorten *	10G Ethernet (100/1000/10000)	Ingangsspanning	12 V
Aantal 10G Ethernet (koper)poorten	5	Vermogensverbruik (max)	21,4 W
Netwerk		Power over Ethernet (PoE)	
Netwerkstandaard *	IEEE 802.1p, IEEE 802.3ab, IEEE 802.3an, IEEE 802.3bz, IEEE 802.3u, IEEE 802.3x	Power over Ethernet (PoE) *	✗
10G support *	✓	Eisen aan de omgeving	
Auto MDI/MDI-X	✓	Bedrijfstemperatuur (T-T)	0 - 40 °C
Auto-negotiation	✓	Temperatuur bij opslag	-40 - 70 °C
Data-uitwisseling		Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Switchingcapaciteit *	100 Gbit/s	Luchtvochtigheid bij opslag	5 - 90 procent
Verzending snelheid	74,4 Mpps	Gewicht en omvang	
MAC-adrestabel *	32000 entrees	Breedte	226 mm
Store-and-forward	✓	Diepte	131 mm
Jumbo Frames ondersteuning	✓	Hoogte	35 mm
Jumbo frames	10000	Inhoud van de verpakking	
Packet buffergeheugen	16 MB	Meegeleverde kabels	AC
Design		Gebruikershandleiding	✓
Rack-montage *	✗	Verpakking	
Kleur van het product	Zwart	Type verpakking	Doos
LED-indicatoren	✓	Breedte verpakking	240 mm
Ophangstelsysteem voor aan de muur	✓	Diepte verpakking	315 mm
		Hoogte verpakking	70 mm
		Gewicht verpakking	1,58 kg

Prestatie		Certificaten	
Fanloos	✓	Certificering	CE, FCC ,RoHS
		Logistieke gegevens	
		Code geharmoniseerd systeem (HS) 85176990	



6935364030902



6935364030896



0845973088057



845973088057

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.