

GIGABYTE GAMING GeForce RTX 3060 OC 12G (rev. 2.0) NVIDIA 12 GB GDDR6

Merk : GIGABYTE

Productfamilie: GAMING

Artikelcode: GV-N3060GAMING OC-12GD 2.0



Productnaam : GeForce RTX 3060 GAMING OC 12G (rev. 2.0)

GIGABYTE GAMING GeForce RTX 3060 OC 12G (rev. 2.0). Grafische processor familie: NVIDIA, Grafische processor: GeForce RTX 3060, Frequentie van processor: 1837 MHz. Grafische geheugen: 12 GB, Grafische adapter, soort geheugen: GDDR6, Geheugenbus: 192 Bit, Kloksnelheid geheugen: 15000 MHz. Maximum resolutie: 7680 x 4320 Pixels. DirectX versie: 12 Ultimate, OpenGL versie: 4.6. Soort aansluiting: PCI Express x16 4.0. Type koeling: Actief, Aantal ventilatoren: 3 ventilator(en), Kleur van de verlichting: Multi

| Processor | | Performance | |
|--|---------------------|--------------------------------|---------------------------------|
| CUDA * | ✓ | DirectX version * | 12 Ultimate |
| CUDA cores | 3584 | OpenGL version * | 4.6 |
| Graphics processor family * | NVIDIA | Dual Link DVI * | ✗ |
| Graphics processor * | GeForce RTX 3060 | NVIDIA G-SYNC | ✓ |
| Processor frequency * | 1837 MHz | Design | |
| Maximum resolution * | 7680 x 4320 pixels | Cooling type * | Active |
| Parallel processing technology support * | Not supported | Cooling technology | GIGABYTE WINDFORCE 3X |
| Maximum displays per videocard | 4 | Number of fans | 3 fan(s) |
| FireStream | ✗ | Fan diameter | 8 cm |
| Memory | | Form factor | Full-Height/Full-Length (FH/FL) |
| Discrete graphics card memory * | 12 GB | Bracket height | Full-Height (FH) |
| Graphics card memory type * | GDDR6 | Illumination | ✓ |
| Memory bus * | 192 bit | Illumination colour | Multi |
| Memory clock speed | 15000 MHz | Product colour | Black, Stainless steel |
| Number of pipelines | 3 | Power | |
| Memory bandwidth (max) | 360 GB/s | Minimum system power supply * | 550 W |
| Ports & interfaces | | Supplementary power connectors | 1x 8-pin |
| Interface type * | PCI Express x16 4.0 | Weight & dimensions | |
| HDMI ports quantity * | 2 | Length | 282 mm |
| HDMI version | 2.1 | Depth | 41 mm |
| DisplayPorts quantity * | 2 | Height | 117 mm |
| DisplayPort version | 1.4a | Packaging data | |
| Performance | | Package type | Box |
| TV tuner integrated * | ✗ | Packaging content | |
| | | User guide | ✓ |
| | | Logistics data | |
| | | Harmonized System (HS) code | 84733020 |



4719331309312

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 17-FEB-2025. Prints or copies of Information are only valid on the printed Publication date