be quiet! Pure Rock Slim 3 Processor Luchtkoeler 10 cm Zilver 1 stuk(s)

Merk : be quiet!

Artikelcode: BK047

Productnaam : Pure Rock Slim 3

be quiet! Pure Rock Slim 3. Soort: Luchtkoeler, Ventilator diameter: 10 cm, Rotatiesnelheid (max): 1700 RPM, Luchtstroom: 60,3 m³/uur, Maximum luchtdruk: 1,35 mmH2O, Type lager: Ventilatorlager. Breedte: 100 mm, Diepte: 73 mm, Hoogte: 127 mm. Kleur van het product: Zilver

Prestatie	
Geschikte locatie *	Processor
Soort *	Luchtkoeler
Ventilator diameter	10 cm
Supported processor sockets	LGA 1851, LGA 1700, Socket AM4, Socket AM5
Rotatiesnelheid (max)	1700 RPM
Geluidsniveau (lage snelheid)	12,4 dB
Geluidsniveau (hoge snelheid	24,8 dB
Maximum luchtstroom	35,5 cfm
Luchtstroom	60,3 m³/uur
Maximum luchtdruk	1,35 mmH2O
Pulsbreedtemodulatie-ondersteuning	✔
Type lager	Ventilatorlager
Aantal per verpakking	1 stuk(s)
Ventilator gemiddelde storingsinterval (MTTF)	80000 uur

Design	
Kleur van het product *	Zilver
Materiaal	Aluminium, Koper
Radiator materiaal	Aluminium
Basis plaat materiaal	Koper
Aantal ventilatoren	1 ventilator(en)
Aantal warmte pijpen	3
Verlichtings-led	✘
Fan connector	4-pin
Type beeldscherm	Niet van toepassing

Energie	
Fan voltage	12 V
Fan stroom	0,12 A

Gewicht en omvang	
Breedte	100 mm
Radiator breedte	10 cm
Radiator diepte	12,7 cm
Radiator hoogte	4,8 cm
Diepte	73 mm
Hoogte	127 mm
Gewicht	412 g
Maten ventilator (b x d x h)	100 x 25 x 100 mm
Snoerlengte	0,2 m
Breedte verpakking	128 mm
Diepte verpakking	165 mm
Hoogte verpakking	162 mm
Gewicht verpakking	619 g

Technische details	
Duurzaamheidscertificaten	Triman
Certificaten van naleving	CE, Federal Communications Commission (FCC), RoHS, UKCA, WEEE

Inhoud van de verpakking	
Gebruikershandleiding	✔

Logistieke gegevens	
Producten per (binnenste) verzendverpakking	24 stuk(s)

Publication date: 06-JUL-2026. Prints or copies of Information are only valid on the printed Publication date

Energie	
Stroomverbruik ventilatie	2,88 W
Stroom (max.)	0,24 A
Thermal Design Power (TDP)	130 W

Logistieke gegevens	
(Binnenste) verzendverpakking breedte	50,5 cm
(Binnenste) verzendverpakking lengte	53,2 cm
(Binnenste) verzendverpakking hoogte	35,6 cm
(Binnenste) verzendverpakking gewicht	17,5 kg

4260052193150

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 06-JUL-2026. Prints or copies of Information are only valid on the printed Publication date