



## TP-Link TL-SG1005D Unmanaged Gigabit Ethernet (10/100/1000) Zwart

**Merk :** TP-Link

**Artikelcode:** TL-SG1005D V4

**Productnaam :** TL-SG1005D

- 5 Gigabit Auto-Negotiation RJ45-poorten, ondersteunt Auto MDI/MDIX
  - Groene ethernet-technologie bespaart tot 70% energie
  - IEEE 802.3x gegevensstroombeheer zorgt voor een betrouwbare gegevensoverdracht
  - Plastic behuizing, desktop of wandmontage
  - Plug-and-Play, geen configuratie nodig
- 5 10/100/1000Mbps RJ45 Ports, AUTO Negotiation/AUTO MDI/MDIX, 140 x 88 x 23 mm, 220V/50Hz




### TP-Link TL-SG1005D Unmanaged Gigabit Ethernet (10/100/1000) Zwart:

Voordelige 5 poorts gigabit switch die u binnen een kleinschalig netwerk een maximale doorvoercapaciteit aan data biedt. Het apparaat geeft op hoge snelheid grote data bestanden en multimedia files door, maar levert ook zijn waarde als het gaat om gaming en internet access. Deze switch past zowel in 10, 100 en 1000 Mbps netwerken. Door passieve koeling doet de SG1005D zijn werk geruisloos.

Management features		Performance	
Switch type *	Unmanaged	Compatible operating systems	Microsoft Windows 2000/XP/2003/Vista/2008/7/2012/8/10, MacOS, NetWare, UNIX, Linux
Ports & interfaces		Maximum cable length	100 m
Basic switching RJ-45 Ethernet ports quantity *	5	Fanless	✓
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Power	
Gigabit Ethernet (copper) ports quantity	5	Power source *	DC
Power connector	DC-in jack	Power supply included *	✗
Network		AC input voltage	100 - 240 V
Networking standards *	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x	AC input frequency	50/60 Hz
10G support *	✗	Input current	0.6 A
Full duplex	✓	Input voltage	9 V
Half duplex	✓	Power consumption (max)	2.47 W
Flow control support	✓	Power over Ethernet (PoE)	
Auto MDI/MDI-X	✓	Power over Ethernet (PoE) *	✗
Auto-negotiation	✓	Operational conditions	
MAC address auto-learning supported	✓	Operating temperature (T-T)	0 - 40 °C
MAC address auto-aging supported	✓	Storage temperature (T-T)	-40 - 70 °C
		Operating relative humidity (H-H)	10 - 90%
		Storage relative humidity (H-H)	5 - 90%
		Heat dissipation	8.22 BTU/h
Data transmission		Weight & dimensions	
Switching capacity *	10 Gbit/s	Width	165 mm
MAC address table *	8000 entries	Depth	108 mm
Store-and-forward	✓	Height	28 mm
Jumbo frames support	✓	Packaging content	
Jumbo frames	15000	Quick start guide	✓
Design		Packaging data	
Rack mounting *	✗	Package width	108 mm
Stackable *	✗	Package depth	145 mm
Product colour	Black	Package height	85 mm
LED indicators	✓		

Design		Packaging data	
Number of fans	0 fan(s)	Package weight	180 g
		Logistics data	
		Harmonized System (HS) code	85176990



0845973020255



845973020255



9789800359785



6935364091798



8592978038939

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.