




TP-Link TL-SF1008D Unmanaged Fast Ethernet (10/100) Wit

Merk : TP-Link

Artikelcode: TL-SF1008D V11

Productnaam : TL-SF1008D

TP-Link TL-SF1008D. Switch type: Unmanaged. Type basis-switching RJ-45 Ethernet-poorten: Fast Ethernet (10/100), Aantal basis-switching RJ-45 Ethernet-poorten: 8. Full duplex. MAC-adrestabel: 1000 entries, Switchingcapaciteit: 1,6 Gbit/s. Netwerkstandaard: IEEE 802.3, IEEE 802.3ab, IEEE 802.3x. DC voltage input: 5 V. Netstekker: DC-in ingang



Beheerfuncties		Technische details	
Switch type *	Unmanaged	Certificaten van naleving	CE, Federal Communications Commission (FCC), RoHS
Poorten & interfaces		Energie	
Aantal basis-switching RJ-45 Ethernet-poorten *	8	Stroombron *	DC
Type basis-switching RJ-45 Ethernet-poorten *	Fast Ethernet (10/100)	Vermogenstoevoer inclusief *	✗
Fast Ethernet (koperen) ports kwantiteit	8	AC-ingangsspanning	100 - 240 V
Netstekker	DC-in ingang	AC-ingangsfrequentie	50/60 Hz
Netwerk		DC voltage input	5 V
Netwerkstandaard *	IEEE 802.3, IEEE 802.3ab, IEEE 802.3x	Stroom	0.6 A
10G support *	✗	Vermogensverbruik (max)	2,05 W
Koperen ethernetbekabelingstechnologie	10BASE-T, 100BASE-TX	Power over Ethernet (PoE)	
Full duplex	✓	Power over Ethernet (PoE) *	✗
Half-duplex	✓	Eisen aan de omgeving	
Datastroombeheer	✓	Bedrijfstemperatuur (T-T)	0 - 40 °C
Auto MDI/MDI-X	✓	Temperatuur bij opslag	-40 - 70 °C
Auto-negotiation	✓	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Data-uitwisseling		Luchtvochtigheid bij opslag	5 - 95 procent
Switchingcapaciteit *	1,6 Gbit/s	Warmtedissipatie	6,99 BTU/h
MAC-adrestabel *	1000 entries	Gewicht en omvang	
Store-and-forward	✓	Breedte	134,5 mm
Packet buffergeheugen	0,768 MB	Diepte	79 mm
Protocollen		Hoogte	22,5 mm
Ondersteunde netwerkprotocollen	CSMA/CD, TCP/IP	Verpakking	
Design		Gebruiksaanwijzing	✓
Rack-montage *	✗	Inclusief AC-adapter	✓
Stapelbaar *	✗	Type verpakking	Doos
Kleur van het product	Wit	Breedte verpakking	100 mm
LED-indicatoren	✓	Diepte verpakking	139 mm
		Hoogte verpakking	85 mm
		Gewicht verpakking	240 g

Prestatie		Duurzaamheid	
Fanloos	✓	Naleving van duurzaamheid	✓
Logistieke gegevens			
Code geharmoniseerd systeem (HS) 85176990			



6935364020071

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-SEP-2024. Prints or copies of Information are only valid on the printed Publication date