



TP-Link TL-SG1016DE Managed L2 Gigabit Ethernet (10/100/1000) 1U Zwart

Merk : TP-Link

Artikelcode: TL-SG1016DE V1

Productnaam : TL-SG1016DE



TP-Link TL-SG1016DE. Switch type: Managed, Switch-laag: L2. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 16. MAC-adrestabel: 8000 entries, Switchingcapaciteit: 32 Gbit/s. Netwerkstandaard: IEEE 802.1p, IEEE 802.1Q, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x. Netstekker: AC-in-aansluiting. Rack-montage, Vormfactor: 1U

Beheerfuncties		Design	
Switch type *	Managed	Rack-montage *	✓
Switch-laag	L2	Vormfactor	1U
Quality of Service (QoS)	✓	Kleur van het product	Zwart
Poorten & interfaces		Materiaal behuizing	Metaal
Aantal basis-switching RJ-45 Ethernet-poorten *	16	LED-indicatoren	✓
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Prestatie	
Aantal Gigabit Ethernet (koper)-poorten	16	Compatibele besturingssystemen	Windows
Netstekker	AC-in-aansluiting	Maximum kabellengte	100 m
Netwerk		Energie	
Netwerkstandaard *	IEEE 802.1p, IEEE 802.1Q, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x	Stroombron *	AC
10G support *	✗	Vermogenstoevoer inclusief *	✓
Koperen ethernetbekabelingstechnologie	100BASE-TX, 100BASE-T, 1000BASE-T	AC-ingangsspanning	100 - 240 V
Ondersteundende kabel types	Cat3, Cat5, Cat6	AC-ingangsfrequentie	50/60 Hz
Port mirroring	✓	Vermogensverbruik (max)	19,15 W
Datastroombeheer	✓	Power over Ethernet (PoE)	
Verbindingsaggregatie	✓	Power over Ethernet (PoE) *	✗
Broadcast stormbeheer	✓	Eisen aan de omgeving	
Rate limiting	✓	Bedrijfstemperatuur (T-T)	0 - 40 °C
Auto MDI/MDI-X	✓	Temperatuur bij opslag	-40 - 70 °C
Auto-negotiation	✓	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
VLAN=ondersteuning	✓	Luchtvochtigheid bij opslag	5 - 90 procent
Virtuele LAN-functies	Port-based VLAN, Tagged VLAN	Warmtedissipatie	34,52 BTU/h
Aantal VLANs	32	Gewicht en omvang	
Data-uitwisseling		Breedte	284 mm
Switchingcapaciteit *	32 Gbit/s	Diepte	180 mm
Verzending snelheid	23,8 Mpps	Hoogte	44 mm
MAC-adrestabel *	8000 entries	Verpakking	
Store-and-forward	✓	Meegeleverde kabels	AC
Aantal wachtrijen	4	Gebruiksaanwijzing	✓
Jumbo Frames ondersteuning	✓	Type verpakking	Doos
Jumbo frames	9000	Rekbevestigingspakket	✓
Packet buffergeheugen	0,512 MB	Ondersteunings-cd	✓
		Breedte verpakking	250 mm
		Diepte verpakking	400 mm

Beveiliging

IGMP snooping ✓

VerpakkingHoogte verpakking 80 mm
Gewicht verpakking 1,91 kg**Duurzaamheid**Naleving van duurzaamheid ✓
Duurzaamheidscertificaten CE, Federal Communications Commission (FCC), RoHS



0845973021269



845973021269



6935364021276



6935364021269

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.