



TP-Link TL-SG1024DE Managed L2 Gigabit Ethernet (10/100/1000) 1U Zwart

Merk : TP-Link

Artikelcode: TL-SG1024DE V4

Productnaam : TL-SG1024DE



TP-Link TL-SG1024DE. Switch type: Managed, Switch-laag: L2. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 24. MAC-adrestabel: 8000 entries, Switchingcapaciteit: 48 Gbit/s. Netwerkstandaard: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x. Rack-montage, Vormfactor: 1U

Beheerfuncties		Design	
Switch type *	Managed	Rack-montage *	✓
Switch-laag	L2	Vormfactor	1U
Quality of Service (QoS)	✓	Kleur van het product	Zwart
Web-gebaseerd management	✓	LED-indicatoren	✓
Poorten & interfaces		Certificering	FCC, CE, RoHS
Aantal basis-switching RJ-45 Ethernet-poorten *	24	Prestatie	
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)	Compatibele besturingssystemen	Windows 98SE, NT, 2000, XP, Vista, Windows 7, Windows 8, MAC OS, NetWare, UNIX, Linux
Aantal Gigabit Ethernet (koper-)poorten	24	Energie	
Netwerk		Stroombron *	AC
Netwerkstandaard *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x	Vermogenstoevoer inclusief *	✓
10G support *	✗	AC-ingangsspanning	100 - 240 V
Koperen ethernetbekabelingstechnologie	10BASE-T, 100BASE-TX, 1000BASE-T	AC-ingangsfrequentie	50 - 60 Hz
Ondersteundende kabel types	Cat3, Cat5, Cat6	Vermogensverbruik (max)	14,86 W
Port mirroring	✓	Eisen aan de omgeving	
Datastroombeheer	✓	Bedrijfstemperatuur (T-T)	0 - 40 °C
Verbindingsaggregatie	✓	Temperatuur bij opslag	-40 - 70 °C
Broadcast stormbeheer	✓	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Rate limiting	✓	Luchtvochtigheid bij opslag	5 - 90 procent
Auto MDI/MDI-X	✓	Warmtedissipatie	114,37 BTU/h
Auto-negotiation	✓	Gewicht en omvang	
VLAN=ondersteuning	✓	Breedte	294 mm
Virtuele LAN-functies	Port-based VLAN, Tagged VLAN	Diepte	180 mm
Aantal VLANs	32	Hoogte	44 mm
Data-uitwisseling		Verpakking	
Switchingcapaciteit *	48 Gbit/s	Meegeleverde kabels	AC
Verzending snelheid	35,7 Mpps	Gebruiksaanwijzing	✓
MAC-adrestabel *	8000 entries	Type verpakking	Doos
Aantal wachtrijen	4	Rekbevestigingspakket	✓
Jumbo Frames ondersteuning	✓	Breedte verpakking	250 mm
Jumbo frames	9216	Diepte verpakking	400 mm
Packet buffergeheugen	0,512 MB	Hoogte verpakking	80 mm
		Gewicht verpakking	2,02 kg

Beveiliging


IGMP snooping



Bescherming lus

**Logistieke gegevens**

Code geharmoniseerd systeem (HS) 85176990



0845973021245




845973021245




6935364021245



6935364021252



0803982833761



803982833761

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.