



TP-Link Archer C50 draadloze router Fast Ethernet Dual-band (2.4 GHz / 5 GHz) Zwart

Merk : TP-Link

Artikelcode: ARCHER C50 V1

Productnaam : Archer C50

TP-Link Archer C50. Wifi-band: Dual-band (2.4 GHz / 5 GHz), Wifi-standaard: Wi-Fi 5 (802.11ac), Wi-Fi-standaarden: 802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n). Interfacetype Ethernet LAN: Fast Ethernet, Ethernet LAN, data-overdrachtsnelheden: 10,100 Mbit/s, VPN eigenschappen: PPTP, L2TP, IPSec. Ondersteunde beveiligingsalgoritmen: 64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK. Type product: Router om neer te zetten, Kleur van het product: Zwart. Meegeleverde kabels: LAN (RJ-45)



WAN-verbinding		Beveiliging	
Ethernet WAN *	✓	Filtratie	✓
Draadloos LAN		MAC adres filtering	✓
Wifi-band *	Dual-band (2.4 GHz / 5 GHz)	IP-adresfilter	✓
Wifi-standaard *	Wi-Fi 5 (802.11ac)	DMZ support	✓
Wi-Fi-standaarden	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n)	Protocollen	
WLAN gegevensoverdrachtsnelheid (eerste band)	300 Mbit/s	DHCP client	✓
WLAN gegevensoverdrachtsnelheid (tweede band)	867 Mbit/s	DHCP server	✓
Netwerk		Universal Plug and Play (UPnP)	✓
Ethernet LAN *	✓	Design	
Interfacetype Ethernet LAN *	Fast Ethernet	Kleur van het product	Zwart
Ethernet LAN, data-overdrachtsnelheden	10,100 Mbit/s	Aan/uitschakelaar	✓
Port forwarding	✓	Type product *	Router om neer te zetten
VPN eigenschappen	PPTP, L2TP, IPSec	Inhoud van de verpakking	
Poorten & interfaces		Meegeleverde kabels	LAN (RJ-45)
Aantal Ethernet LAN (RJ-45)-poorten *	4	Inclusief AC-adapter	✓
USB-poort *	✓	Snelstartgids	✓
Aantal USB 2.0-poorten	1	Antenne	
Beheerfuncties		Antenne-ontwerp *	Extern
Quality of Service (QoS)	✓	Antennas quantity	2
Reset button	✓	Energie	
WPS Push Button Security	✓	Type stroombron *	AC
Beveiliging		Eisen aan de omgeving	
Ondersteunde beveiligingsalgoritmen	64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK	Bedrijfstemperatuur (T-T)	0 - 40 °C
		Temperatuur bij opslag	-40 - 70 °C
		Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
		Luchtvochtigheid bij opslag	5 - 90 procent

Beveiliging		Gewicht en omvang	
Firewall	✓	Breedte	182,9 mm
Stateful Packet Inspection (SPI)	✓	Diepte	123,5 mm
DoS aanval preventie	✓	Hoogte	32,1 mm



6935364091675



0845973091675



845973091675

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.