

APC Rack PDU, Metered-by-Outlet, ZeroU, 32A, 230V, (21x) C13 & (3x) C19, IEC 309 32A stekker

Merk: APC Artikelcode: AP8453

Productnaam: Rack PDU, Metered-by-Outlet, ZeroU, 32A, 230V, (21x) C13 & (3x) C19, IEC 309 32A stekker

APC Rack PDU, Metered-by-Outlet, ZeroU, 32A, 230V, (21x) C13 & (3x) C19, IEC 309 32A stekker APC Rack PDU, Metered-by-Outlet, ZeroU, 32A, 230V, (21x) C13 & (3x) C19, IEC 309 32A stekker. PDU types: Gemeten, Metered-by-outlet, Rackcapaciteit: 0U, Soort: Eenfasig. Aantal AC uitgangen: 24 ACuitgang(en), Stopcontacttypes: C13 stekker, C19 stekker, Stekker: IEC309. Snoerlengte: 3,05 m. Monitoring: Stroom, Stroom, Spanning. Stroom (max.): 32 A, AC-ingangsfrequentie: 50 - 60 Hz, Netspanning, in bedrijf: 230 V

Design		Certificates			
PDU types * Type	Metered, Metered-by-outlet Single-phase 0U	Certification	EN 55022 A, EN 55024, EN 61000-3-2, EN 61000-3-3, VDE		
Rack capacity *		Operational conditions			
Mounting	Vertical	Operating temperature (T-T)	-5 - 45 °C		
Product colour	Black	Storage temperature (T-T)	-25 - 65 °C		
Ports & interfaces		Operating relative humidity (H-H)	5 - 95%		
AC outlets quantity *	24 AC outlet(s)	Storage relative humidity (H-H)	5 - 95%		
Power plug	IEC309	Operating altitude	0 - 3000 m		
AC outlet types *	C13 coupler, C19 coupler	Weight & dimensions			
Features		Width	56 mm		
Cable length	3.05 m	Depth	51 mm		
Management features		Dimensions (WxDxH) Height	56 x 51 x 1829 mm 1829 mm		
Monitoring	Current, Power, Voltage	Weight	8.21 kg		
Power		Packaging data			
AC input frequency Maximum current * Nominal output voltage Load capacity Maximum input current per phase	50 - 60 Hz 32 A 230 V 7680 VA 32 A	Package dimensions (WxDxH) Package weight Package width Package depth Package height	163 x 117 x 2037 mm 10.5 kg 163 mm 117 mm 2037 mm		
Maximum total current draw per phase	32 A	Logistics data			
Maximum power	7680 W	Total carbon footprint (kg of CO2e)	5046.47		

_		•		
Ce	rtı	tic	21	·Δc

Compliance certificates

RoHS





731304317555

0731304317555

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.