

StarTech.com Outdoor Wireless-N Access Point IP67 gecertificeerd
5GHz 802.11a/n PoE-Powered WLAN AP

Merk : StarTech.com

Artikelcode: R300WN22MO5E

Productnaam : Outdoor Wireless-N Access Point IP67
gecertificeerd 5GHz 802.11a/n PoE-Powered WLAN AP

StarTech.com Outdoor Wireless-N Access Point IP67 gecertificeerd 5GHz 802.11a/n PoE-Powered WLAN AP

StarTech.com Outdoor Wireless-N Access Point IP67 gecertificeerd 5GHz 802.11a/n PoE-Powered WLAN AP. 5 GHz, Maximale overdrachtsnelheid van gegevens: 300 Mbit/s. Ondersteunde beveiligingsalgoritmen: AES, TKIP, WEP, WPA, WPA2. Power over Ethernet (PoE). Kleur van het product: Grijs. Vermogensverbruik (max): 13,5 W



Kenmerken		Design	
2,4 GHz *	✗	Internationale veiligheidscode (IP)	IP67
5 GHz *	✓	LED-indicatoren	Activiteit, Stroom, Signaalsterkte
Maximale overdrachtsnelheid van gegevens *	300 Mbit/s	Certificering	CE, FCC, RoHS
Draadloos LAN data-overdrachtsnelheid (max)	300 Mbit/s	Intern	✗
Antenne		Prestatie	
Frequentieband	5.2 - 5.805 GHz	Chipset	Atheros - AR9342
Bandbreedte	0,04 GHz	Hoog vermogen	✗
Netwerkstandaard	IEEE 802.11a, IEEE 802.11n, IEEE 802.3, IEEE 802.3u	Gewicht en omvang	
Full duplex	✓	Breedte	100 mm
Modulatie	16-QAM, 64-QAM, BPSK, OFDM, QPSK	Diepte	161 mm
Quality of Service (QoS)	✓	Hoogte	58 mm
Maximum outdoorbereik	3700 m	Gewicht	700 g
Beveiliging		Verpakking	
Ondersteunde beveiligingsalgoritmen *	AES, TKIP, WEP, WPA, WPA2	Breedte verpakking	212 mm
Protocollen		Diepte verpakking	355 mm
Ondersteunde netwerkprotocollen	CSMA/CA	Hoogte verpakking	86 mm
Beheerfuncties		Gewicht verpakking	1,3 kg
Web-gebaseerd management	✓	Inhoud van de verpakking	
Poorten & interfaces		Inclusief AC-adapter	✓
Aantal Ethernet LAN (RJ-45)-poorten *	2	Inclusief PoE-adapter	✓
Energie		Montage gereedschap	✓
Power over Ethernet (PoE) *	✓	Snelstartgids	✓
AC-ingangsspanning	100 - 240 V	Eisen aan de omgeving	
Stroom	1 A	Relatieve vochtigheid in bedrijf (V-V)	0 - 100 procent
Spanning	48 V	Bedrijfstemperatuur (T-T)	-30 - 60 °C
Output current	0,5 A		
Vermogensverbruik (max)	13,5 W		

Energie		Eisen aan de omgeving	
Type stekker	Type N	Temperatuur bij opslag	-30 - 85 °C
Design		Logistieke gegevens	
Kleur van het product *	Grijs	Code geharmoniseerd systeem (HS) 85176990	
Materiaal behuizing	Aluminium, Kunststof		



0065030858953



065030858953

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-SEP-2024. Prints or copies of Information are only valid on the printed Publication date