



## HP ENVY Inspire 7224e All-in-One printer

**Merk :** HP

**Productfamilie:** ENVY

**Artikelcode:** 349V2B

**Productnaam :** ENVY Inspire 7224e All-in-One printer

- Draadloos; HP+; Geschikt voor HP Instant Ink; Scan naar pdf
- Printen, kopiëren, scannen
- Printsnelheden tot 15 ppm (zwart) en 10 ppm (kleur)
- Tot 1200 x 1200 dpi gerenderd

ENVY Inspire 7224e All-in-One printer


HP ENVY Inspire 7224e All-in-One printer. Printtechnologie: Thermische inkjet, Printen: Afdrukken in kleur, Maximale resolutie: 4800 x 1200 DPI, Printsnelheid (kleur, standaard, A4/US Letter): 10 ppm. Kopiëren: Kopiëren in kleur, Maximale kopieerresolutie: 600 x 600 DPI. Scannen: Scannen in kleur, Optische scanresolutie: 1200 x 1200 DPI. Duplex functies: Printen. Maximale ISO A-series papierformaat: A4. Wifi. Direct printen. Kleur van het product: Beige



Printing		Performance	
Duplex printing mode	Auto	Built-in processor	✓
Print resolution colour	4800 x 1200 DPI	Processor frequency	800 MHz
Print resolution black	1200 x 1200 DPI	Sound pressure level (printing)	52 dB
Print technology *	Thermal inkjet	Sound power level (printing)	6.3 dB
Printing *	Colour printing	<b>Design</b>	
Duplex printing *	✓	Product colour *	Beige
Maximum resolution *	4800 x 1200 DPI	Colour name	Portobello
Print speed (black, normal quality, A4/US Letter) *	15 ppm	Market positioning *	Home & office
Print speed (colour, normal quality, A4/US Letter)	10 ppm	Built-in display *	✓
Print speed (black, draft quality, A4/US Letter)	22 ppm	Display diagonal	6.86 cm (2.7")
Print speed (colour, draft quality, A4/US Letter)	20 ppm	Touchscreen	✓
Print speed (ISO/IEC 24734) black	15 ppm	Control type	Touch
Print speed (ISO/IEC 24734) colour	10 ppm	Colour display	✓
Time to first page (black, normal)	16 s	<b>Power</b>	
Time to first page (colour, normal)	18 s	Power consumption (printing)	14 W
N-in-1 print function	✓	Power consumption (ready)	4.9 W
Booklet printing function	✓	Power consumption (sleep)	1.05 W
Borderless printing	✓	Power consumption (off)	0.05 W
<b>Copying</b>		AC input voltage	100 - 240 V
Duplex copying *	✓	AC input frequency	50/60 Hz
Copying *	Colour copying	<b>Brand-specific features</b>	
Maximum copy resolution *	600 x 600 DPI	HP Instant Ink	✓
Copy speed (black, normal quality, A4)	22 cpm	HP Auto-On/Auto-Off	✓
Copy speed (colour, normal quality, A4)	15 cpm	HP Dynamic security	✓
Copy speed (black, draft, A4)	22 cpm	HP GTIN (EAN/UPC) with options	(629) 195908882558; (686) 195908882565; (687) 195908882572
Copy speed (colour, draft, A4)	15 cpm	HP GTIN (EAN/UPC)	195908882558, 195908882565, 195908882572
Maximum number of copies	50 copies	<b>System requirements</b>	
Copier resize	25 - 400%	Windows operating systems supported	Windows 11, Windows 10, Windows 7
ID-card copy function	✓	Mac operating systems supported	Mac OS X 13.0 Ventura, Mac OS X 10.14 Mojave
Auto fit function	✓	Other operating systems supported	ChromeOS

<b>Scanning</b>		<b>Operational conditions</b>	
Duplex scanning *	×	Operating relative humidity (H-H)	20 - 80%
Scanning *	Colour scanning	Recommended humidity operating range	20 - 80%
Optical scanning resolution *	1200 x 1200 DPI	Storage temperature (T-T)	-40 - 60 °C
Maximum scan resolution	1200 x 1200 DPI	Operating temperature (T-T)	5 - 40 °C
Maximum scan area	215.9 x 297 mm	Non-operating relative humidity (non-condensing)	10 - 90%
Scanner type *	Flatbed scanner	Storage relative humidity (H-H)	10 - 90%
Scan technology	CIS	Operating altitude	0 - 3048 m
Scan to	E-mail Server, Software	Non-operating altitude	0 - 4500 m
Image formats supported	BMP, JPG, PNG, TIFF	<b>Certificates</b>	
Document formats supported	PDF	EN 55032:2012/AC:2013 Class B; ETSI EN 301 489-1 V2.2.3:2019-11; ETSI EN 301 489-17 V3.2.4:2020-09; EN 55032:2012/AC:2013 Class B; ETSI EN 301 489-1 V2.2.3:2019-11; ETSI EN 301 489-17 V3.2.4:2020-09; IEC 61000-4-2:2008; EN 55035:2017; ETSI EN 301 489-1 V2.2.3:2019-11; ETSI EN301 489-17 V3.2.4:2020-09; IEC 61000-4-3:2010; EN 55035:2017; ETSI EN 301 489-1 V2.2.3:2019-11; ETSI EN301 489-17 V3.2.4:2020-09; IEC 61000-4-8:2009; EN 55035:2017 ETSI EN 301 489-1 V2.2.3:2019-11; ETSI EN301 489-17 V3.2.4:2020-09; IEC 61000-4-11:2004 +A1:2017; EN 55035:2017; ETSI EN 301 489-1 V2.2.3:2019-11; ETSI EN301 489-17 V3.2.4:2020-09	
Input colour depth	24 bit	<b>Certification</b>	
Greyscale levels	256	EN 55032:2012/AC:2013 Class B; ETSI EN 301 489-1 V2.2.3:2019-11; ETSI EN 301 489-17 V3.2.4:2020-09; EN 55035:2017; ETSI EN 301 489-1 V2.2.3:2019-11; ETSI EN301 489-17 V3.2.4:2020-09; IEC 61000-4-3:2010; EN 55035:2017; ETSI EN 301 489-1 V2.2.3:2019-11; ETSI EN301 489-17 V3.2.4:2020-09; IEC 61000-4-8:2009; EN 55035:2017 ETSI EN 301 489-1 V2.2.3:2019-11; ETSI EN301 489-17 V3.2.4:2020-09; IEC 61000-4-11:2004 +A1:2017; EN 55035:2017; ETSI EN 301 489-1 V2.2.3:2019-11; ETSI EN301 489-17 V3.2.4:2020-09	
Scan drivers	TWAIN	<b>Sustainability</b>	
<b>Fax</b>		Sustainability compliance	
Faxing *	×	Sustainability certificates	
<b>Features</b>		Sustainable technologies and materials	
Recommended duty cycle	300 - 400 pages per month	Carbon footprint	
Maximum duty cycle *	1000 pages per month	Total carbon footprint (kg of CO2e)	
Duplex functions *	Print	Carbon emissions, manufacturing (kg of CO2e)	
Digital sender	✓	Carbon emissions, logistics (kg of CO2e)	
Number of print cartridges *	2	Carbon emissions, end-of-life (kg of CO2e)	
Printing colours *	Black, Cyan, Magenta, Yellow	Total carbon emissions, w/o use phase (kg of CO2e)	
Page description languages	PCL 3 GUI	<b>Weight &amp; dimensions</b>	
All-In-One-multitasking	✓	Width	
Country of origin	Thailand	Depth	
Replacement cartridges	HP 303 Black Original Ink Cartridge (~200 pages) T6N02A; HP 303 Tri-Color Original Ink Cartridge (~165 pages) T6N01A; HP 303XL Black Original Ink Cartridge (~600 pages) T6N04A; HP 303XL Tri-Color Original Ink Cartridge (~415 pages) T6N03A. Actual yield varies considerably based on content of printed pages and other factors. For details see <a href="http://www.hp.com/go/learnaboutsupplies">http://www.hp.com/go/learnaboutsupplies</a>	Height	
		Weight	
HP segment	Home	<b>Packaging data</b>	
<b>Input &amp; output capacity</b>		Package width	
Total number of input trays *	2	Package depth	
Total input capacity *	125 sheets	Package height	
Total output capacity *	60 sheets	Package weight	
Maximum number of input trays	2	<b>Packaging content</b>	
Maximum input capacity	125 sheets	Cartridge(s) included	
Maximum output capacity	60 sheets	Included cartridge capacity (black)	
<b>Paper handling</b>		Included cartridge capacity (CMY)	
Maximum ISO A-series paper size *	A4		
Maximum print size	209.9 x 349.6 mm		
Paper tray media types *	Glossy paper, Matte paper, Photo paper, Plain paper, Recycled paper, Thick paper		
ISO A-series sizes (A0...A9) *	A4, A5, A6		
ISO B-series sizes (B0...B9)	B5		
ISO C-series sizes (C0...C9)	C5, C6		
Non-ISO print media sizes	2L, Hagaki card		
JIS B-series sizes (B0...B9)	B5		
Envelopes sizes	10, C5, C6, DL		
Photo paper sizes	10x30, 10x15, 13x18, 13x13		
Photo paper sizes (imperial)	4x12, 4x6, 5x7, 8x10		
Borderless printing media sizes	A4, Letter		
Custom media width	97.79 - 127 mm		
Custom media length	215 - 309 mm		
Paper tray media weight	75 - 300 g/m <sup>2</sup>		

Ports & interfaces		Packaging content	
Direct printing *	✓	Cables included	AC
USB port	✓	<b>Logistics data</b>	
USB 2.0 ports quantity	1	Harmonized System (HS) code	8443310000
<b>Network</b>		Pallet gross weight	229 g
Wi-Fi *	✓	Layers per pallet	4 pc(s)
Ethernet LAN *	✗	Products per pallet	24 pc(s)
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	<b>Technical details</b>	
Bluetooth	✓	Master (outer) cases per pallet layer 6 pc(s)	
Mobile printing technologies	Apple AirPrint, Mopria Print Service	General Product Safety Regulation (GPSR) URL <a href="https://support.hp.com/gb-en/product/setup-user-guides/hp-envy-inspire-7200e-series/2100825323">https://support.hp.com/gb-en/product/setup-user-guides/hp-envy-inspire-7200e-series/2100825323</a>	
<b>Performance</b>		<b>Other features</b>	
Maximum internal memory	256 MB	Number of users	5 user(s)
Internal memory *	256 MB	Pallet dimensions (W x D x H)	1216 x 1000 x 1993 mm
		Recommended system requirements	Intel Pentium II, Celeron or 233 MHz or better processor; 2 GB available hard disk space; Internet connection; web browser
		PictBridge	✗
		Pallet dimensions (W x D x H) (imperial)	1215.9 x 1000 x 1992.9 mm (47.9 x 39.4 x 78.5")
		Pallet weight (imperial)	228.6 kg (504 lbs)
		Number of print heads	2
		Manufacturer warranty	Up to 2 years HP Warranty. 24-hour, 7 days a week Web support;



0195908882572




195908882572



0195908882558



195908882558



0195908882565



195908882565

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.