



## LevelOne IFP-0503 netwerk-switch Unmanaged Fast Ethernet (10/100) Power over Ethernet (PoE) Zwart

**Merk :** LevelOne

**Artikelcode:** IFP-0503

**Productnaam :** IFP-0503

LevelOne IFP-0503. Switch type: Unmanaged. Type basis-switching RJ-45 Ethernet-poorten: Fast Ethernet (10/100), Aantal basis-switching RJ-45 Ethernet-poorten: 4. Full duplex. MAC-adrestabel: 1000 entries, Switchingcapaciteit: 1 Gbit/s. Netwerkstandaard: IEEE 802.3, IEEE 802.3af, IEEE 802.3at, IEEE 802.3u, IEEE 802.3x. Power over Ethernet (PoE). Ophangstelsysteem voor aan de muur



Beheerfuncties		Technische details	
Switch type *	Unmanaged	Aantal dozen per pallet (zee)	12 stuk(s)
Poorten & interfaces		Certificaten van naleving	CE, Federal Communications Commission (FCC)
Aantal basis-switching RJ-45 Ethernet-poorten *	4	Energie	
Type basis-switching RJ-45 Ethernet-poorten *	Fast Ethernet (10/100)	Stroombron *	DC/PoE
Fast Ethernet (koperen) ports kwantiteit	4	Vermogenstoevoer inclusief *	✓
Fibre channel-poorten	1	Ingangsspanning	0 - 56 V
Vezel-optische connector	SC	Stroomverbruik (typisch)	3,76 W
Netwerk		Power over Ethernet (PoE)	
Netwerkstandaard *	IEEE 802.3, IEEE 802.3af, IEEE 802.3at, IEEE 802.3u, IEEE 802.3x	Power over Ethernet (PoE) *	✓
10G support *	✗	Vermogen per poort Power over Ethernet (PoE)	30 W
Koperen ethernetbekabelingstechnologie	10BASE-T, 100BASE-TX	Totaal Power over Ethernet (PoE)-budget	126 W
Full duplex	✓	Eisen aan de omgeving	
Datastroombeheer	✓	Bedrijfstemperatuur (T-T)	-40 - 75 °C
Optische vezel		Gewicht en omvang	
Fiber type	Single-mode	Breedte	114 mm
Transmissie afstand (max)	30 km	Diepte	50 mm
Data-uitwisseling		Hoogte	165 mm
Switchingcapaciteit *	1 Gbit/s	Gewicht	500 g
MAC-adrestabel *	1000 entries	Verpakking	
Packet forwarding rate (100 Mbps)	148000 pps	Snelstartgids	✓
Packet forwarding rate (10 Mbps)	14880 pps	Wand montagekit	✓
Design		Klemmenblok inclusief	✓
Kleur van het product	Zwart	Type verpakking	Geschenkdoo
Materiaal behuizing	Metaal	DIN-rail inbegrepen	✓
LED-indicatoren	Activiteit, Link, Stroom	Breedte verpakking	120 mm
Internationale veiligheidscode (IP)	IP30	Diepte verpakking	60 mm
Ophangstelsysteem voor aan de muur	✓	Hoogte verpakking	185 mm
DIN rail bevestiging	✓	Duurzaamheid	
Land van herkomst	China	Naleving van duurzaamheid	✓
Prestatie		Logistieke gegevens	
Intern geheugen	1 MB	(Buitenste) hoofdverpakking breedte	450 mm

Prestatie		Logistieke gegevens	
Flash memory	1 MB	(Buitenste) hoofdverpakking lengte	380 mm
Mean time between failures (MTBF)	150000 uur	(Buitenste) hoofdverpakking hoogte	320 mm
Technische details		Code geharmoniseerd systeem (HS)	85176990
Pallet brutolengte	80 cm	(Buitenste) hoofdverpakking brutogewicht	8 kg
Pallet brutobreedte	120 cm	Hoeveelheid per (buitenste) hoofdverpakking	15 stuk(s)
Pallethoogte (lucht)	162 cm	Overige specificaties	
		Klemmenblokpoort	✓



4015867192405



4015867228067



0846359036044



846359036044

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.