



## TP-Link TL-MR3420 draadloze router Fast Ethernet Single-band (2.4 GHz) Zwart, Wit

**Merk :** TP-Link

**Artikelcode:** TL-MR3420

**Productnaam :** TL-MR3420

TP-Link TL-MR3420. Type WAN-aansluiting: RJ-45. Wifi-band: Single-band (2.4 GHz), Wifi-standaard: Wi-Fi 4 (802.11n), WLAN gegevensoverdrachtsnelheid (max): 300 Mbit/s. Interfacetype Ethernet LAN: Fast Ethernet, Ethernet LAN, data-overdrachtsnelheden: 10,100 Mbit/s, Netwerkstandaard: IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3u. Firewall: NAT, SPI. Type product: Router om neer te zetten, Kleur van het product: Zwart, Wit



<b>WAN connection</b>		<b>Packaging content</b>	
Ethernet WAN *	✓	Cables included	LAN (RJ-45)
DSL WAN *	✗	AC adapter included	✓
SIM card slot *	✗	Antenna included	✓
3G/4G USB modem compatibility *	✓	Quick installation guide	✓
WAN connection type	RJ-45	<b>Sustainability</b>	
<b>Wireless LAN features</b>		Sustainability compliance	✓
Wi-Fi band *	Single-band (2.4 GHz)	<b>Antenna</b>	
Top Wi-Fi standard *	Wi-Fi 4 (802.11n)	Antenna design *	External
WLAN data transfer rate (max) *	300 Mbit/s	Antenna connector type	RP-SMA
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Antenna gain level (max)	5 dBi
Modulation	16-QAM, 64-QAM, CCK, DBPSK, DQPSK, OFDM	Antennas quantity	2
<b>Network</b>		Antenna direction type	Omni-directional
Ethernet LAN *	✓	Transmit power	20 dBmW
Ethernet LAN interface type *	Fast Ethernet	<b>Features</b>	
Ethernet LAN data rates	10,100 Mbit/s	Firmware upgradeable	✓
Networking standards	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.3u	<b>Power</b>	
Auto MDI/MDI-X	✓	Power source type *	AC
Receiver sensitivity	270M: -68dBm@10% PER, 130M: -68dBm@10% PER, 108M: -68dBm@10% PER, 54M: -68dBm@10% PER, 11M: -85dBm@8% PER, 6M: -88dBm@10% PER, 1M: -90dBm@8% PER	Output voltage	12 V
<b>Ports &amp; interfaces</b>		Output current	1 A
Ethernet LAN (RJ-45) ports *	4	<b>Operational conditions</b>	
USB port *	✓	Operating temperature (T-T)	0 - 40 °C
		Storage temperature (T-T)	-40 - 70 °C
		Operating relative humidity (H-H)	10 - 90%
		Storage relative humidity (H-H)	5 - 95%

Ports & interfaces		System requirements	
USB 2.0 ports quantity	1		
DC-in jack	✓		
Management features			
Web-based management	✓		
WPS push button	✓		
Security			
Firewall	✓		
Firewall security	NAT, SPI		
DDoS protection	✓		
Filtering	✓		
MAC address filtering	✓		
IP address filtering	✓		
URL filtering	✓	Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 2000, Windows 2000 Professional, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 98SE, Windows NT, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Design			
Product colour	Black, White		
On/off switch	✓		
Product type *	Tabletop router		
Certificates			
Compliance certificates	RoHS, Federal Communications Commission (FCC), CE		
		Linux operating systems supported	✓
		Mac operating systems supported	✓
Weight & dimensions			
Width		204 mm	
Depth		138 mm	
Height		44 mm	
Packaging data			
Package width		315 mm	
Package depth		240 mm	
Package height		70 mm	
Package weight		620 g	
Logistics data			
Harmonized System (HS) code		85176990	



6935364051495




0854587033407



854587033407



0845973051495



845973051495

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.