



TP-Link Omada SX3206HPP netwerk-switch Managed L2+ 10G Ethernet (100/1000/10000) Power over Ethernet (PoE) Zwart

Merk : TP-Link

Productfamilie: Omada

Artikelcode: SX3206HPP

Productnaam : SX3206HPP



TP-Link Omada SX3206HPP. Switch type: Managed, Switch-laag: L2+. Type basis-switching RJ-45 Ethernet-poorten: 10G Ethernet (100/1000/10000), Aantal basis-switching RJ-45 Ethernet-poorten: 4, Console port: RJ-45/Micro-USB. MAC-adrestabel: 32000 entries, Switchingcapaciteit: 120 Gbit/s. Netwerkstandaard: IEEE 802.1D, IEEE 802.1Q, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ad, IEEE 802.3af, IEEE.... Netstekker: AC-in-aansluiting. Power over Ethernet (PoE). Rack-montage

Beheerfuncties		Beveiliging	
Switch type *	Managed	Bescherming lus	✓
Switch-laag	L2+	BPDU filtering / bescherming	✓
Quality of Service (QoS)	✓	Authenticatie	Gast-VLAN
Web-gebaseerd management	✓	Authenticatie type	AAA, RADIUS, TACACS+
Cloud-beheerd	✓	Multicast-functies	
ARP-inspectie	✓	Multicast-ondersteuning	✓
Locatie-instellingen (CLI) configureren	✓	Multicast Listener Discovery (MLD) snooping	MLD v1/v2
System event log	✓	Protocollen	
MIB-ondersteuning	Yes	Beheerprotocollen	SNMP v1/v2c/v3
Poorten & interfaces		Design	
Aantal basis-switching RJ-45 Ethernet-poorten *	4	Rack-montage *	✓
Type basis-switching RJ-45 Ethernet-poorten *	10G Ethernet (100/1000/10000)	Kleur van het product	Zwart
Aantal moduleslots SPF+	2	LED-indicatoren	✓
Console port	RJ-45/Micro-USB	Aantal ventilatoren	2 ventilator(en)
Netstekker	AC-in-aansluiting	Prestatie	
Netwerk		Minimale systeemeisen	Microsoft® Windows® 98SE, NT, 2000, XP, Vista™ / Windows 7/8/10/11, MAC® OS, NetWare®, UNIX® /Linux.
Netwerkstandaard *	IEEE 802.1D, IEEE 802.1Q, IEEE 802.1p, IEEE 802.1s, IEEE 802.1w, IEEE 802.3ad, IEEE 802.3af, IEEE 802.3at, IEEE 802.3bt, IEEE 802.3x	Energie	
10G support *	✓	Stroombron *	AC
Port mirroring	✓	Vermogenstoevoer inclusief *	✓
IP routing	✓	AC-ingangsspanning	100 - 240 V
Routing entries	512	AC-ingangsfrequentie	50/60 Hz
Datastroombeheer	✓	Vermogensverbruik (max)	244,9 W

Netwerk		Power over Ethernet (PoE)	
Verbindingsaggregatie	✓	Power over Ethernet (PoE) *	✓
Broadcast stormbeheer	✓	Aantal Power over Ethernet plus (PoE +)-poorten	4
Rate limiting	✓	Vermogen per poort Power over Ethernet (PoE)	60 W
Spanning tree protocol	✓	Totaal Power over Ethernet (PoE)-budget	200 W
Head-of-line (HOL) blocking	✓	Eisen aan de omgeving	
VLAN=ondersteuning	✓	Bedrijfstemperatuur (T-T)	0 - 50 °C
Virtuele LAN-functies	Private VLAN, Tagged VLAN, VLAN mapping, Voice VLAN	Temperatuur bij opslag	-40 - 70 °C
Aantal VLANs	4000	Relatieve vochtigheid in bedrijf (V-V)	10 - 90 procent
Data-uitwisseling		Luchtvochtigheid bij opslag	5 - 95 procent
Switchingcapaciteit *	120 Gbit/s	Warmtedissipatie	835,67 BTU/h
Verzending snelheid	89,28 Mpps	Gewicht en omvang	
MAC-adrestabel *	32000 entries	Breedte	294 mm
Statische route	✓	Diepte	180 mm
Aantal statische routes	48	Hoogte	44 mm
Jumbo Frames ondersteuning	✓	Inhoud van de verpakking	
Jumbo frames	9000	Meegeleverde kabels	AC
Packet buffergeheugen	16 MB	Snelstartgids	✓
Beveiliging		Rekbevestigingspakket	✓
DHCP-functies	DHCP client, DHCP relay, DHCP server, DHCP snooping, DHCPv6 client	Certificaten	
Access Control List (ACL)	✓	Certificering	CE, FCC, RoHS
IGMP snooping	✓		
Ondersteunde beveiligingsalgoritmen	HTTPS, SSL/TLS		
SSH/SSL support	✓		



6935364006617

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.